### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# PRICE LIST

FALL, 1943 SPRING, 1944



ROSES
EVERGREENS
TREES, SHRUBS
HERBACEOUS PERENNIALS

## HENRY KOHANKIE & SON

PAINESVILLE, OHIO
30 Miles East of Cleveland on Route 20
TELEPHONE 4380



### PRICE LIST

W E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

#### HENRY KOHANKIE & SON

Route 20

One Mile East of Painesville
PAINESVILLE, OHIO

### Please Read Carefully

#### CONDITIONS OF SALE

**Prices** do not include packing. A charge for the cost of the boxes and material used in baling will be made.

**Stock** specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. Losses may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting, beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

**Auto Truck Delivery**—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

#### CONTENTS

Deciduous and Evergreen Trees,
Shrubs and Vines 5-164
Herbaceous Material (including
Rock and Alpine Plants) 165-203
Fruit Garden Material 203
Large Specimen Material
Plants for Special Purposes 213-214
Schedule of B&B Charges
PLANT CLASSIFICATIONS
PLANT CLASSIFICATIONS
PLANT CLASSIFICATIONS  Coniferous Evergreens
Coniferous Evergreens 204-205
Coniferous Evergreens 204-205 Broad-leaved Evergreens 205
Coniferous Evergreens 204-205 Broad-leaved Evergreens 205 Deciduous Shade Trees 205-206

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

# DECIDUOUS AND EVERGREEN TREES SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

Abelia chinensis. Chinese Abelia. 5'	1-4 Each	5-24 Each	25 & up Each
15 to 18 in., 4 in. pots	1.50	1.25	1.00
grandiflora. Glossy Abelia. 3'			
12 to 15 in., 4 in. pots	.65	.55	.50
15 to 18 in., 4 in. pots	1.00	.75	.65
18 to 24 inB&B	1.50	1.35	1.25
2 to 3 ftB&B	1.75	1.65	1.50
schumanni. 5'			
12 to 18 in., 4 in. pots	1.50	1.25	
Abies balsamea. Balsam Fir. 50'			
2 ftB&B	3.00	2.50	2.00
3 ftB&B	4.00	3.50	3.00
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.00
6 ftB&B	10.00	7.50	6.00
7 ftB&B	12.50	10.00	
For larger sizes to 15 ft., add \$	5.00 p	er foo	t.
concolor. White Fir. 70'			
18 inB&B	2.50	2.00	1.50
2 ftB&B	3.50	3.00	2.50
3 ftB&B	5.00	4.00	
4 ftB&B	7.50	6.50	
5 ftB&B	10.00	8.50	
6 ftB&B	12.50	10.00	
7 ftB&B		12.50	
8 ftB&B	18.00	15.00	
9 ftB&B	20.00	18.00	
10 ftB&B	25.00	20.00	

For larger sizes to 25 ft., add \$10.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Abies			
concolor violacea. Purplecone Wh			
2 ftB&B		4.50	4.00
3 ftB&B		5.50	5.00
4 ftB&B		7.50	
5 ftB&B		10.00	
6 ftB&B	15.00	12.50	
For larger sizes to 10 ft., add \$1	10.00 p	er foo	t.
firma Momi Fir. 50'			
3 ftB&B	5.50		
4 ftB&B	7.50		
fraseri. Fraser Fir. 50'			
3 ftB&B		4.75	
4 ftB&B	6.50	6.00	
5 ftB&B	7.50	7.00	
6 ftB&B	10.00	8.50	
7 ftB&B	12.50	10.00	
For larger sizes to 12 ft., add \$	5.00 p	er foo	t.
homolepis. Nikko Fir. 60'			
3 ftB&B	6.00	5.00	4.50
4 ftB&B	7.50	6.50	6.00
5 ftB&B	10.00	8.00	7.50
6 ftB&B	12.50	10.00	9.00
nobilis glauca. Blueleaf Noble Fi	ir. 20	,	
18 inB&B	6.00		
2 ftB&B	7.50		
nordmanniana. Nordmann Fir. 7	'5 <b>'</b>		
3 ftB&B	6.00		
4 ftB&B	7.50		
5 ftB&B	10.00		
pectinata. Silver Fir. 50'			
2 ftB&B	4.00	3.50	
3 ftB&B	5.00	4.50	
pectinata pyramidalis. Sentinel F	ir. 10	,	
18 inB&B	4.00		
2 ftB&B	5.00		
3 ftB&B	7.50		
veitchi. Veitch Fir. 80'			
4 ft B&B	6.00	5.50	5.00
5 ft B&B	10.00	8.50	
6 ftB&B	12.50		

For larger sizes to 12 ft., add \$5.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Acanthopanax pentaphyllum. Five-lean	ed A	ralia.	10'
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.65
ricinifolium. Castor Aralia. 25'	•		
6 to 8 ft	6.50	6.00	
8 to 10 ft	8.00	7.50	
	10.00	9.00	
	15.00	12.50	•
14 to 16 ft	20.00	15.00	
ricinifolium maximowiczi. 25'			
	15.00		
	20.00		
12 ft	25.00		
Acer buergerianum. Trident Maple.	40'		
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	7.50	5.00	
campestre. Hedge Maple. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.50	5.00	4.50
	10.00	8.50	
	15.00	12.50	
14 to 16 ft	20.00	15.00	
cappadocicum. Coliseum Maple.	40'		
14 to 16 ft	20.00		
dasycarpum. Silver Maple. 75'			
8 to 10 ft	1.50	1.25	1.10
11/4 to 11/2 in	2.00	1.60	1.35
1½ to 1¾ in	2.50	1.90	1.65
134 to 2 in	3.00	2.25	2.00
2 to 2½ in	3.50	2.75	2.50
2½ to 3 in	4.50	3.50	3.00
3 to 3½ in	6.00	5.00	
$3\frac{1}{2}$ to 4 in	7.50	6.50	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Acer			
dasycarpum pyramidale.			
Pyramidal Silver Maple.	75'		
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.60	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	1.90	
1½ to 1¾ in	2.75	2.25	
dasycarpum wieri. Wier Maple.	75 <b>'</b>		
8 to 10 ft	2.00	1.60	
1½ to 1½ in	2.50	2.00	
1½ to 1¾ in	3.00	2.25	
13/4 to 2 in	3.50	2.75	
2 to 2½ in	5.00	3.50	
ginnala. Amur Maple. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
glabrum. Rocky Mountain Maple.	25'		
2 to 3 ft	2.50		
3 to 4 ft	3.50		
griseum. Paperbark Maple. 25'	<b>7.</b> 50	0.00	
8 to 10 ft	7.50	6.00	
10 to 12 ft	10.00	7.50	
12 to 14 ft		12.50	
japonicum aureum. Goldenmoon		. 15'	
2 to 3 ftB&B	5.00		
3 to 4 ftB&B	7.50		
4 to 5 ftB&B	10.00		
5 to 6 ftB&B	15.00		
mandshuricum. Manchurian Ma	ple. 3	0'	
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.50	4.00	3.50
10 to 12 ft	7.50	6.00	
1½ to 1¾ in	10.00	8.00	
2 to 2½ in	15.00	12.50	
negundo. Box Elder. 60'			
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
1½ to 1½ in	1.75	1.50	1.25
1½ to 1¾ in	2.25	2.00	1.50
1 <sup>3</sup> / <sub>4</sub> to 2 in	3.00	2.50	

	1-4 Each	5-24 Each	25 & up Each
Acer	Lucii	Euch	EUCH
nigrum. Black Maple. 80'			
8 to 10 ft	4.50	4.00	
nikoense. Nikko Maple. 40'			
6 to 8 ft	7.50		
8 to 10 ft	10.00		
0 10 10 10	10.00		
palmatum. Japanese Maple. 15'			
2 to 3 ftB&B	2.25	1.75	
3 to 4 ftB&B	3.00	2.50	
4 to 5 ft B&B	3.50	3.00	
5 to 6 ft B&B	5.00	4.50	
6 to 8 ft B&B	7.50	6.00	
8 to 10 ftB&B	10.00	7.50	
palmatum atropurpureum.			
Bloodleaf Japanese Maple.	10'		
2 to 3 ftB&B	4.50	4.00	3.50
3 to 4 ftB&B	6.00	5.50	
4 to 5 ftB&B	10.00	8.50	
5 to 6 ft., heavyB&B	15.00	12.50	
6 to 8 ft., heavy B&B	20.00	15.00	
8 to 10 ft., heavyB&B	25.00		
palmatum dissectum atropurpure			
Purple Threadleaf Japan		la 6	. *
18 to 24 inB&B	8.50	7.50	'
2 to 3 ftB&B		8.50	
3 to 4 ftB&B		0.00	
palmatum elegans. 10'	0.50		
18 to 24 inB&B	8.50		
palmatum filicifolium. Fernleaf	Maple	. 10'	
2 to 3 ftB&B	7.50	6.00	
3 to 4 ftB&B	10.00	7.50	
4 to 5 ftB&B	12.50		
5 to 6 ftB&B			
6 to 8 ftB&B	25.00		
pennsylvanicum. Striped Maple.	25'		
4 to 5 ft	2.25	2.00	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00	2.50	

	1-4 Each	5-24 Each	25 & up
Acer	Each	Each	Each
	75 <b>'</b>		
6 to 8 ft		1.85	1.75
8 to 10 ft		2.50	2.25
1½ to 1½ in		3.00	2.75
1½ to 1¾ in		3.50	3.25
1¾ to 2 in		4.00	3.75
2 to 2½ in		5.00	4.50
2½ to 3 in		6.50	6.00
3 to 3½ in		10.00	7.50
3½ to 4 in		12.50	
4 to 5 in. spec			
platanoides columnare. Column	Manle.	75'	
8 to 10 ft			
1½ to 1½ in.			
platanoides globosum. Globe No		anla	
4 year, 6 ft. standards		upie.	
		.1. 0	o!
platanoides schwedleri. Schwed			O'
1¼ to 1½ in		$\frac{3.75}{4.25}$	
1½ to 1¾ in			
		5.00	
2 to 2½ in		7.50	
		10.00 $15.00$	
		15.00	
pseudoplatanus. Sycamore Map  8 to 10 ft		2.50	
1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in		3.00	
1½ to 1¾ in		4.25	
1 <sup>3</sup> / <sub>4</sub> to 2 in		5.50	
2 to 2½ in		6.50	
2½ to 3 in		8.50	
3 to 3½ in		12.50	
rubrum. Red Maple. 75'	. 10.00	12.00	
6 to 8 ft	. 2.50	2.00	1.75
8 to 10 ft		2.50	2.25
1½ to 1½ in		3.00	2.75
1½ to 1¾ in.		4.00	3.50
13/4 to 2 in		5.50	5.00
2 to 2½ in		7.50	6.50
2½ to 3 in		10.00	8.50
3 to 3½ in.		12.50	10.00
3½ to 4 in			
4 to 5 in			

1-4 Each	5-24 Each	25 & up Each
Acer	Eden	Eden
saccharum. Sugar Maple. 75'		
8 to 10 ft 3.00	2.50	2.25
11/4 to 11/2 in	3.00	2.75
1½ to 1¾ in 4.00	3.50	3.25
13/4 to 2 in 5.00	4.50	3.75
2 to 2½ in 6.50	5.50	4.50
$2\frac{1}{2}$ to 3 in 9.00	7.50	6.00
3 to 3½ in	10.00	7.50
3½ to 4 in	12.50	
4 to 4½ in	20.00	
$4\frac{1}{2}$ to 5 in		
5 to 5½ in		
minture Manutain Manla 201		
spicatum. Mountain Maple. 20'	.75	
4 to 5 ft 1.25 5 to 6 ft 1.75	1.00 $1.25$	
5 10 6 11	1.20	
tataricum. Tatarian Maple. 20'		
4 to 5 ft	1.00	.75
5 to 6 ft 1.50	1.25	1.00
6 to 8 ft	1.75	1.50
8 to 10 ft	2.50	2.00
10 to 12 ft 5.00	4.50	
Actinidia arguta. Bower Actinidia. 20'		
2 year	.45	.35
Aesculus carnea. Red Horsechestnut. 40'		
8 to 10 ft		
4 to 5 in 60.00		
5 to 6 in		
5 to 6 m		
glabra. Ohio Buckeye. 25'		
6 to 8 ft 3.00	2.50	
8 to 10 ft 4.00	3.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 5.00		
1½ to 2 in 6.00		
2 to 2½ in 7.50		
2½ to 3 in 10.00		
3 to 3½ in		
3½ to 4 in		

				1-4 Each	5-24 Each	25 & up Each
Aesculus.						
hippocas	tar	um.	Horsechestnut.	70 <b>'</b>		
6	to	8	ft	2.50	2.25	2.00
8	to	10	ft	3.50	3.00	2.75
$1\frac{1}{4}$	to	$1\frac{1}{2}$	in	4.00	3.50	3.00
$1\frac{1}{2}$	to	$1\frac{3}{4}$	$in.\dots\dots\dots$	4.50	4.00	3.50
13/4	to	2	$in.\dots\dots\dots\dots$	5.00	4.50	4.00
2	to	$2\frac{1}{2}$	$in.\dots\dots\dots$	6.00	5.00	4.50
$2\frac{1}{2}$	to	3	in	9.00	7.50	
3	to	$3\frac{1}{2}$	$in.\dots\dots\dots$	15.00	12.50	
$3\frac{1}{2}$	to	4	in	18.00		
4	to	5	in	25.00		
hinnogag	4		baumanni.			
mppocas			White Horseches	tnut	50 <b>'</b>	
=					50	
5 6	to to	6 8	ft	7.50 $10.00$		
<b>0</b> 8		10	ft	12.50		
_	• -	3	ft			
	to to	_	in	25.00 35.00		
octandra		Volla	ow Buckeye. 60'			
6	to.	8	ft	2.50	2.25	2.00
8	to	10	ft	$\frac{2.50}{3.75}$	3.00	2.75
$1\frac{1}{4}$		11/2	in	4.00	3.50	3.00
$1\frac{1}{2}$		13/4		5.00	4.00	3.50
	to	2	in	5.50	4.50	4.00
	to		in	7.50	6.00	5.00
$\frac{2}{2^{1/2}}$		3	in.	10.00	7.50	6.00
	to	_	in	15.00	12.50	10.00
31/2		4	in	18.00	15.00	10.00
	to	5	in	25.00	20.00	
15 to	1	8 in.	B&B	<i>12'</i> 2.50		
			nese Horsechestn	3.75 ut. 30	o <b>'</b>	
		-	mose Horsechesch		,	
				30.00		
o to	U	ш		35.00		

	1-4 Each	5-24 Each	25 & up Each
Ailanthus glandulosa. Tree of Heav	en. 5	o <b>'</b>	
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	2.75	2.50	2.25
1½ to 1¾ in	3.50	3.00	2.50
1¾ to 2 in	4.00	3.50	3.25
2 to 2½ in	5.00	4.50	
sutchuenensis. Szechwan Ailanth		) <b>'</b>	
2 to 2½ in	7.50		
2½ to 3 in	10.00		
vilmoriniana. 50'			
10 to 12 ft	3.00	2.50	
1½ to 1¾ in	3.50	3.00	
1¾ to 2 in	4.00 $5.00$	$\frac{3.50}{4.50}$	
2 to 2 ½ m	7.50	6.00	
3 to 3½ in	10.00	0.00	
	5'		
2 year	.75	.60	.50
3 year from pots	1.00	.75	.60
quinata. Fiveleaf Akebia. 15'			
2 year	.50	.40	.30
3 year	.60	.45	.35
Albizzia julibrissin rosea. Silktree.	30 <b>'</b>		
12 to 18 in. from 4 in. pots	1.50	1.25	
3 to 4 ftB&B	5.00		
4 to 5 ftB&B	6.00		
Alnus cordata. Italian Alder. 40'	0.50	0.00	1.55
8 to 10 ft	2.50	2.00	$1.75 \\ 2.50$
1½ to 1¾ in	3.50 $5.00$	3.00 4.00	2.50
2½ to 3 in	7.50	6.00	
3 to 3½ in	10.00	8.50	
glutinosa. European Alder. 60'	10.00	0.00	
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
11/4 to 11/2 in	2.50	2.00	1.75
1½ to 1¾ in	3.00	2.50	2.00
13/4 to 2 in	4.00	3.50	3.00
2 to 2½ in	5.00	4.50	
2½ to 3 in	7.50	6.00	
3 to 3½ in	10.00	8.50	
glutinosa laciniata. Cutleaf Alder			
4 to 5 ft	5.00		

	1-4 Each	5-24 Each	25 & up Each
Alnus			
hirsuta. Manchurian Alder. 60'			
8 to 10 ft	4.00		
1¼ to 1½ in	5.00		
incana. Speckled Alder. 50'			
8 to 10 ft	2.00	1.75	1.50
11/4 to 11/2 in	2.50	2.00	1.75
1½ to 1¾ in	3.00	2.50	2.00
13/4 to 2 in	4.00	3.50	3.00
2 to 2½ in	5.00	4.50	4.00
2½ to 3 in	7.50	6.00	5.00
3 to 3½ in	10.00	8.50	7.50
japonica. Japanese Alder. 50'			
6 to 8 ft	2.25	2.00	
pendula. 30'	5.00		
2 yr. 6 ft. stems	5.00		
rugosa. Hazel Alder. 10'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	4.00	3.00	
viridis. European Green Alder.	6 <b>'</b>		
3 to 4 ft	1.50		
4 to 5 ft	2.00		
Althea. (See Hibiscus)			
(200 1100000)			
Amelanchier alnifolia. Saskatoon. 7	,		
3 to 4 ft	1.50		
4 to 5 ft	1.75		
5 to 6 ft	2.50		
asiatica. 35'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00		

SEE PAGE 164 FOR A COMPLETE LIST OF HERBACEOUS STOCK

	-1abi				1-4 Each	5-24 Each	25 & up Each
LITT	elanchi	er.					
	canad	ens	is.	Downy Shadblow. 3	0'	*	
	2	to	3	$\mathbf{ft.}\dots\dots\dots\dots\dots\dots$	.60	.55	.50
	3	to	4	ft	.75	.65	.60
	4	to	5	ft	1.25	1.00	.75
	5	to	6	ft	1.75	1.50	1.25
	6	to	.8	ft	3.00	2.50	
	8	to	10	ft	7.50	6.00	
	10	to	12	ft	12.50		
	6	to	8	ft. standards	3.50	3.00	
	8	to	10	ft. standards	5.00	4.00	
	laevis		$All\epsilon$	gheny Serviceberry.	35 <b>'</b>		
	3	to		ft	1.00	.75	.60
	4	to	5	ft	1.25	1.00	.75
	5	to	6	ft	1.75	1.50	1.25
	6	to		ft	3.00	2.50	2.00
	8	to	10	ft.	4.00	3.50	3.00
	6	to		ft. standards	3.50	3.00	0.00
	. 8	to		ft. standards	5.00	4.00	
	10	to		ft. standards	7.50		
	laevis	FO	603	. 35 <b>'</b>			
					0.00	1 55	
	_	to		ft. standards	2.00	1.75	
	4	to	5	ft. standards	2.50	2.00	
	5	to	_	ft. standards	3.50	3.00	
	6	to	_	ft. standards	5.00	4.00	
	8	to		ft. standards	7.50	6.50	
	10	to	12	ft. standards	10.00		
	oblong	-			25 <b>'</b>		
	2	to	3	ft	.60	.55	.50
	3	to	4	ft	.75	.65	.60
	4	to	5	ft	1.25	1.00	.75
	5	to	6	ft	1.75	1.50	1.25
	6	to	8		3.00	2.50	2.00
	8	to	10	ft	4.00	3.50	3.00
	6	to	8	$ft.\ clumps \dots B\&B$	12.50		
	8	to		ft. clumps B&B	15.00		
	10	to	12	ft. clumps B&B	20.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Amelanchier.			
rotundifolia, syn, vulgaris. Europe			
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	4.00	3.50	3.00
6 to 8 ft. standards	3.50	3.00	
8 to 10 ft. standards	5.00	4.00	
8 to 10 ft. clumps B&B	15.00		
10 to 12 ft. clumpsB&B	20.00		
sanguinea. Roundleaf Shadblow.	8 <b>'</b>		
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.50	3.50	
stolonifera. Running Shadblow.	4'		
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	
Amorpha brachycarpa. 3'			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	.00
canescens. Lead Plant. 2'			
15 to 18 in	.45	.35	.30
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.45	.40
	.00	.10	.10
fruticosa. Indigobush. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	
Ampelopsis aconitifolia. Monkshood	Vine.	<i>15</i> ′	
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
henryana. Silvervein Creeper. 1	5°		
from 4-inch pots	.75	.60	.50
11011 POUD		.00	.00

	1-4 Each	5-24 Each	25 & up Each
Ampelopsis.			
heterophylla. Porcelain Ampelops			
2 year	.45	.35	.30
3 year	.50	.40	.35
4 year	.60	.50	.45
heterophylla amurensis. Amur A			
2 year	.75	.60	.50
3 year	1.00	.75	.60
heterophylla elegans, syn. sieboldi			
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
quinquefolia. Virginia Creeper.	35 <b>'</b>		
2 year	.35	.25	.20
3 year	.40	.30	.25
4 year	.50	.40	.35
quinquefolia engelmanni. Engelmo	ann C	reeper.	35'
2 year	.35	.25	.20
3 year	.40	.30	.25
4 year	.50	.40	.35
quinquefolia murorum. Wall Cree	eper.		
2 year	1.00	.75	
quinquefolia saintpauli. St. Paul'	s Cree	per.	35 <b>'</b>
2 year	.35	.25	.20
3 year	.45	.35	.25
tricuspidata veitchi. Boston Ivy	40'		
2 year	.40	.30	.25
3 year	.50	.40	.30
2 year from pots	.65	.55	.50
tricuspidata lowi. Geranium Ivy.	8 <b>'</b>		
2 year from pots	.65	.60	.50
3 year from pots heavy	1.00	.90	.75
Amygdalus davidiana. Chinese Wild F	Peach.	25 <b>'</b>	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	
davidiana alba. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	

	1-4 Each	5-24 Each	25 & up Each
Amygdalus			
nana georgica. Russian Almond.	6'		
2 to 3 ft	1.25		
3 to 4 ft		1.25	
4 to 5 ft	2.00	1.50	
persica. Double Flowering Peach.	10'		
3 to 4 ft		.50	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.50		
6 to 8 ft	2.25		
Alboplena—Double White Clara Meyer—Double Pin		eg se	
Rosea Plena—Double Pin			
		•	
Rubroplena—Double Red.			
Andromeda. (See Pieris)			
Aralia japonica. Angelica Tree. 25'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	3.00	2.50	
pentaphyllum. (See Acanthopan	ax).		
spinosa. Devil's Walkingstick. 2	5'		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	2.00	1.50	1.60
8 to 10 ft. clumps	4.00	3.50	
10 to 12 ft. clumps	6.00	5.00	
Arctostaphylos uva-ursi. Bearberry.			
3½ in. pots	.60	.50	.45
Aristolochia sipho. Dutchman's Pipe.	30'		
2 year	1.25	1.00	.75
tomentosa. 30'			
2 year	.75	.60	.50
	8'		
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
atropurpurea. Purple Chokeberry	. 8'		
2 to 3 ft	50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft.	.75	.60	.50
5 to 6 ft	1.00	.75	60

Aronia	1-4 Each	5-24 Each	25 & up Each
melanocarpa. Black Chokeberru.	6 <b>'</b>		
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
			.10
melanocarpa elata. Glossy Chokeb		10'	
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
Artemesia abrotanum. Southernwood.	<b>5'</b>		
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.35	.30
5 to 6 ft	.60	.45	.40
Asimina triloba. Papaw. 30'			
2 to 3 ft	1.00	.75	
	1.00	.10	
Azalea amoena. Amoena Azalea. 4'			
10 to 12 inB&B	1.50		
12 to 15 inB&B	2.00		
15 to 18 inB&B	2.50		
calendulacea. Flame Azalea. 6'			
2 to 3 ftB&B	3.75	3.00	2.75
canescens. Piedmont Azalea. 6'			
canescens.         Piedmont Azalea.         6'           2 to 3 ft         B&B	3.50	2.75	2.50
	5.50	2.13	2.50
hinodegiri. Carmine Azalea. 3'	1 ==		
10 to 12 in	1.75		
12 to 15 inB&B	2.25		
kaempferi. Torch Azalea. 5'			
15 to 18 inB&B	2.75	2.50	
18 to 24 inB&B	3.75	3.50	3.00
24 to 30 inB&B	4.50	4.00	3.50
30 to 36 inB&B	6.00	5.00	
ledifolia. Snow Azalea. 6'			
15 to 18 inB&B	3.00	2.75	2.50
18 to 24 inB&B	3.75	3.50	3.25
ledifolia rosea. Sekidera Azalea.	6'		
15 to 18 inB&B	3.00	2.75	2.50
18 to 24 inB&B	3.75	3.50	3.25
lutea. 10'			
18 to 24 in	3.50	3.00	2.50
24 to 30 in	4.00	3.50	3.00
3 to 4 ft	5.00	4.50	4.00
5 to 4 1tB&B	5.00	4.50	4.00

	1-4 Each	5-24 Each	25 & up Each
Azalea			
mollis. Chinese Azalea. 6'			
15 to 18 inB&B	2.50	2.25	2.00
18 to 24 inB&B	3.75	2.75	2.50
24 to 30 inB&B	4.50	3.50	
mucronulatum. Dahurian Azalea.	6 <b>'</b>		
2 to 3 ftB&B	5.00	4.00	
3 to 4 ftB&B	6.00	5.00	
4 to 5 ftB&B	7.50		
nudiflora. Pinxterbloom. 4'			
2 to 3 ftB&B	3.50	2.75	
3 to 4 ftB&B	4.00	3.50	
poukhanensis. Korean Azalea. 4	,		
18 to 24 in B&B	3.50	3.00	
24 to 30 inB&B	4.50	4.00	
viscosa. Swamp Azalea. 6'			
18 to 24 inB&B	2.75	2.50	
24 to 30 inB&B	3.50	2.75	
yodogawa. Yodogawa Azalea. 4'			
18 to 24 inB&B	3.50	3.00	
24 to 30 inB&B	4.00	3.50	
3 to 4 ftB&B	5.00		
Baccharis halimifolia. Groundselbush.	10'		
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
*Benzoin aestivale. Spice Bush. 12'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.65	.55
5 to 6 ft	1.00	.85	.75
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
8 to 10 ft. clumps B&B 1	15.00		
Berberis circumserrata. Cutleaf Barbe		5 <b>'</b>	
18 to 24 inB&B	2.50		

	1-4 Each	5-24 Each	25 & up
Berberis	Each	Edch	Each
julianae. Wintergreen Barberry.	5 <b>'</b>		
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 in	2.50	2.25	2.00
24 to 30 in B&B	3.00	2.75	2.50
30 to 36 inB&B	3.50	3.00	2.75
koreana. Korean Barberry. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
sargentiana. Sargent Barberry.	<i>5</i> ′		
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 inB&B	2.50	2.25	2.00
24 to 30 inB&B	3.00	2.75	2.50
30 to 36 inB&B	3.50	3.00	2.75
thunbergi. Japanese Barberry. 4	,		
15 to 18 in	.25	.20	.15
18 to 24 in	.30	.25	.18
24 to 30 in	.35	.30	.25
30 to 36 in	.50	.35	.30
2 to 2½ ft. spec.	.85	.75	
2½ to 3 ft. spec	1.25	1.00	
3 to 3½ ft. spec.	1.75	1.50	
thunbergi atropurpurea.			
Redleaf Japanese Barb	0.01010.1	<b>5'</b>	
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.40	.35
	.60	.50	.45
30 to 36 in	1.00	.75	.60
30 to 42 m	1.00	.10	.00
thunbergi minor. Box Barberry.	2'		
12 to 15 in	.40	.30	.22
15 to 18 in	.45	.35	.30
18 to 24 in	.50	.40	.35
24 to 30 in	.60	.50	.45
thunbergi pluriflora. $5'$			
18 to 24 in	.35	.25	.20
24 to 30 in	.45	.35	.25
30 to 36 in	.50	.40	.30

Berberis.	1-4 Each	5-24 Each	25 & up Each
thunbergi pluriflora erecta. $Trueh$	edge	Column	aberry.
12 to 15 in	.40	.30	.25
15 to 18 in	.50	.35	.30
18 to 24 in	.55	.40	.35
24 to 30 in	.60	.50	.40
triacanthophora. Threespine Barbe	erru	<i>5</i> ′	
15 to 18 in	1.35	1.25	1.00
18 to 24 in	1.50	1.35	1.25
10 to 24 m	1.00	1.00	1.20
verruculosa. Warty Barberry. 3	?*		
8 to 10 inB&B	1.50	1.25	
12 to 15 inB&B	1.75	1.50	
18 to 24 inB&B	2.50	2.25	
Berchemia racemosa. Japanese Supple	iack.	3'	
15 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
10 00 21 111		.00	.00
*Betula alba. European White Birch.	<i>50</i> ′		
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
13/4 to 2 in	3.50	3.25	3.00
2 to 2½ in	5.00	4.00	3.50
2½ to 3 in	6.00	5.00	
3 to 3½ in	10.00	7.50	
*alba fastigiata. Pyramidal White	Birc	h. 50'	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.00	
10 to 12 ft	7.50	6.00	
*alba laciniata. Cutleaf Weeping	Bircl	h. 35'	
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.00	2.75	
1½ to 1½ in	3.75	3.50	
1½ to 1¾ in	4.50	4.00	
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.00	
	10.00	7.50	

						1-4 Each	5-24 Each	25 & up Each
Betula								
*lenta.	Su			40'				
6	to	8	ft			1.75	1.50	1.25
8	to	10	ft			2.50	2.25	1.75
11/4	to	$1\frac{1}{2}$	in			3.00	2.75	2.25
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in			3.50	3.00	2.75
13/4	to	2	in			4.00	3.50	3.00
2	to	$2\frac{1}{2}$	in			5.00	4.50	4.00
$2\frac{1}{2}$	to	3	in			7.50	6.00	5.00
3	to	$3\frac{1}{2}$	in			10.00	7.50	
*lutea.	$Y\epsilon$	ellow	Birch.	<i>50</i> ′				
6	to	8	ft			2.00	1.75	
8	to	10	ft			2.50	2.25	
11/4	to	$1\frac{1}{2}$	in			3.00	2.75	
11/2	to	$1\frac{3}{4}$	in			3.50	3.00	
13/4	to	2	in			4.00	3.50	
2	to	$2\frac{1}{2}$	in			5.00	4.50	
21/2	to	3	in			7.50	6.00	
3	to	$3\frac{1}{2}$	in			10.00	7.50	
31/2	to	4	in			12.50	10.00	
*maxim	ow	iczian	a. Mon	narch	a Bire	ch. 60	) <b>'</b>	
6	to	8	ft			2.75	2.50	2.00
8	to	10	ft			3.50	3.00	2.50
11/2	to	$1\frac{3}{4}$	in			4.50	4.00	
13/4	to	2	in			6.00	5.00	
2	to	$2\frac{1}{2}$	in			7.50	6.00	
*nigra.	Ri	ver B	irch. 5	0'			•	
6	to	8	ft			1.75	1.50	1.25
8	to	10	ft			2.50	2.25	2.00
2	to	$2\frac{1}{2}$	in			6.00	5.00	
6	to	8	ft. clum			7.50	7.00	
8	to	10	ft. clum			10.00	9.00	
*papyrii	era	. C	anoe Bi	rch.	40'			
6	to	8	$\mathbf{ft.}\dots$			2.00	1.75	1.50
8	to	10	ft			2.50	2.25	2.00
11/4	to	$1\frac{1}{2}$	$in.\dots.$			3.00	2.75	2.50
11/2	to	13/4	$in.\dots.$			3.50	3.25	3.00
13⁄4	to	2	in			4.00	3.75	3.25
2	to	$2\frac{1}{2}$	in			5.00	4.50	4.00
$2\frac{1}{2}$	to	3	<b>in.</b>			7.50	6.00	5.00
3	to	$3\frac{1}{2}$	in			10.00	7.50	
31/2	to	4	in			12.50	10.00	
6	to	8	ft. clum	nps	B&B	7.50	7.00	
8	to	10	ft. clum	ps	B&B	10.00	9.00	

	1-4 Each	5-24 Each	25 & up Each
Betula.			
*papyrifera cordifolia. $40'$	٠		
1½ to 1¾ in	5.00		
2 to 2½ in	7.50		
*populifolia. Gray Birch. 40'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	2.00
1½ to 1½ in	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.00	2.75
13/4 to 2 in	4.00	3.50	3.00
2 to 2½ in	5.00	4.50	4.00
2½ to 3 in	7.50	6.00	5.00
3 to 3½ in 1	0.00	7.50	6.50
4 to 4½ in	5.00	12.50	
6 to 8 ft. clumps B&B	7.50	7.00	
8 to 10 ft. clumps . B&B 1	0.00	9.00	
Bignonia grandiflora. Chinese Trumpe	tcree	per. 2	0'
2 year	.60	.50	.40
3 year	.75	.60	.50
4 year	1.00	.75	.60
grandiflora Mad. Gallen. 20'			
2 year	1.00	.75	.60
radicans Trumpetcreeper. 30'			
2 year	.30	.25	.20
3 year	.40	.30	.25
speciosa. Painted Trumpetcreeper.	30'		
2 year	.75	.60	.50
3 year	1.00	.75	
Bischoffia trifoliata. 12'			
3 to 4 ft	2.50	2.25	
Broussonetia papyrifera. Paper Mulbe	22222	40'	
5 to 6 ft		2.50	
6 to 8 ft	3.50	2.50	
Bruckenthalia spiculifolia. Spikeheath			
6 in., 3 inch pots	1.50	1.25	
Buddleia alternifolia. 12'			
2 to 3 ft	.40	.35	
3 to 4 ft	.50	.45	
Charming. Pink Butterfly Bush.	5 <b>'</b>		
2 to 3 ft	.50	.40	.30

	1-4 Each	5-24 Each	25 & up Each
Buddleia			
davidi. Orange-eye Butterfly Bus			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.40	.30	.25
davidi superba. 5'			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.35	.30
davidi veitchi. Veitch Butterfly	Bush.	<b>5</b> ′	
2 to 3 ft	.30	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.35	.30
Dubonnet. 5'			
2 to 3 ft	.50	.40	
farquhari. 5'			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.35	.30
5 to 6 ft	.60	.50	.40
Ile de France 4'			
2 to 3 ft	.40	.30	.20
3 to 4 ft	.50	.40	.30
intermedia. Wisteria Butterfly E		<b>5'</b>	
2 to 3 ft	.30	.25	.20
3 to 4 ft	.40	.30	.25
lindleyana. Lindley Butterfly Bu			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.40	.30	.25
paniculata.			
3 to 4 ft	.40	.35	.25
4 to 5 ft	.50	.40	.35
Buxus microphylla.			
12 to 15 inB&B	1.50	1.35	1.25
15 to 18 inB&B	1.75	1.60	1.50
18 to 24 inB&B	2.00	1.85	1.75
microphylla koreana.			
6 to 8 inB&B	1.25	1.10	1.00
12 to 15 in B&B	1.50	1.35	1.25
15 to 18 inB&B	1.75	1.60	1.50

	1-4 Each	5-24 Each	25 & up Each
Buxus.			
sempervirens handsworthi.			
8 to 10 inB&B	1.25	1.10	1.00
10 to 12 inB&B	1.50	1.35	1.25
sempervirens suffruticosa. Dwarz	f Boxi	vood.	4'
12 to 15 inB&B	1.75	1.50	1.35
15 to 18 inB&B	2.00	1.75	1.65
Callicarpa americana. American Bea	utyber	ry. 6	,
2 to 3 ft	.75	.65	
giraldiana. 6'			
2 to 3 ft	.75	.65	.60
giraldiana subincanescens. $6'$			
2 to 3 ft	1.25		
japonica. Japanese Beautyberry.	4'		
18 to 24 in	.40	.30	.25
2 to 3 ft	.45	.35	.30
	4'		
18 to 24 in	.40	.30	.25
2 to 3 ft	.45	.35	.30
Calluna vulgaris. Heather. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G B&B	1.50	1.25	
vulgaris alba. White Heather. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G B&B	1.50	1.25	
vulgaris alporti. Alport Heather.	2'		
4 inch pots	.75	.60	
vulgaris aurea. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G B&B	1.50	1.25	
	2'		
6 to 8 in., 4 inch pots	.75	.60	
vulgaris searlei. 2'			
12 to 15 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G B&B	1.50	1.25	
Calycanthus floridus. Sweet Shrub. 5	,		
18 to 24 in	.40	.35	.28
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75

Calmanuthus	1-4 Each	5-24 Each	25 & up Each
Calycanthus.			
occidentalis. California Sweetshr	ub. 1	!2 <b>'</b>	
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
Caragana arborescens. Siberian Peatr	ree.	15'	
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
boisi. 6'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
frutex. Russian Pea-shrub. 10'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
lorbergi. 4'			
2 to 3 ft	1.50	1.25	
3 to 4 ft		1.50	
sophoraefolia. Sophoraleaf Peash			
2 to 3 ft	1.50		
3 to 4 ft	1.75		
0 10 1 10	1.10		
Carpinus betulus. European Hornbean			
3 to 4 ftB&B	5.00	4.50	4.00
4 to 5 ftB&B	6.00	5.50	5.00
5 to 6 ftB&B	9.00	8.00	7.50
	12.00	11.00	10.00
	15.00	13.00	12.00
10 to 12 ftB&B	20.00	18.00	15.00
Sheared plants, 4 to 10 ft. quote	d on	reques	t.
betulus fastigiata. Pyramid Horn	ibeam	. 40'	
3 to 4 ftB&B	10.00		
4 to 5 ftB&B	12.50		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

1-4 Each	5-24 Each	25 & up Each				
Carpinus.	Lucii	Eden				
caroliniana. American Hornbeam. 40'						
2 to 3 ftB&B 2.00	1.75	1.50				
3 to 4 ftB&B 3.00	2.75	2.50				
4 to 5 ftB&B 4.00	3.75	3.50				
5 to 6 ftB&B 6.00	5.00	4.50				
6 to 8 ftB&B 8.50	7.50	6.50				
8 to 10 ftB&B 12.00	10.00	8.50				
10 to 12 ftB&B 18.00	15.00	12.50				
Sheared plants, 4 to 10 ft., quoted on	reques	t.				
cordata. 40'						
6 to 8 ftB&B 10.00						
8 to 10 ftB&B 12.50						
japonica. 40'						
3 to 4 ft. bushy B&B 4.00	3.50					
4 to 5 ft. bushyB&B 5.00	4.50					
5 to 6 ft	5.50					
6 to 8 ftB&B 10.00	7.50					
yedoensis. 25'						
3 to 4 ftB&B 4.00	3.50	3.00				
4 to 5 ftB&B 6.00	5.00	4.50				
5 to 6 ftB&B 7.50	6.50	6.00				
6 to 8 ftB&B 10.00	8.00					
8 to 10 ftB&B 15.00	12.50					
Caryopteris incana. Bluebeard. 4'						
15 to 18 in	.35	.30				
18 to 24 in	.45	.40				
tangutica. 5'						
10 to 12 in., 4 inch pots 1.00	.80	.75				
Catalpa bignonioides nana syn. bungei.						
Umbrella Catalpa. 12'						
2 yr. heads,						
5 to 6 ft	1.50					
6 to 8 ft	2.00					
kaempferi. Japanese Catalpa. 20'						
6 to 8 ft	1.50					
8 to 10 ft	2.00					
1½ to 1¾ in 3.00	2.50					
1 <sup>3</sup> / <sub>4</sub> to 2 in 4.00	3.50					
speciosa. Western Catalpa. 30'						
8 to 10 ft	1.25	1.00				
1½ to 1¾ in	1.50	1.25				
13/4 to 2 in 2.00	1.75	1.50				

	1-4 Each	5-24 Each	25 & up Each			
Ceanothus americanus. Jersey Tea. 3	? <b>*</b>					
18 to 24 in	.50	.35	.30			
2 to 3 ft	.60	.45	.40			
Cedrela sinensis. Chinese Cedrela. 50	,					
5 to 6 ft	3.00	2.50				
6 to 8 ft	4.00	3.50				
8 to 10 ft	6.00	5.00				
10 to 12 ft	10.00	7.50				
Cedrus deodara. Deodar. 50'						
2 ft	3.50	3.00				
3 ft B&B	5.00	4.50				
3 11	5.00	4.50				
libani. Cedar of Lebanon. 50'						
2 ftB&B	3.50	3.00				
3 ftB&B	5.00	4.50				
Celastrus gemmata. Chinese Bitterswe	et. 2	20'				
2 year	1.00	.75				
orbiculatus. Oriental Bittersweet.	20'					
2 year	.40	.30	.25			
3 year	.45	.35	.30			
4 year	.60	.50	.40			
scandens. Native Bittersweet. 25'						
2 year	.40	.30	.25			
3 year	.45	.35	.30			
4 year	.60	.50	.40			
4 year	.00	.50	.10			
Celtis occidentalis. Hackberry. 50'						
5 to 6 ft	1.75	1.50				
6 to 8 ft	2.25	-2.00				
8 to 10 ft	2.75	2.50				
1¼ to 1½ in	3.00	2.75				
1½ to 1¾ in	3.50	3.25				
2½ to 3 in	7.50	5.00				
3 to 3½ in	10.00	7.50				
sinensis. Chinese Hackberry, 30'						
4 to 5 ft	2.50	2.00				
5 to 6 ft	3.00	2.50				
Cephalanthus occidentalis. Button Bush. 6'						
2 to 3 ft	.45	.35	.30			
3 to 4 ft	.55	.45	.40			
4 to 5 ft	.65	.55	.50			

					1-4 Each	5-24 Each	25 & up Each
Cercidiphy	llu	m	japonicum.	Katsura	Tree.	<i>30</i> ′	
4	to	5	ft	B&B	4.00	3.50	3.00
5	to	6			6.00	5.00	4.00
6	to	8			7.50	6.00	5.00
8	to	_				8.50	7.50
10	to	12			15.00	12.50	10.00
8			ft. spec.			12.00	10.00
			ft. spec.				
	to		ft. spec.				
			ft. spec				
			sinense. Ch			Tree.	50 <b>'</b>
_	to		ft		7.50		
5	to	6	ft	B&B	10.00		
*Cercis ca	nad	len	sis. America	ın Redbud	. 15'		
3	to	4	ft		1.00	.75	.60
4	to	5	ft		1.25	1.00	.90
5	to		ft		1.75	1.50	1.25
6	to		ft		2.25	2.00	1.75
8	to		ft		3.00	2.75	2.50
6	to	8	ft. spec	B&B	7.50		
8	to	10	ft. spec	B&B	10.00		
10			ft. spec				
•							
canad							
3	to	_	ft		5.00	4.50	4.00
4		5	ft		6.00	5.00	
5	to	6	ft		7.50	6.00	
6	to	8	ft	B&B	10.00		
*chine	ensi	s.	Chinese Re	edbud. 10'	•		
2	to	3	ft		1.50	1.25	1:00
3	to	4	$\mathtt{ft.}\dots\dots\dots$		2.00	1.50	1.25
4	to	5	$\mathbf{ft.}\dots\dots$		3.00	2.50	2.00
5	to	6	ft		5.00	4.00	3.50
6	to	8	$\mathbf{ft.}\dots\dots\dots$		7.50	6.00	5.50
8	to	10	$ft.\dots\dots$		10.00	7.50	6.50
Cercocarpus parvifolius. Valley Mahogany. 6'							
2			ft				

	1-4	5-24	25 & up
Champagunaria lauraniana . I	Each	Each	Each ,
Chamaecyparis lawsoniana. Lawson 2 ft		s. 100 $2.50$	
3 ft		3.50	
4 ft		5.00	
5 ft		7.50	
6 ft		10.00	
For larger sizes to 12 ft., add			t.
lawsoniana alumi. Scarab Cypr.			
2 ftB&B		,	
3 ft			
		***	1.01
lawsoniana glauca. Blue Lawsoniana glauca. B&B		ress.	40'
7 ft			
8 ftB&B			
lawsoniana Triomphe de Boskoo		,	
4 ft			
5 ftB&B			
6 ftB&B	12.50		
nootkatensis. Nootka Cypress.	75 <b>'</b>		
2 ftB&B	3.00	2.50	2.25
3 ftB&B	4.00	3.00	2.75
4 ftB&E	5.00	4.50	
5 ftB&E	7.50	6.00	
6 ftB&B	9.00	7.50	
nootkatensis pendula. Weeping 1	Vootka	Cypres	ss. 15'
3 ftB&E	7.50	6.00	
4 ftB&B	10.00	8.00	
5 ftB&E	12.50		
6 ftB&B	15.00		
obtusa compacta. Compact Hino			
2 ft		2.50	2.25
3 ftB&B		3.50	3.25
4 ftB&E		5.00	4.50
5 ft		6.00	
6 ftB&B		7.50	
7 ft	12.50	10.00	
obtusa crippsi. Yellow Hinoki		s. 10'	
3 ft B&E			
4 ftB&B	6.00		

CI		_			1-4 Each	5-24 Each	25 & up Each
Chamaecyp	oarı	s.					
obtusa	gr	acilis.	Slender	Hinoki (	Cypres	s. 15'	
2	ft.			B&B	4.00	3.50	
3	ft.			B&B	6.00	5.00	
4	ft.				7.50	6.00	
5	ft.				10.00	7.50	
6	ft.			B&B	12.50	10.00	
7	ft.			B&B	15.00	12.50	
8	ft.			B&B	20.00		
		_					
obiusa	na	na. $D_i$	warf Hin	oki Cypr		10'	
15	in.			B&B	4.00	3.50	3.00
18	in.				6.00	5.00	4.00
24	in.				8.00	7.00	6.00
30	in.			B&B	10.00		
obtusa	na	na com	pacta. 3	3*			
15	in.			B&B	5.00	4.50	
18	in.			B&B	7.50	6.50	
pisifer	a.	Sawar	a Cypres	s. 30'			
2	ft.				3.00	2.50	2.25
	ft.				4.50	4.00	3.25
_	ft.				6.50	5.50	4.50
_	ft.				7.50	6.50	5.50
_	ft.			B&B		8.50	0.00
7	ft.			B&B		10.00	
8	ft.	_			15.00	12.50	
9	ft.				18.00	15.00	
10	ft.			B&B		18.00	
For 1	arg	er size	s to 18 f	t., add \$	5.00 p	er foot	t.
p. aur	ea.	Golde	en Sawar	a Cypres	ss. 30	,	
_	ft.				3.00	2.50	2.25
	ft.				4.50	4.00	3.25
_	ft.				6.50	5.50	4.50
_	ft.				7.50	6.50	2.00
	ft.			B&B		8.50	
7	ft.	-			12.50	2.03	
8	ft.	-		B&B			
. 9	ft.	_			18.00		

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis	Eden	Edell	Edell
- filifore /// Lunched Lunch		Y	4 = 1
p. filifera. Thread-branched Japa		ypress	
2 ftB&B	4.00	3.50	3.25
3 ftB&B	5.50	5.00	4.50
4 ftB&B	7.50	6.50	6.00
	12.00	10.00	
	15.00	12.50	
	18.00	15.00	
7 ft. spec		18.00	
8 ft. spec B&B		22.50	
9 ft. spec	35.00		
a Citifana anna			
p. filifera aurea.		~	
Golden Thread-branched Ja	panese	Cypre	ess. 10'
18 in. spdB&B	3.50	2.75	
24 in. spd	4.50	3.75	
30 in. spdB&B	6.00	5.00	
	10.00		
48x48 in. spec	15.00		
54x54 in. spec			
60x60 in. specB&B	25.00		
. (1)			
p. filifera aurea nova.		~	
Variegated Thread-branched Jag	-	Cypre	ess. 10'
18 to 24 in. spdB&B	3.50		
24 to 30 in. spd	4.50		
30 to 36 in. spd	6.00		
	10.00		
42 to 48 in. spd			
48 to 54 in. spdB&B	15.00		
p. plumosa. Plume Cypress. 30'			
2 ft. sheared B&B	3.00	2.50	2.25
3 ft. shearedB&B	4.50	4.00	3.25
4 ft. shearedB&B	6.50	5.50	4.50
5 ft. shearedB&B	7.50	6.50	5.50
6 ft. shearedB&B	10.00	8.50	7.50
7 ft. shearedB&B	12.50	10.00	9.50
8 ft. shearedB&B	15.00	12.50	
9 ft. sheared B&B	18.00	15.00	

10 ft. sheared.........B&B 20.00 18.00 For larger sizes to 18 ft., add \$5.00 per foot.

E	1-4 ach	5-24 Each	25 & up Each
Chamaecyparis p. plumosa	50		
3 ft. spec., 4 ft. spd. B&B 7			
4 ft. spec., 5 ft. spd. B&B 12			
5 ft. spec., 6 ft. spdB&B 15	.00		
p. plumosa aurea. Goldenplume Cyn	press	s. 25'	
	.00	2.50	2.25
3 ft. sheared B&B 4	.50	4.00	3.25
4 ft. sheared B&B 6	.50	5.50	4.50
	.50	6.50	5.50
6 ft. sheared B&B 10		8.50	7.50
7 ft. sheared	.50	10.00	9.50
8 ft. sheared B&B 15		12.50	
9 ft. sheared B&B 18		15.00	
10 ft. sheared B&B 20		18.00	
For larger sizes to 20 ft., add \$5.00	0 pe	r foot	
3 ft. spec., 4 ft. spd B&B 7.	.50		
4 ft., spec., 5 ft. spd B&B 12			
5 ft. spec., 6 ft., spd. B&B 15			
p. plumosa lutescens. (Globe Form)		,	
	.50	2.00	1.75
	.00	2.50	
p. plumosa sulphurea. Sulphurplun	ie C	upress	. 25'
	.00	4.50	
	.50	5.50	
	.00	7.00	
7 ft		8.50	
8 ft	.00	12.50	
	.00	15.00	
p. squarrosa. Moss Retinospora. 30	,,		
	.00	2.50	2.25
	.50	4.00	3.25
	.50	5.50	4.50
	.50	6.50	4.50
	.00	8.50	
	.50	10.00	
7 ft. sheared		12.50	
For larger sizes to 15 ft., add \$5.00		foot.	
Chamaedaphne calyculata. Leatherleaf.			
	.50	3.00	2.75
24 to 30 in,	.00	4.00	3.75

	1-4 Each	5-24 Each	25 & up Each
Chionanthus retusa. 20' 2 to 3 ft	5.00		
virginica. White Fringe, 25'	5.00		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.15
5 to 6 ft	2.25	1.75	1.50
6 to 8 ft	3.00	2.25	2.00
8 to 10 ft	4.00	3.00	2.75
5 to 6 ft. specB&B	7.50	6.00	
6 to 8 ft. specB&B	10.00	7.50	
8 to 10 ft. specB&B	12.50		
Cladrastis lutea. Yellow Wood. 30'			
6 to 8 ftB&B	7.50	6.50	
8 to 10 ft		9.00	
10 to 12 ftB&B		15.00	12.50
2 to 2½ inB&B		17.50	
2½ to 3 inB&B	25.00	20.00	
Clematis apiifolia. October Clematis.	25'		
2 year	.50	.40	
chrysocoma sericea.			
2 year	1.00	.75	.60
coccinea. (See texensis).			
crispa. Curly Clematis.	1.00		
2 year	1.00	.75	
fargesi.	1.00	75	60
2 year, 3 in. pots	1.00	.75	.60
flammula. Plume Clematis. 15'	1.00		
2 year		.75	
hybrids. Large Flowering Clema			
2 year		.60	
Jackmanni ,Mad. Ed. Andre, Ho Duchess of Edinburg.	enryi,		
ligusticifolia. Western Virgins-bo	mer	15'	
2 year		.60	
montana rubens.			
3 inch pots	1.00	.75	.65
montana undulata.			
3½ inch pots	1.00		
montana wilsoni.			
3 inch pots	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Clematis			
orientalis. Oriental Clematis.			
4 inch pots	1.00		
paniculata. Sweet Autumn Clemat	is. 25	5'	
2 year	.35	.30	.25
3 <b>y</b> ear	.45	.35	.30
serratifolia. Korean Clematis.			
2 year	1.00	.75	.60
tangutica. Golden Clematis. 12'			
2 year	.60	.50	
texensis syn. coccinea. Scarlet	Clamat	io 11	o <b>*</b>
2 year	.60	.50	.40
	.00	.00	.10
veitchi. 10'	1.00	.75	
3 inch pots	1.00	.13	
viorna. Leatherflower.	1.00		
2 year	1.00	.75	
virginiana. Virgins-bower. 25'			
2 year	.35	.25	.20
3 year	.45	.35	.25
vitalba. Travelers-joy. 25'			
2 year	.60	.50	
viticella. Italian Clematis. 10'			
2 year	.75	.60	
·	G1		
Clerodendron trichotomum. Harlequin	Glory 1.75	bower. $1.50$	6' $1.25$
3 to 4 ft	2.00	1.75	1.50
		1.75	1.50
Clethra alnifolia. Sweet Pepper Bush			
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.45	.40
2½ to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
barbinervis. Tree Clethra. 5'			
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.85	
paniculata. 5'			
18 to 24 in	1.00	.75	.60
2 to 3 ft	1.25	1.00	.75
2 to 0 th	1.20	1.00	.10

	1-4 Each	5-24 • Each	25 & up Each
Colutea arborescens. Bladder Senna.	10'		
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
cilicica Cilician Bladder Senna.	10'		
2 to 3 ft	1.50		
media.			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
Comptonia asplenifolia. Sweetfern.	3'		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.50	
Cornus alba. Tatarian Dogwood. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
	Dogw	ood. 8	<b>?</b> *
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	.90	.80	.70
5 to 6 ft	1.00	.90	
alba sibirica. Coral Dogwood. 10	) <b>'</b>		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
alba spaethi. Golden Variegated	Dogwo	ood. 8	,
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
alternifolia. Pagoda Dogwood. 20	) <b>'</b>		
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	

Cornus	1-4 Each	5 <b>-24</b> Each	25 & up Each
	ano ad	10'	
amomum syn. sericea. Silky Dog	.40	.30	.25
			.30
3 to 4 ft	.45 .60	.35	.40
4 to 5 ft			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.25	1.00	.90
baileyi. Bailey Dogwood. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	
florida. White Flowering Dogwoo	d. 25	,	
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	3.00	2.75	2.50
5 to 6 ftB&B	5.00	4.00	3.75
6 to 8 ftB&B	7.50	6.50	6.00
8 to 10 ftB&B	10.00	9.00	8.25
5 to 14 ft., heavy spec.,			
B&B at \$1.50 per foot.			
florida plena. Dbl. White Flg. De	awood	ł. 25'	
3 to 4 ftB&B	4.50	4.00	3.50
4 to 5 ftB&B	6.00	5.00	4.50
5 to 6 ft. spec B&B		10.00	2.00
6 to 8 ft. spec		10.00	
8 to 10 ft. spec B&B			
florida rubra. Red Flowering Do		. 20'	
3 to 4 ftB&B	3.75	3.00	2.50
4 to 5 ft	5.50	4.50	3.75
5 to 6 ft	7.50	6.50	5.00
	10.00	8.50	7.50
	12.50	10.00	9.00
	12.50	10.00	5.00
6 ft., heavy spec. B&B			
For larger sizes to 12 ft., add \$5.00		oot.	
florida welchi. Variegated-leaved	-		25 <b>'</b>
2 to 3 ftB&B	3.75	3.00	20
3 to 4 ft	4.50	4.00	
4 to 5 ft	6.00	5.50	
5 to 6 ft	8.50	7.50	
0 to 0 tt	0.00	1.50	

	1-4 Each	5-24 Each	25 & up Each
Cornus	Eden	Eden	Lucii
kousa. Kousa Dogwood. 20'			
3 to 4 ftB&B	3.00	2.50	2.25
4 to 5 ftB&B	4.50	3.75	3.25
4 to 5 ft. heavyB&B	6.00	5.00	
5 to 6 ft. heavyB&B	10.00	7.50	
6 to 8 ft. heavy B&B	12.50	10.00	
8 to 10 ft. heavy B&B	15.00	12.50	
kousa chinensis. Chinese Dogwood	l. 25'		
3 ft B&B	6.00	5.00	
4 ftB&B	7.50	6.00	
	10.00	8.50	
mas. Cornelian Cherry. 20'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.15	1.00
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	4.50	4.25	4.00
10 to 12 ft	7.50	6.50	6.00
officinalis. Japanese Cornelian C	herru.	15'	
3 to 4 ft	2.00		
4 to 5 ft	3.00		
5 to 6 ft	4.00		
paniculata. Gray Dogwood. 15'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
paucinervis. Littleleaf Dogwood.	6 <b>'</b>		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	2.00	
pubescens. 15'			
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
rugosa. Roundleaf Dogwood. 10'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
1 00 0 10	1.00	1.20	

Cornus	1-4 Each	5-24 Each	25 <sup>-</sup> & up Each
Cornus			
${\tt sanguinea.}  Bloodtwig \ Dogwood.$	10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
sanguinea viridissima. $Greentwig$	n Dogi	vood.	10'
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.55
stolonifera. Red Osier Dogwood.	8'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
stolonifera flaviramea. Goldentwa	ig Dog	wood.	8 <b>'</b>
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
Corylopsis sinensis. Chinese Winterh	azel.	8'	
2 to 3 ftB&B	5.00	4.50	
3 to 4 ftB&B	7.50	6.50	
Corylus americana. American Hazeln	nut. 1	0'	
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
avellana. Filbert. 15'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.70	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.50	1.25
avellana atropurpurea. Purple F		<i>15</i> ′	
2 to 3 ft.	4.00	3.50	
3 to 4 ft	4.50	4.00	
4 to 5 ft	6.00	5.00	
5 to 6 ft	7.50	6.00	
6 to 8 ft	10.00	7.50	
8 to 10 ft	12.50	10.00	
A AA — A — AA4		-0.00	

	1-4 Each	5-24 Each	25 & up Each
Corylus	Euch	Edch	Euch
	15'		
4 to 5 ft	4.00		
5 to 6 ft	5.00		
heterophylla setchuenensis. Chine		~ alaa+	101
3 to 4 ft	3.00	zeinui.	12
4 to 5 ft	4.00		
rostrata. Beaked Hazelnut. 6'	1.00		
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
*Cotoneaster acutifolia. Peking Coton			1.00
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
*acutifolia villosula. 12'	1.00	.00	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
adpressa. Creeping Cotoneaster.	2'		
6 to 8 in. from pots	1.25	1.00	.75
ambigua. $6'$			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.50	2.25	2.00
18 to 24 in., 4 in. pots	1.25	1.00	.75
apiculata. 6'			
9 to 12 in. from pots	1.50	1.25	1.00
dammeri. 2'			
6 to 8 in. from pots	1.75	1.50	
dielsiana. Diels Cotoneaster. 6'	1110	1,00	
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ft	2.50	2.25	2.00
4 to 5 ft	3.00	2.75	2.50
18 to 24 in., 4 in. pots	1.25	1.00	.75
divaricata. Spreading Cotoneaster			
2 to 3 ft	2.00	1.75	1.50
3 to 4 ftB&B	2.50	2.25	2.00
4 to 5 ft	3.00	2.75	2.50
12 to 18 in., 4 in. pots	1.25	1.00	.75
, <u>-</u>			

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
foveolata. 10'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ft	2.50	2.25	2.00
4 to 5 ft	3.00	2.75	2.50
5 to 6 ft	4.00	3.50	2.00
	1.00	0.00	
francheti. Franchet Cotoneaster.	10'		
18 to 24 inB&B	2.00	1.75	
2 to 3 ftB&B	2.50	2.00	
12 to 18 in., 4 in. pots	1.25	1.00	.75
himalaicus. $6'$			
8 to 10 in., 4 in. pots	1.25	1.00	.75
*		2.00	
	3'		
12 to 15 in spd. from pots	1.50	1.25	1.00
15 to 18 in. spd. from pots	1.75	1.50	1.25
18 to 24 in. spd B&B	2.50	2.00	1.75
24 to 30 in. spdB&B	3.00	2.75	2.50
horizontalis perpusilla. 3'			
10 to 12 in., from pots	1.50	1.25	1.00
12 to 15 in., from pots	2.00	1.50	1.25
12 to 10 m., from pots	2.00	1.00	1.20
hupehensis. Hupen Cotoneaster.	5 <b>'</b>		
2 to 3 ftB&B	2.50	2.00	
3 to 4 ftB&B	3.00	2.50	
15 to 18 in., 3 in. pots	1.25	1.00	
integerrima. European Cotoneast	ter. 6	,	
2 to 3 ft B&B	2.50	2.00	
3 to 4 ft	3.00	2.50	
	5.00	2.00	
*lucida. 12'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
melanocarpa. 6'			
2 to 3 ftB&B	2.50	2.00	
3 to 4 ftB&B	3.00	2.50	
microphylla. $Rockspray$ . $6'$ 10 to 12 in., 4 in. pots	1.50	1.25	1.00
	1.50	1.20	1.00
moupinensis. Mupin Cotoneaster.	10'		
15 to 18 in., 4 in. pots	1.50	1.25	1.00

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
multiflora. 6'			
	9.00	1 75	1.50
2 to 3 ftB&B 3 to 4 ftB&B	2.00	1.75	1.50
0 00 1 1000000	2.50	2.25	2.00
4 to 5 ft	3.00	2.75	2.50
2 to 3 ft., 4 in. pots	1.50	1.25	1.00
nitens. $6'$			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.50	2.25	2.00
18 to 24 in., 4 in. pots	1.25	1.00	.75
· ·			
obscura. 10'	0.00	1 77	1.50
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.50	2.25	2.00
4 to 5 ftB&B	3.00	2.75	2.50
18 to 24 in., 4 in. pots	1.25	1.00	.75
racemiflora soongarica 6'			
2 to 3 ftB&B	2.50	2.00	$\bar{1}.75$
3 to 4 ft	3.00	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
			0.00
rotundifolia. Roundleaf Cotoneast	er. 2	*	
10 to 12 in. from pots	1.50	1.25	1.00
12 to 15 in, from pots	1.75	1.50	1.25
rosea. 6'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.50	2.25	2.00
4 to 5 ftB&B	3.00	2.75	2.50
5 to 6 ft	4.00	3.50	
		0.00	
salicifolia floccosa. 6'			
15 to 18 in. from pots	1.75	1.50	
simonsi. Simons Cotoneaster. 8'			
2 to 3 ftB&B	2.50	2.00	
3 to 4 ftB&B	3.00	2.50	
12 to 18 in., 4 in. pots	1.25	1.00	.75
tenuipes. 6'			
8 to 12 in. from pots	1.25	1.00	.75
12 to 15 in., from pots	1.50	1.25	1.00
12 to 15 m., from pois	1.00	1.40	1.00
tomentosa. 6'			
18 to 24 in. from pots	2.50		

SEE PAGE 164 FOR A COMPLETE LIST OF HERBACEOUS STOCK

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
wilsoni. Wilson Cotoneaster. 5'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.50	2.25	2.00
15 to 18 in., 4 in .pots	1.25	1.00	.75
zabeli. 6'	1.50	1.05	
15 to 18 in., from pots	1.50	1.25	
*Crataegus aprica. 20'			
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	
*arkansana. Arkansas Hawthorn			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	
*arnoldiana. Arnold Hawthorn.	20 <b>'</b>		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
0 to 10 1t	5.00	4.50	4.00
*carrierei. Carriere Hawthorn.	20'		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
6 to 8 ft. standards, quoted o	n req	uest.	
*coccinea. Thicket Hawthorn. 20	,		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
*coccinioides. 20'			2.00
4 to 5 ft	9 50	9 95	9.00
	2.50	$\frac{2.25}{2.50}$	2.00
	3.00		2.25
6 to 8 ft	4.00	3.50	

	1-4 Each	5-24 Each	25 & up Each
Crataegus	Edcn	Euch	Eden
*cordata. Washington Hawthorn	n. 20'		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft	7.50	6.00	5.00
*crusgalli. Cockspur Thorn. 30'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	3.50
8 to 10 ft	6.00	5.00	4.50
10 ft. specB&B	20.00	18.00	
*cuneata. Nippon Hawthorn. 2	0'		
3 to 4 ft		2.00	
*hupehensis. 20'			
3 to 4 ft	2.50		
4 to 5 ft	3.25		
5 to 6 ft			
6 to 8 ft			
8 to 10 ft			
*macracantha. Spike Hawthorn.	20'		
3 to 4 ft		2.00	
4 to 5 ft	3.50	2.50	
*mollis. Downy Hawthorn. 20	,		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft		2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft		4.50	
*monogyna. English Hawthorn	. 20'		
5 to 6 ft		2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft		4.50	
*monogyna stricta.			
Pyramidal English Hawt	horn. 2	20'	
3 to 4 ft			
4 to 5 ft	4.50		

*Crataegus				1-4 Each	5-24 Each	25 & up Each
		~ 1	TT 17 121			
*nitida			ssy Hawthorn. 15'	0.00	4 55	1.50
_	to		ft	2.00	1.75	1.50
_	to	5	ft	2.50	2.25	2.00
_	to	6	ft	3.00	2.50	2.25
_	to	8	ft	4.50	3.50	3.00
	to		ft	6.00	5.00	
			• English Hawthorn.	20'		
-	to		ft	2.50	2.25	2.00
_	to		ft	3.00	2.50	2.25
	to	8	ft	4.00	3.50	3.00
			ft	5.00	4.50	
	to	12	ft	7.50		
_	to		ft. spec B&B	12.50		
_			-	Thorn.		
_	to		ft	2.50	2.25	2.00
-	to	6	ft	3.50	2.75	2.50
	to	8	ft	4.50	4.00	3.50
8	to	10	ft	7.50	6.50	
			ft	12.50		
*oxyac	an	tha	pauli. Paul's Scarlet	Thor	n. 15'	
4	to	5	ft	2.50	2.25	2.00
5	to	6	ft	3.50	2.75	2.50
6	to	8	ft	4.50	4.00	3.50
8	to	10	ft	7.50	6.50	
10	to	12	ft	12.50		
*oxyac	an	tha	punicea. Sgl. Red T	horn.	15'	
4	to	5	ft	2.50	2.25	2.00
5	to	6	ft	3.50	2.75	2.50
6	to	8	ft	4.50	4.00	3.50
8	to	10	ft	7.50	6.50	
10	to	12	ft	12.50		
*oxyac	an	tha	rosea plena. Dbl. Pa	ink Th	orn.	15'
			ft	4.00	3.50	3.00
5	to	6 1	ft	4.50	4.00	3.50
6	to		ft	5.00	4.50	
*pereg				<i>15</i> ′		
3	to	4	ft	2.50	2.00	
4	to	5	ft	3.00	2.50	
5	to	6	ft	3.50	3.00	
6	to	8	ft	5.00	4.00	
8	to	10	ft	7.50	6.00	

	1-4 Each	5-24 Each	25 & up Each
Crataegus.			
*persistens. 15'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
*pinnatifida major. Peking Hawt	horn.	20'	
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	2.75	2.50	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	
	8 <b>'</b>		
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
*prunifolia. Plumleaf Hawthorn.	25'		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
*punctata. Dotted Hawthorn. 25	5 <b>'</b>		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	
. 8 to 10 ft	5.00	4.50	
pyracantha coccinea. Scarlet Fire	ethorn	. 10'	
15 to 18 in., 4 in. pots	1.50	1.25	
pyracantha lelandi. Laland Fireth	orn.	10 <b>'</b>	
18 to 24 in. bushy B&B	3.50	3.00	2.75
2 to 3 ft. bushy B&B	4.00	3.75	3.50
3 x 3½ ft. spec. B&B	8.50	7.50	
3½ x 4 ft. spec. B&B	12.50	10.00	
4 x 5 ft. spec B&B	15.00		
5 x 6 ft. spec B&B	20.00		
12 to 15 in., 4 in. pots	1.25	1.00	.75
pyracantha yunnanensis. 10'			
12 to 18 in., 4 in. pots	1.25	1.00	.75
*succulenta. Fleshy Hawthorn.	20 <b>'</b>		
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	2.75	2.50
6 to 8 ft	4.50	3.50	
8 to 10 ft	6.00	5.00	

	1-4	5-24	25 & up
Crataegus	Each	Each	Each
*tomentosa. Pear Hawthorn. 15'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
*viridis. 35'			
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	
Cryptomeria japonica lobbi Lobb Cryp	ptomer	ria. 2	o <b>'</b>
2 ft	2.50	2.25	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.00
6 ft	10.00	7.50	6.50
7 ft	12.50	10.00	7.50
8 ftB&B	15.00	12.50	10.00
For larger sizes to 18 ft., add \$5.0	00 per	foot.	
Cudrania tricuspidata. 25'			
4 to 5 ft	2.50		
5 to 6 ft	3.50		
Cydonia cathayensis. 8'			
3 to 4 ft	1.50		
4 to 5 ft	2.50		
japonica Flowering Quince. 5'	4.0		
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.50	.45
japonica alba. White Flg. Quinc	e. 5'		
15 to 18 in	1.50	1.25	
18 to 24 in	1.75		
japonica alpina. Salmon Flg. Qui	nce.	4'	
18 to 24 in	1.75	1.50	1.25
2 to 3 ft		1.75	•
innonian Columbia Dean Beer E	lα 0	200 0 =	<i>-1</i>
japonica Columbia. Deep Rose F 18 to 24 in	1.75	ance.	O.
10 10 47 111	1.10		

. 1-4	5-24	25 & up
Cydonia	Each	Each
japonica Falconet Charlet.         White Flg.           2 to 3 ft.         2.00           3 to 4 ft.         2.50           4 to 5 ft.         3.50	Quinc	e. 6'
japonica pygmaea.         Dwarf Jap. Quince.           18 to 24 in	3' .35 .45	.30 .40
japonica rosea grandiflora.       Pink Flg. 6         15 to 18 in.       1.50         18 to 24 in.       1.75	1.25	6 <b>'</b>
japonica rosea plena.  Dbl. Pink Flowering Quince.	5 <b>'</b>	
2 to 3 ft. 2.00 3 to 4 ft. 2.50	1.75 2.00	1.50
japonica rubra.         Red Flowering Quince           18 to 24 in.         2.00           2 to 3 ft.         2.50	. 6'	
japonica semperflorens. Soft Rose $Flg$ 2 to 3 ft	. Quine	ee. 6'
japonica umbilicata. Navel Flowering	-	8'
2 to 3 ft	.40 .50	.35 .45
4 to 5 ft	.75	.60
4 to 5 ft. heavy B&B 10.00 5 to 6 ft. heavy B&B 12.50		
japonica Vermilion. Red Flg. Quince. 18 to 24 in	6' 1.50	
kermesiana semi-plena. Rose Pink Flg. 2 to 3 ft. 2.00	Quince 1.75	e. 4'
maulei. Lesser Flowering Quince. 5'		
18 to 24 in	.35	.30
2 to 3 ft	.45	.40
3 to 4 ft	.60	.50
sinensis.         Chinese Quince.         20'           2 to 3 ft		
Cytisus elongatus. 5'		
12 to 15 in., 4 in. pots	.60	
12 to 15 in	.50	

	1-4 Each	5-24 Each	25 & up Each
Cytisus			
scoparius. Scotch Broom. 10'			
18 to 24 in	.60	.50	.45
scoparius andreanus. Paradise Bro	oom.	10'	
18 to 24 in	.60	.50	.45
supinus. 3'			
10 to 12 in., 4 in. pots	.60	.50	
		.00	
Daphne cneorum. Garland Flower.		==	<b>E</b> 0
8 to 10 in. spd	.65 .90	.55 .80	.50 .75
10 to 12 in. spd B&B 12 to 15 in. spd B&B	1.25	1.00	.90
•		1.00	.90
mezereum. February Daphne. 4			
15 to 18 in B&B	2.00	1.75	1.50
18 to 24 inB&B	2.25	2.00	1.75
2 to 2½ ft B&B	2.75	2.50	2.25
2½ to 3 ftB&B	3.50	3.00	2.75
mezereum alba. White February	Daph	ne. 4'	
18 to 24 inB&B	2.50	2.25	2.00
24 to 30 in	3.00	2.75	2.50
2½ to 3 ftB&B	3.50	3.25	
Davidia involucrata. Dovetree. 40'			
6 to 10 in. from pots	7.50		
Decumaria barbara.			
3 yr. from pots	.50	.45	.40
	.00	.10	.10
Desmodium. (See Lespedeza).			
Deutzia gracilis. Slender Deutzia. 3'			
15 to 18 in	.40	.30	.25
18 to 24 in	.50	.35	.30
24 to 30 in	.60	.45	.40
30 to 36 in	.75	.60	.50
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.35	.30
2½ to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
lemoine avalanche Avalanche Der			
2 to 2½ ft	.50	4'	25
2 to 2 ½ 1t	.60	.40	.35 .40
272 10 0 11	.00	.50	.40

Deutzia	1-4 Each	5-24 Each	25 & up Each
Dettizia			
lemoine compacta. 5'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
myriantha Boule Rose. Dbl. Pink	Deutz	ria. 4	,
18 to 24 in	.50	.40	
2 to 3 ft	.60	.50	
ningpoense. 5'			
2 to 3 ft	1.50		
parviflora. Mongolian Deutzia. 5	,		
18 to 24 in	.45	.35	.30
2 to 3 ft	.50	.40	.35
3 to 4 ft	.75	.60	.50
rosea. Rose-panicle Deutzia. 5'			
18 to 24 in	.50	.35	.30
24 to 30 in	.60	.45	.40
2½ to 3 ft	.75	.60	.50
rosea campanulata. Bellflower De	utzia.	5 <b>'</b>	
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea carminea. Carmine Deutzia.	4'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
rosea eximea. Pink Choice Deutze	ia. 5	,	
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea venusta. White-panicle Deut	zia.	5 <b>'</b>	
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	
scabra candidissima. Snowflake l	Deutzi	ia. 12	·
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30

	1-4 Each	5-24 Each	25 & up Each
Deutzia			
scabra Pride of Rochester. 12'	.40	.30	.25
	.45	.35	.25
	.60	.45	.40
2 00 0 200	.75	.60	.50
5 to 6 ft	1.00	.75	.60
	1.00	.10	.00
scabra rosea plena. 12'	40	20	95
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
scabra watereri. Waterer's Deutz			0.5
-2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
scabra wellsi. Wells Deutzia. 12'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
schneideriana laxiflora. $6'$			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
vilmorinae. Vilmorin Deutzia. 10	,		
2 to 3 ft	.50	.40	
Diervilla sessilifolia. Southern Bush	Honey	jsuckle	. 5'
2½ to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
trifida. Dwarf Bush Honeysuckle.	4'		
2 to 3 ft	.55	.45	.35
3 to 4 ft	.65	.50	.40
(See also Weigela)			
Diospyros virginiana. Common Persi	mmon	. 15'	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
10 to 12 ft	6.00	5.00	
Dirca palustris. Leatherwood. 6'			
6 to 8 inB&B	1.50		
Elaeagnus angustifolia. Russian Olive	. 20'		
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	3.50	3.00	

PAINESVILLE, OHIO	1-4	5-24	53 25 & up
	Each	Each	Each
Elaeagnus			
argentea. Silverberry, 12'			
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
longipes. Cherry Elaeagnus. 6'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
parvifolia. Chinese Elaeagnus. 1.	5 <b>'</b>		
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
umbellata. Autumn Elaeagnus.	12'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.50	1.25	
Elsholtzia stauntoni. 4'			
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	
		. 1	*
Enkianthus campanulatus. Redvein I		thus.	15'
12 to 18 in	1.50		
Erica carnea. Spring Heath. 1'	4 00		
6 to 8 in., 4 in. pots	1.00	.75	.60
darleyensis.			
6 to 8 in., 4 in. pots	1.00	.75	.60
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.00	.75	.60
Eucommia ulmoides. 60'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
Euonymus alatus. Winged Euonymus	s. 10'		
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	
4 to 5 ft	1.75	1.60	
5 to 6 ft	3.00	2.75	
6 to 8 ft.	4.00	3.75	3.50
6 to 8 ft. heavy B&B	7.50		
8 to 10 ft. heavy B&B	10.00		

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
alatus compactca. Dwarf Winged	Euor	ıymus.	6'
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
americanus. Brook Euonymus. 8'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
atropurpureus. Native Wahoo. 15	,		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
			2.00
bungeanus. Winterberry Euonymi			25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
europaeus. European Burning Bu	sh. .	1 <i>5</i> ′	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
europaeus fructu-coccineus. 15'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
latifolius. Broadleaf Burning Bus	L 11	n#	
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
	1.40	1.10	1.00
maacki. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25

	1-4 Each	5-24 Each	25 & up Each
Euonymus	Lucii	Lucii	Lucii
nanus. Dwarf Burning Bush. 3'			
12 to 15 in	1.00	.75	.60
15 to 18 in	1.25	1.00	
obovatus. Running Euonymus. I	!'		
8 to 10 in	.40	.30	.25
oxyphyllus 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
patens syn. sieboldianus. $8'$			
18 to 24 inB&B	1.75	1.50	1.25
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.50	2.25	2.00
0 00 2 20000000000	2.00	2.20	2.00
radicans Wintercreeper. 15'	4.0		0.5
8 to 12 in	.40	.30	.25
12 to 15 in	.50	.35	.30
15 to 18 in	.60	.45	.40
18 to 24 in	.75	.60	.50
radicans acutus. Sharpleaf Winte	ercree	per.	1'
12 to 15 in	.50	.40	.35
15 to 18 in	.65	.50	.45
radicans argenteo-marginatus.			
Silveredge Wintercreeper.	1 <b>'</b>		
8 to 12 in	.40	.30	.25
12 to 15 in	.50	.35	.30
15 to 18 in	.60	.45	.40
radicans carrieri. Glossy Winterco	reener	. 3'	
12 to 15 in	.50	.40	.35
15 to 18 in	.60	.50	.45
18 to 24 in	.75	.65	.55
radicans colorata. 10'	.40	.30	.25
12 to 15 in	.55	.45	.25 .35
15 to 18 in	.65	.55	.35 .45
18 to 24 in			
radicans kewensis. Prostrate Baby	,		•
8 to 12 in. from pots	.45	.35	.30
radicans minima. Baby Wintercre	eper.	1'	
8 to 12 in. from pots	.45	.35	.30
12 to 15 in. from pots	.55	.45	.40

	1-4 Each	5-24 Each	25 & up Each
Euonymus	20011	Lucii	
radicans vegetus. Bigleaf Winter	creeper	r. 4'	
12 to 15 in	.60	.55	.50
15 to 18 in	.75	.65	.60
18 to 24 in	1.00	.80	.75
24 to 30 in	1.50	1.25	
sieboldianus. (See patens)			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Evodia danieli. 25'			
3 to 4 ft	2.50		
hupehensis. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
Exochorda grandiflora. Pearl Bush.	10'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.25	1.00	
6 to 8 ft. specB&B	10.00		
8 to 10 ft. spec	12.50		
giraldi wilsoni. Wilson Pearlbush	h. 15'		
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
Fagus americana. American Beech. 6	0'		
3 to 4 ftB&B	4.50	4.00	3.75
4 to 5 ftB&B	6.00	5.00	4.75
5 to 6 ftB&B	8.50	7.50	6.50
6 to 8 ftB&B	12.50	10.00	8.50
8 to 10 ftB&B	15.00	12.50	
10 to 12 ft B&B	25.00		

		1-4	5-24	25 & up
Fagus		Each	Each	Each
sylvatica	Luropean Beech. 75'			
3 to	· I ·	3.50	3.00	2.50
4 to		4.50	4.00	3.50
5 to		6.50	5.50	5.00
6 to		9.00	8.00	7.50
8 to		12.50	10.00	9.00
10 to			15.00	12.50
12 to	14 ftB&B	25.00	20.00	
14 to	16 ftB&B	35.00	30.00	
sylvatica	fastigiata. Pyramidal Be	eech.	25 <b>'</b>	
	15 ftB&B			
sylvatica	heterophylla. Fernleaf	Beech.	25'	
4 to	5 ftB&B	12.50		
5 to	6 ftB&B	15.00		
6 to	8 ftB&B	20.00		
8 to	10 ftB&B	25.00		
sylvatica	a pendula. Weeping Beec	h. 50	,	
12 to	14 ftB&B	40.00		
	16 ftB&B			
Lar	ger sizes quoted on reque	st.		
sylvatica	purpurea. Purple Beec	h. 75	,	
3 to	4 ftB&B	6.00	5.00	
4 to	5 ftB&B	7.50	6.50	
5 to	6 ftB&B	10.00	7.50	
6 to			10.00	
8 to	10 ftB&B	15.00		
10 to	12 ftB&B	20.00		
sylvatica		75 <b>'</b>		
5 to				
6 to	0 20111111111111			
	0 10 ftB&B			
	12 ft., 1½ in B&B			
Lar	ger sizes quoted on reques	St.		
Fontanesia f	ortunei. Fortune Fontane	sia. 1	15'	
3 to	4 ft	.60	.50	.40
4 to	5 ft	.75	.60	.50
5 to		1.00	.75	.60
6 to	8 ft	1.25	1.00	.75
8 to	10 ft	1.50	1.25	1.00

				1-4		25 & up
Forewthia	01170	nea Albaa	iian Forsyth	Each $ia. \;\; 6'$	Each	Each
_			_		co	<b>F</b> 0
2				.75	.60	.50 .60
3 4	to s			.85 $1.00$	.85	.75
5				1.00 $1.25$	1.00	.90
					1.00	.90
intern			For sythia.	8 <b>'</b>		
2				.40	.30	.25
3				.50	.40	.35
4	to 5			.65	.55	.50
5	to 6			.75	.65	.60
6	to 8	3 ft		1.00	.85	.75
intern	nedia	primulina	Primrose F	For syth	ia. 10	,
3	to 4	ł ft		1.00	.85	.75
4	to 5	5 ft		1.50	1.25	1.00
5	to 6	6 ft		1.75	1.50	
intern	nedia	spectabilis	s. Showy Box	rder F	or suthi	a. 8'
2	to	-		.40	.30	.25
3	to	4 ft		.50	.40	.35
4	to	5 ft		.65	.55	.50
5	to	6 ft		.75	.65	.60
6	to	8 ft		1.00	.85	.75
8	to 1	10 ft		1.50	1.25	1.00
ovata.	8 <b>'</b>					
2	to 3	3 ft		.75	.50	.40
3	to 4	ł ft		1.00	.75	.60
4	to 5			1.25	1.00	.75
susper	asa.			6 <b>'</b>		
2	to 3			.40	.30	.25
3	to 4	ł ft		.50	.40	.35
4	to 5	5 ft		.65	.55	.50
5	to 6	6 ft		.75	.65	.60
susper			Purple Stem	Forsy	thia.	<i>6'</i>
2				.40	.30	.25
3	to 4	<b>1</b> ft		.50	.40	.35
4	to :	5 ft		.65	.55	.50
5	to (	6 ft		.75	.65	.60
susper	nsa 1	fortunei. (	Golden Bell.	8'		
2	to 3	3 ft		.40	.30	.25
3	to 4	4 ft		.50	.40	.35
4	to	5 ft		.65	.55	.50
5	to (	6 <b>ft.</b>		.75	.65	.60
6	to i	8 <b>ft.</b>		1.00	.85	.75

	1-4 Each	5-24 Each	25 & up Each
Forsythia		Lucii	20011
suspensa sieboldi. Siebold Forsyth	ia. 8	,	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
viridissima. Greenstem Forsythic	a. 8'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
Fothergilla gardeni. Dwarf Fothergill	a. 3'		n/s
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.50	3.00	
24 to 30 inB&B	5.00	4.00	
Franklinia (See Gordonia)			
Fraxinus americana. White Ash. 80'			
8 to 10 ft	2.00	1.75	1.50
11/4 to 11/2 in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
13/4 to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	4.00
2½ to 3 in	7.50	6.00	5.00
excelsior. European Ash. 100'			
8 to 10 ft	2.00	1.75	1.50
11/4 to 11/2 in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
13/4 to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	4.00
$2\frac{1}{2}$ to $3$ in	7.50	6.00	5.00
lanceolata. Green Ash. 60'			
8 to 10 ft	2.00	1.75	1.50
1½ to 1½ in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
1 <sup>3</sup> / <sub>4</sub> to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	4.00
2½ to 3 in	7.50	6.00	
mandshurica. Manchurian Ash. 8	30 <b>'</b>		
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
1¼ to 1½ in	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.25	3.00

•	1-4 Each	5-24 Each	25 & up Each
Fraxinus	Lucii	Lucii	Lucii
nigra. Black Ash. 80'			
8 to 10 ft	3.00	2.50	
pennsylvanica. Red Ash. 60'			
8 to 10 ft	2.50	2.25	2.00
1¼ to 1½ in	3.50	3.00	2.75
1½ to 1¾ in	4.50	4.00	
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.00	
quadrangulata. Blue Ash. 80'	0.50		
6 to 8 ft	2.50		
8 to 10 ft	3.50		
Gaylussacia baccata. Black Huckleberr	ry.  3	2.50	
24 to 30 in	3.50	3.00	
Genista juncea. 2'	3.30	3.00	
15 to 18 in. from pots	.60	.50	.40
pilosa. Silky Leaf Broom. 1'	.00	.00	.10
4 to 6 in	.60	.50	
sagittalis. Arrowhead Broom. 9			
4 to 6 in		.60	.50
scoparia. (See Cytisus).			
tinctoria. Woadwaxen. 3'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
Ginkgo biloba. Maidenhair Tree. 60'		2.75	9.50
	$\frac{3.25}{3.75}$	3.25	2.50
8 to 10 ft	4.50	$\frac{3.25}{4.25}$	$\frac{3.00}{4.00}$
1½ to 1¾ in	6.00	5.50	5.00
134 to 2 in	7.50	7.00	6.50
2 to 2½ in	10.00	9.50	9.00
2½ to 3 in	15.00	13.50	12.50
3 to 3½ in	25.00	20.00	14.50
3½ to 4 in	30.00	25.00	
biloba fastigiata. Pyramidal Mai			. 60'
6 to 8 ft	7.50	1 1166	. 00
Gleditsia elegantissima. 20'			
4 to 5 ft	3.00	2.50	2.00
5 to 6 ft	3.50	3.00	2.00
heterophylla. Fernleaf Honeylocu			
2 to 3 ft	2.50	_	

	1-4 Each	5-24 Each	25 & up Each
Gleditsia	Lucii	Eden	Eden
japonica. Japanese Honeylocust.	40'		
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	2.75
6 to 8 ft	5.00	4.00	3.75
8 to 10 ft	6.50	5.00	
sinensis. Chinese Honeylocust. 4	0'		
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	4.00	3.50	
triacanthos. Honey Locust. 60'			
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.65	1.50
8 to 10 ft	2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00	2.75
1½ to Γ¾ in	4.50	3.50	
13/4 to 2 in	6.50	5.00	•
2 to 2½ in	9.00	7.50	
$2\frac{1}{2}$ to $3$ in	12.50	10.00	
triacanthos inermis. Thornless He	oneylo	cust.	50 <b>′</b>
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.50	3.25	3.00
1½ to 1¾ in	5.00	4.00	3.75
13/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00		
Gordonia alatamaha. 20'			
3 to 4 ftB&B	7.50		
4 to 5 ftB&B	10.00		
5 to 6 ft	12.50		
	17.50		
8 to 10 ftB&B	25.00		
Gymnocladus dioica. Kentucky Coffee	tree.	40'	
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft	6.50	5.50	5.00
2 to 3 in	15.00	12.50	
Halesia monticola. Mountain Silverbe	ll. 50	) <b>'</b>	
4 to 5 ft	5.00	4.00	
5 to 6 ft	7.50	6.50	
6 to 8 ft	10.00	3.00	
0. 00 0 200			

62 HENRY KOHANKIE & SO	N 1-4	5-24	25 & up
Halesia	Each	Each	Each
tetraptera. Great Silverbell. 15'			
4 to 5 ft	.85	.75	.65
5 to 6 ft	1.25	.90	.85
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.75	2.50	2.00
10 to 12 ft	4.50	4.00	3.50
8 to 10 ft. spec	10.00		
10 to 12 ft. specB&B	15.00		
Hamamelis japonica. Japanese Witch	Haze	l. 20'	
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.25	2.00	
japonica rubra. 20'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.25	2.00	
1 10 0 10	2.20	2.00	
mollis. Chinese Witch Hazel. 20			
2 to 3 ft	4.00	3.50	
3 to 4 ft	5.00	4.50	
4 to 5 ft	6.00		
vernalis. Vernal Witch Hazel. 6'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.00	1.75
vernalis tomentella. 6'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.00	1.75
virginiana. Witch Hazel. 15'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Hedera helix. English Ivy. 20'			
2 year, 3 in. pots	.40	.30	.25
3 year, 4 in. pots	.50	.40	.35
helix Albany. Albany Ivy.			
2 year, 3 in. pots	.40	.30	.25
helix baltica. 15'	50	40	0.5
2 year, 3 in. potshelix conglomerata. 10'	.50	.40	.35
2 year, 3 in. pots	.75	.60	
helix Emerald Gem. 15'	.10	.00	
2 year, 3 in. pots	.75	.60	.50
helix gracilis. Small-leaved Engl			
2 year, 3 in. pots	.40	.30	.25
3 year, 4 in. pots	.50	.40	.35
helix Hahn's			
2 year, 3 in. pots	.45	.35	.30
3 year, 4 in. pots	.60	.45	.40
Halmingia invasias 7/			
Helwingia japonica. 5' 12 to 15 in., 3 in. pots	1.00	.75	
12 to 13 m., 5 m. pots	1.00	.13	
Hibiscus syriacus. Shrub Althea. 12	? <b>'</b>		
double varieties			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft. hvyB&B	10.00		
Ardens—Purple.			
Banner—Blush.			
Jeanne d'Arc—White.			
Lady Stanley—white, shaded Rubra Plena—Red.	rose.		
Speciosa Plena—Pink.			
•			
single varieties.	40	20	0.5
2 to 3 ft	.40 .50	.30 .35	.25 .30
3 to 4 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
Coelestis—Blue.	.10	.00	.50
Rosea—White, crimson eye.			
Rubis—Red.			
Totus albus—White.			

••••	1-4 Each	5-24 Each	25 & up Each
Hibiscus			
variegatus. Variegated leaved Al		8'	4.0
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
variegatus meehani. Meehan's Var			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
Hicoria ovata. Shagbark Hickory. 75'	•		
3 to 4 ft	1.50		
4 to 5 ft	2.00		
Hippophae rhamnoides. Sea-buckthor	n. 12	2'	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	4
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
10 to 12 ft	5.00		
*Hovenia dulcis. Raisintree. 6'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.50	2.50	
Hydrangea arborescens. Smooth Hydr			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
arborescens grandiflora. Snowhill			
2 to 3 ft	.50	.45	.35
3 to 4 ft	.65	.55	.45
4 to 5 ft.	.75	.65	.55
cineria sterilis. Ashy Hydrangea.		.00	.00
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.50	
opuloides Otaksa. 3'	.10	.00	
4 year	.75	.60	.50
opuloides Thos. Hogg. 3'	****	•••	100
4 year	.75	.60	.50
paniculata. Panicle Hydrangea.	10'	•	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Hydrangea	,		
paniculata grandiflora. Peegee H 2 to 3 ft.	$yaran_i$ .50	geα .40	10' .35
2 to 3 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
3 to 4 ft., tree form	1.25	1.00	.55
4 to 5 ft., tree form	1.50	1.25	
paniculata praecox. 10'	1.00	1.20	
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
petiolaris. Climbing Hydrangea.			
4 inch pots	1.00	.85	
quercifolia. Oakleaf Hydrangea.	4'		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
radiata. Silverleaf Hydrangea.	6'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
Hypericum arnoldianum. 5'			
18 to 24 in	.75	.60	
2 to 3 ft	.90	.75	
aureum. Golden St. Johnswort.	4'		
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
bucklei. Mountain St. Johnswort	. 1'		
6 inches	.75	.60	.50
densiflorum. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
kalmianum. 4'			
18 to 24 in	.40	.30	
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	.40
lobocarpum. $6'$		4.0	
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	.40
moserianum. Goldflower. 2'	ΕΛ	4.0	95
15 to 18 in	.50 .60	.40 .50	
18 to 24 in	.00	.50	.40

	1-4 Each	5-24 Each	25 & up Each
Hypericum	Lucii	Lucii	Lacii
patulum. Japanese Hypericum.	3 <b>'</b>		
18 to 24 in		.50	.40
patulum henryi. Henry Hyperi	cum. 4'		
18 to 24 in	50	.40	.35
2 to 3 ft		.50	.40
prolificum. Shrubby St. Johns	wort. 5'		
18 to 24 in		.30	.25
2 to 3 ft		.40	.35
3 to 4 ft	<b>.60</b>	.50	.40
Idesia polycarpa. 40'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
Ilex cornuta. Chinese Holly. 10'			
18 to 24 inB&	B 3.50		
crenata. Japanese Holly. 10'			
15 inB&	B 2.50	2.00	1.50
18 inB&	B 3.00	2.50	2.00
24 inB&	B 3.50	3.00	2.50
30 inB&	B 5.00	4.00	3.75
36 inB&	B 6.50	6.00	5.50
42 inB&	B 8.50	7.50	7.00
crenata bullata. 10'			
12 to 15 inB&	B 2.50	2.00	1.50
15 to 18 inB&	B 3.00	2.50	2.00
18 to 24 inB&	B 3.50	3.00	2.50
crenata latifolia. 10'			
18 to 24 inB&		2.50	2.25
24 to 30 inB&	B 4.00	3.50	3.25
30 to 36 inB&		4.50	4.25
crenata microphylla. Little Leaf	-	_	. 10'
15 inB&		2.25	2.00
18 inB&		3.00	2.50
24 inB&	B 5.00	4,00	3.50
geniculata. 5'			
3 to 4 ft		1.25	
4 to 5 ft	2.00	1.50	
glabra. Inkberry. 8'			4 = 0
12 to 15 inB&		1.65	1.50
15 to 18 in		2.00	1.85
18 to 24 in		2.65	2.50
22 00 00 1111		3.25	3.00
30 to 36 in		4.00	3.75
36 to 42 inB&	$\mathbf{B}$ 6.00	5.00	

	1-4 Each	5-24 Each	25 & up Each
Ilex		20011	20011
laevigata. Smooth Winterberry.	6'		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
monticola. Mountain Winterberry	. 10'		
3 to 4 ft	1.25	1.00	
opaca. American Holly. 40'			
3 ftB&B	4.50	3.75	3.25
4 ftB&B	6.50	5.00	4.50
5 ftB&B	10.00	7.50	6.00
6 ftB&B	12.50	10.00	7.50
7 ft	15.00	12.50	10.00
For larger sizes to 12 ft., add \$	5.00 p	er foo	t.
serrata. syn. sieboldi. Finetooth	Holly.	12'	
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
verticillata. Common Winterberry	ı. 6'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60.	.50
4 to 5 ft	.85	.70	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
verticillata chrysocarpa.			
Yellow-fruited Winterberry	y. 6'		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
Indigofera amblyantha. Pink Indigo.	6 <b>'</b>		
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
kirilowi. Kirilow Indigo. 4'			
2 ft	2.00	1.75	
potanini. Potanin Indigo. 5' 2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
	1.50	1.20	1.00
Itea virginica. Sweetspire. 3'		_	
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.85	.75

Jasminum nudiflorum. Winter Jasmin	1-4 Each <i>ie. 3'</i>	5-24 Each	25 & up Each
15 4 10 1		40	20
15 to 18 in	.50	.40	.30
18 to 24 in	.60	.50	.40
12 to 15 in., 2½ in. pots	.60	.50	.40
stephanense. 3' 2 ft., 4 in. pots	1.25	1.00	.75
Juglans cinerea. Butternut. 75'			
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
nigra. Black Walnut. 80'	0.00	1 75	1.50
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
1½ to 1¾ in	3.50	3.00	2.75
13/4 to 2 in	4.50	4.00	3.75
2 to 2½ in	6.50	5.00	
regia. English or Persian Walnut	. 50'		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.50	3.50	
sieboldiana. Japanese Walnut. 50	) <b>'</b>		
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1½ to 1¾ in	4.00	3.75	
13/4 to 2 in	5.00	4.75	
2 to 2½ in	7.50	6.00	
Juniperus chinensis. Chinese Juniper	. 20'		
2 ftB&B	3.00	2.50	2.00
3 ftB&B	4.00	3.50	3.25
4 ftB&B	5.50	5.00	4.50
5 ft	7.50	7.00	6.50
	10.00	8.50	7.50
	12.50	10.00	9.00
8 ft	15.00	13.50	12.50

For larger sizes to 16 ft., add \$5.00 per foot.

			1-4	5-24	25 & up
Juniperus			Each	Each	Each
_	nsis albovariegata.				
	Whiteleaf Chinese Juni	per	. 20'		
3	ft	-	7.50	6.00	5.00
4	ft		8.50	7.50	6.50
5	ftB&		10.00	9.00	
6	ft		12.50	11.00	
7	ft	kΒ	15.00	14.00	
For	larger sizes to 10 ft., add	d \$	5.00 p	er foo	t.
chine	nsis columnaris.				
	Columnar Chinese Juni	per	. 20'		
4	ft	kΒ	6.00	5.50	5.00
5	ft	kΒ	7.50	6.50	6.00
6	ftB8	kΒ	10.00	8.00	7.50
7	ft		12.50	10.00	
8	ft			12.50	
For	larger sizes to 18 ft., add	d \$	5.00 p	er foo	t.
chine	nsis globosa. Globe Chin	ese	$Juni_I$	per. 5	•
18	in	kΒ	4.00	3.50	3.00
24	in		4.50	4.00	3.50
36	in B&	kΒ	6.00	5.00	
chine	nsis mas. 10'				
3	ft B&	zΒ	6.00	5.00	4.00
3	½ ftB&	zB	7.50	6.00	
4	ftB&	zΒ	10.00	7.50	
chiner	nsis neaboriensis. Conical	Ch	inese	Junipe	r. 10'
3	ft	kΒ	4.50	4.00	
4	ftB8	kΒ	5.50	5.00	
5	ft B&	kΒ	6.50		
6	ftB8	$^{\rm kB}$	8.50		
. 7	ftB8	kΒ	12.50		
8	ftB&		15.00		
9	ftB8		18.00		
chine	nsis oblonga. 8'				
6	ft	$^{2}$ B	10.00		
7	ftB8	kΒ	12.50		
chine	nsis pfitzeriana. Pfitzer's	Ju	ıniper.	6'	
18	to 24 in. spd B&	kB	2.75	2.50	2.25
2	to 2½ ft. spdB&	$^{k}$ B	3.50	3.00	2.75
2	½ to 3 ft. spdB&	$^{2}B$	4.50	3.75	3.50
3	to 3½ ft. spd B&	$^{\mathrm{kB}}$	5.50	4.50	4.00

	1-4 Each	5-24 Each	25 & up Each
Juniperus chinensis pfitzeriana.			
3½ to 4 ft. spdB&B	6.50	5.50	5.00
4 to 4½ ft. spdB&B	7.50	6.50	6.00
4½ to 5 ft. spdB&B	10.00	8.50	7.50
5 to 6 ft. spdB&B	15.00	12.50	10.00
6 to 7 ft. spdB&B	18.00	15.00	12.50
7 to 8 ft. spdB&B	20.00	18.00	
8 to 9 ft. spd B&B	25.00	20.00	
(Upright form can be furnished in	sizes	18" to	6')
chinensis pfitzeriana compacta. 6	<i>'</i>		
15 to 18 in. spdB&B	3.00	2.50	
18 to 24 in. spdB&B	3.50	3.00	
chinensis sargenti. Sargent Juni	per.	2'	
18 inB&B	3.00	2.75	
24 in	4.00	3.75	
30 in	6.00	5.00	
36 inB&B	7.50		
chinensis smithi. Smith Chinese	Junip	er. 8'	
2 ftB&B	3.50	3.00	
3 ftB&B	4.50	4.00	
communis. Common Juniper. 2	5 <b>'</b>		
3 ftB&B	3.75	3.00	2.50
4 ftB&B	4.00	3.50	3.00
5 ft	5.00	4.50	4.00
6 ft	6.00	5.50	5.00
7 ft	7.50	6.50	6.00
8 ft	9.00	8.00	7.50
communis dayi. 25'			
4 ft	5.00	4.00	
5 ft	6.00	5.00	
6 ftB&B	7.50	6.50	
communis depressa. Prostrate Ju	iniper.	3'	
18 to 24 in. spd B&B	2.50	2.25	2.00
24 to 30 in. spdB&B	3.00	2.75	2.50
2½ to 3 ft. spd B&B	4.00	3.50	3.00
3 to 4 ft. spdB&B	5.00	4.50	4.00
4 to 5 ft. spd	7.50	6.00	5.00
communis depressa aurea.			
Golden Prostrate Juniper.	3'		
18 to 24 in. spd B&B	3.00	2.50	
3 to 3½ ft. spd B&B	6.00	5.00	
3½ to 4 ft. spd B&B	7.50	6.00	
4 to 5 ft. spd B&B	10.00	7.50	

Juniperus	1-4 Each	5-24 Each	25 & up Each
•			
communis depressa plumosa.  Purple Spreading Juniper.	3'		
1 wi pie Spreading Suniper.	U		
18 to 24 inB&B	2.75	2.25	1.75
24 to 30 inB&B	3.50	3.00	2.50
2½ to 3 ftB&B	4.50	3.50	3.00
3 to $3\frac{1}{2}$ ftB&B	6.00	5.00	4.50
3½ to 4 ftB&B	7.50	6.50	6.00
4 to 4½ inB&B	10.00		
communis hibernica. Irish Junipe	r. 15	,	
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.00	2.50	2.25
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	7.50	6.00	5.50
7 ftB&B	10.00	7.50	
8 ftB&B	12.50	10.00	
9 ft	15.00		
communis kraccovica. Polish Ju-	niper.	10'	
2 ftB&B	2.50		
3 ftB&B	3.00		
communis suecica. Swedish Junip	er. 2	25'	
2 ft	2.50	2.25	2.00
3 ftB&B	3.50	3.25	3.00
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	
communis suecica nana. $Dwarf\ Sv$	vedish	Junip	er. 6'
2 ftB&B	3.50	3.00	
3 ftB&B	4.50	4.00	
4 ftB&B	6.00	5.00	
communis vase-shaped. 10'			
2 to 2½ ftB&B	3.00	2.75	
2½ to 3 ftB&B	4.00	3.50	
conferta. Shore Juniper. 5'			
18 in B&B	4.00	3.50	3.00
2 ftB&B	5.00	4.50	4.00
21/2 ft B&B	6.50	5.50	5.00
3 ftB&B	7.50	6.50	

Juniperus	1-4 Each	5-24 Each	25 & up Each
excelsa. Greek Juniper. 50'			
3 ftB&B	3.50	3.00	
4 ftB&B	4.50	4.00	
5 ftB&B	6.00	5.50	
6 ft	7.50	6.50	
7 ft	8.50	7.50	
	12.50	10.00	
9 ft	15.00	12.50	
10 ftB&B	18.00	15.00	
excelsa stricta. Spiny Greek Jun	iiper.	8 <b>'</b>	
18 inB&B	2.50	2.00	1.75
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	4.00	3.50
3½ ftB&B	7.00	6.00	5.00
4 ft	8.50	7.50	6.50
4½ ftB&B	10.00	9.00	8.00
5 ftB&B	12.50	10.00	9.00
5½ ftB&B	15.00	12.50	
6 ft	17.50	15.00	
7 ftB&B	20.00		
For larger sizes to 10 ft., add \$	5.00 p	er foot	t.
horizontalis. Creeping Juniper.	1'		
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spdB&B	3.00	2.75	2.50
2½ to 3 ft. spdB&B	3.50	3.25	3.00
3 to 3½ ft. spd B&B	4.50	4.00	3.50
horizontalis alpina. 1'			
18 to 24 in. spdB&B	3.00	2.50	
24 to 30 in. spdB&B	3.50	3.00	
30 to 36 in. spdB&B	4.00	3.50	
horizontalis Bar Harbor. 1'			
15 to 18 in. spdB&B	2.50	2.25	
18 to 24 in. spdB&B	3.00	2.50	
horizontalis glauca. Blue Creepin	ıg Jun	iper.	1'
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spdB&B	3.00	2.75	2.50
2½ to 3 ft. spdB&B	4.00	3.75	3.50
3 to 3½ ft. spdB&B	5.00	4.50	

	1-4 Each	5-24 Each	25 & up Each
Ribes aureum. Slender Golden Currant.	101		
	10' .50	.40	9.5
2 to 3 ft	.60	.50	.35 $.40$
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
			.00
fasciculatum. Winterberry Curran			0.5
18 to 24 in	.50	.40	.35
	.60 $.75$	.45	.40
	.75	.60	.50
•	3 <b>'</b>		
3 to 4 ft	.75	.60	
sanguineum. Ruby Winter Curran	t. 8'		
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
Robinia Elliotti. 10'			
3 to 4 ft	3.00		
4 to 5 ft	4.00		
fertilis. 25'			
6 to 8 ft	4.00	3.50	
globosa. Globe Locust.			
3 yr. hds., 5 to 6 ft. stems	5.00		
3 yr. hds., 6 to 8 ft. stems	7.50		
hispida. Rose Acacia.			
2 yr. standard, 3 to 4 ft	1.75		
2 yr. standard, 4 to 5 ft	2.00		
Bush form, 2 to 3 ft	1.50		
holdti. Holdt Locust. 25'			
6 to 8 ft	3.50		
8 to 10 ft	4.50		
kelseyi. Kelsey Locust. 12'			
5 to 6 ft	4.00	3.50	3.00
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft	6.00	5.50	5.00
neomexicana. New Mexico Locust	. 10'		
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
pseudoacacia. Common Locust. 6	30 <b>'</b>		
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	2.00	1.50	1.00
10 to 12 ft	3.00	2.50	

	1-4 Each	5-24 Each	25 & up Each
Robinia			
pseudoacacia bessoniana. Besson	Locus	t. 40'	
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	6.00		
pseudoacacia decaisneana. $Decai$		cust.	40'
5 to 6 ft	3.50		
6 to 8 ft	4.00		
8 to 10 ft	5.00		
pseudoacacia Marguerite. 20'			
5 to 6 ft	4.50		
viscosa. Clammy Locust. 10'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.25	.90	.75
Rosa acicularis. Prickly Rose. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.45
acicularis bourgeauiana. Bourgeo	na Pos	e. 6'	
15 to 18 in	1.00	ie. 0	
	1.00		
alpina. Pyrenees Rose. 3'		0.0	F.0
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
blanda. Meadow Rose. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	. 50	.45
blanda Willmottiae. 5'			
15 to 18 in	1.00		
canina. Dogbrier. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
coriifolia froebeli. Froebel Rose.	5'	. 20	
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.50	.40
davurica. Dahurian Rose. 6'	1.00	75	00
2 to 3 ft	1.00	.75	.60

	_1-4	5-24	25 & up
Rosa	Each	Each	Each
ecae. Eca Rose. 6'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
foetida. Austrian Copper Rose. A	,,		
2 to 3 ft	1.00	.75	
foetida persiana. Persian Yellow			
2 year	1.00	.75	
·	1.00	.13	
fujisanensis. Mt. Fuji Rose. 8'			
3 to 4 ft	.75	.60	.50
helenae. Helen Rose. 6'			
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
helenae fl. pl. Dbl. Helen Rose.	6'		
3 to 4 ft	1.50		
hugonis. Hugonis Rose. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
humilis. Pasture Rose. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
laevigata. Cherokee Rose. 10'			
15 to 18 in	1.00		
lucida. Virginia Rose. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
marreti. Marret Rose. 6'			
3 to 4 ft	1.25	1.00	
maximowicziana jacki. Jack Rose	. 6'		
2 to 3 ft	1.50		
moyesi. Mayes Rose. 10'			
2 to 3 ft	1.50		
3 to 4 ft	1.75		
multiflora. Japanese Rose. 8'			
2 to 3 ft	.50	.35	.25
3 to 4 ft	.55	.40	.30
4 to 5 ft	.60	.50	.40
multiflora cathayensis. Cathay R	ose.	<i>6'</i>	
3 to 4 ft	.60	.50	.40

	1-4 Each	5-24 Each	25 & up Each
Rosa	Lucii	Edell	Lucii
nitida. Bristly Rose. 3'			
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
3 to 4 ft	.75	.60	.50
palustris. Swamp Rose. 8'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
pendulina. (See Alpina)			
rouletti.			
12 to 15 in., 4 in. pots	.75	.60	.50
15 to 18 in., F. G	.60	.50	.40
rubiginosa. Sweetbriar. 6'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.40
rubiginosa hybrids. Lady Penzan	aa Ta	nd Day	ramaa
Green Mantle, Lucy Asht			
and Flora McIvor. 6'	on, se	anne	Deans,
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
rubrifolia. Redleaf Rose. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
rugosa. Rugosa Rose. 6'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	
	6'	***	
rugosa alba. White Rugosa Rose.	.60	.50	,
18 to 24 in	.75	.60	
	.10	.00	,
rugosa hybrids. 5'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	) .
Varieties:—	3.5		
Blanche de Coubert, C. F.			
Worth, Agnes Carmen, New			
Zembla, Mad. Geo. Bruant,			
Waterer, Belle Poitevine, Si ton, Hansa, Agnes, F. J. Gr			11b-
ton, nansa, Agnes, F. J. Gr	ooten	JUIST.	

Rosa	1-4 Each	5-24 Each	25 & up Each
rugosa hyb.—climbing.			
Max Graf	.75	.60	
rugosa repens.         Creeping Rugosa           2 year         3 year	Rose. 1.50	1' 1.25 1.50	1.00 1.25
sericea. 4'			
2 to 3 ft	.60 .75	.50 .60	.40 .50
setigera. Prairie Rose. 6'			
2 to 3 ft	.40 .45	.30 .40	.25 .35
4 to 5 ft	.50	.45	.40
spinosissima altaica. Altai Rose.	4'	,	,
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
spinosissima hispida. Bristly Scot	ch Ros	e. 6'	
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
spinosissima hybrids. 5'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
Dbl. Blush, Dbl. White, Db Sgl. Red, Sgl. Pink.	ol. Pir	nk, F	ulgens.
watsoniana. Watson Rose. 6' 3 to 4 ft	1.25	1.00	
wichuraiana. Wichurian Rose. 2	,		
2 year	.40	.35	.30
3 year	.50	.45	.40
,	.75 Univer South		
Perfection, Evergreen Gem.			

1-4 5-24 25 & up Each Each Each

## ROSES

Hybrid Perpetuals. 2 year Anne de Diesbach Baroness Rothchild Baron de Bonstettin Earl of Dufferin Clio Eugene Furst Frau Karl Druschki Gen. Jacqueminot Geo. Arends	No. 1
Hybrid Tea. 2 year No. 1  Betty Uprichard Chas., K. Douglas Etoile de France Gruss an Teplitz Jonkheer J. L. Mock Killarney Lady Alice Stanley Lady Hillingdon Mad. Abel Chatenay	Madame Butterfly Mrs. Henry Bowles Mrs. Henry Morse Pres. Hoover Radiance Rev. F. Page-Roberts Sunburst White Killarney Willowmere
Climbing roses. 2 year No. American Beauty American Pillar Aviateur Bleriot Dr. W. Van Fleet Dorothy Perkins Excelsa Gardenia Hiawatha  Polyantha hybrids. 2 year I Else Poulsen Gloria Mundi	Mad. Gregoire Staechelin Mary Wallace Paul's Scarlet Climber Roserie Silver Moon Star of Persia White Dorothy Perkins  No. 1
Gloria Mundi Golden Salmon  woodsi. Wood's Rose. 2 to 3 ft. 3 to 4 ft.  xanthina Allard. 10' 2 to 3 ft.  xanthina spontanea. S 2 to 3 ft.	

Rubus deliciosus. Boulder Raspberry.	1-4 Each 5'	5-24 Each	25 & up Each
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
dumetorum. European Dewberry.	2'		
2 year	.50	.40	.35
•		.40	.50
odoratus. Flowering Raspberry.			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
phoenicolasius. Wineberry. 8'			
3 to 4 ft	1.00	.75	
Salix amygdaloides. Peachleaf Willow	v. 30		
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
babylonica. Babylon Weeping Wil	llow.	50 <b>'</b>	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1¼ to 1½ in	2.25	2.00	
babylonica crispa. Ringleaf Weep	ina V	Villow.	<i>30</i> ′
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.00	3.50	
babylonica dolorosa. Wisconsin We		Willow	v. 40'
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in	2.25	2.00	1.75
babylonica salamoni. Salamon Wee		Willou	
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1½ to 1½ in	2.50	2.25	2.00
1½ to 1¾ in	2.75	2.50	2.00
134 to 2 in	3.50	3.00	
2 to 2½ in	5.00	4.00	
2½ to 3 in	7.50	5.00	
2,2 00 0	10.00	7.50	
caprea. Goat Willow. 20'	10.00	1.00	
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
8 to 10 ft	1.25	1.00	.90
discolor. Pussy Willow. 20'	1.20	1,00	.00
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.65
8 to 10 ft	1.25	1.00	.90
0 10 10 11	1,40	1.00	.50

1-4 5-24 25 & up

	I-4 Each	5-24 Each	ZS & up Each
Salix			
doniana. 9'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
elegantissima. Thurlow Weeping	Willow	v. 50'	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
1½ to 1½ in	2.50	2.25	1.75
1½ to 1¾ in	2.75	2.50	2.00
13/4 to 2 in	3.00	2.75	2.50
2 to 2½ in	4.00	3.50	3.00
fragilis. Brittle Willow, 50'			
3 to 4 ft	1.50		
	1.50		
fragilis repandens. $10'$			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
incana. syn. rosmarinifolia. Rosen	naru 1	Villow.	20'
3 to 4 ft. shrub form	.55	.45	.40
4 to 5 ft. shrub form	.65	.55	.50
5 to 6 ft. shrub form	.75	.65	.60
6 to 8 ft. shrub form	1.00	.75	.70
irrorata. Bluestem Willow. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
	1.50	1.25	1.00
6 to 8 ft 8 to 10 ft	$\frac{1.50}{2.00}$	1.50	1.25
	2.00	1.50	1.20
jessoensis. 6'	0.00		
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
lucida. Shining Willow. 18'			
2 to 3 ft	1.50		
mandshurica. 30'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
matsudana. Hankow Willow. 35'			
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	2.50	2.00	
1 <sup>3</sup> / <sub>4</sub> to 2 in	3.50	3.00	

Salix	1-4 Each	5-24 Each	25 & up Each
matsudana tortuosa. 20'			
	9.00	1 55	1.50
6 to 8 ft 8 to 10 ft	$\frac{2.00}{2.50}$	1.75	1.50
	2.50	2.00	1.75
mutabilis. 6'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	
myricoides rigida. 9'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
nigricans cotinifolia. 12'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
niobe. Niobe Weeping Willow. 30	) <b>'</b>		
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	2.75	2.50	2.25
1½ to 1¾ in	2.50	2.00	
13/4 to 2 in	3.00	2.50	
2 to 2½ in	4.00	3.50	
patula. 20'			
3 to 4 ft	1.50		
pentandra. Laurel Willow. 30'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1½ to 1½ in	2.00	1.75	1.40
1½ to 1¾ in	2.25	2.00	
13/4 to 2 in	3.00	2.50	
purpurea nana. Dwf. Purple Osie	-		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
	1.00	.10	.00
regalis. Royal Willow. 30'	00	0.0	75
5 to 6 ft	0.90 $0.25$	.80	.75 .90
6 to 8 ft	1.25 $1.75$	1.00 $1.50$	.90
8 to 10 ftsieboldiana. Siebold Willow. 30'	1.75	1.50	
	1.25	1.00	00
6 to 8 ft		1.00	.90
8 to 10 ft	1.75	1.50	1.25
smithiana. 20'	1.50	1.25	
2 to 3 ft			
3 to 4 ft	1.75	1.50	

	1-4 Each	5-24 Each	25 & up Each
Salix			
uralensis. 15'			
5 to 6 ft	.75	.65	.50
6 to 8 ft	1.00	.90	.75
vitellina. Golden Willow. 30'			
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.75	1.50	1.25
1¼ to 1½ in	2.00	1.75	1.40
1½ to 1¾ in	2.50	2.00	1.60
13/4 to 2 in	3.00	2.50	2.00
vitellina britzensis. Bronze Golde	en Wil	llow.	30'
6 to 8 ft	1.50	1.25	
8 to 10 ft	1.75	1.50	
1½ to 1¾ in	2.50	2.00	
13/4 to 2 in	3.00	2.50	
2 to 2½ in	3.50	3.00	
vitellina glauca. Blue Russian Wi	llow.	20'	
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
vitellina pendula. Golden Weeping	y Will	ow. 4	0'
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1½ to 1¾ in	2.50	2.25	2.00
1 <sup>3</sup> / <sub>4</sub> to 2 in	3.00	2.75	2.50
wentworthi. 50'			
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	2.25	2.00	1.50
13/4 to 2 in	2.75	2.50	2.00
2 to 2½ in	3.50	3.00	2.50
Sambucus canadensis. American Elde	er. 10	,	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
canadensis acutiloba. Cutleaved I	Elder.	10 <b>'</b>	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75

Link	1-4 Each	<b>5-24</b> Each	25 & up Each
Sambucus			
nigra. European Elder. 15'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
nigra aurea. Golden European Ele	der. 1	5'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
nigra variegata. $Variegated\ Elde$	er. 10	,	
3 to 4 ft	.75	.60	
pubens. Scarlet Elder. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
5 to 6 ft	1.00	.75	.65
pubens leucocarpa. Yellow-fruit	ed $Eld$	er. 8'	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
racemosa. European Red Elder.	8'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
Sassafras variifolium. Sassafras. 50'	•		
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
10 to 12 ft	6.00	5.00	
Schizophragma hydrangeoides.			
Japanese Hydrangea-vine	20'		
from pots		.85	.75
Sciadopitys verticillata. Umbrella Pin			
10 ft. specB&B			
Shepherdia argentea. Silver Buffalok		15 <b>'</b>	
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.50	1.25	
canadensis. Russet Buffaloberry.			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.50	1.25	1.00
Smilax rotundifolia. Horsebrier.			
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40

Solanum dulcamara.   True Bittersweet.   2   year       .40   .30   .25		1-4 Each	5-24 Each	25 & up Each
Sophora japonica. Chinese Scholartree. 25'   2 to 3 ft.			.30	.25
2 to 3 ft. B&B 3.50 3.25 3.00 3 to 4 ft. B&B 4.50 4.00 3.50 4 to 5 ft. B&B 6.00 5.50 5.00 5 to 6 ft. B&B 8.50 7.50 6.50 6 to 8 ft. B&B 10.00 8.50 5 to 6 ft. Spec. B&B 12.50 6 to 8 ft. Spec. B&B 12.50 6 to 8 ft. Spec. B&B 15.00  vicifolia. Vetchleaf Sophora. 6' 3 to 4 ft. B&B 5.00  Sorbaria aitchisoni. Kashmir False Spiraea. 8' 3 to 4 ft. 50 .40 .35 4 to 5 ft. 65 .55 .50 5 to 6 ft. 75 .65 .60  arborea glabrata. 15' 3 to 4 ft60 .50 .40 4 to 5 ft65 .55 .50 5 to 6 ft85 .70 .60 6 to 8 ft. 1.00 .85 .75  lindleyana. Lindley False Spiraea. 8' 3 to 4 ft55 .45 .40 4 to 5 ft55 .55 .50 5 to 6 ft75 .65 5 to 6 ft75 .65  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft65 .55 .50 5 to 6 ft75 .65  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft75 .65  Sorbus americana American Mountain Ash. 25'  Sorbus americana American Mountain Ash. 25' 5 to 6 ft. 3.00 2.50 8 to 10 ft. 4.00 3.50 1½ to 1½ in. 5.00 4.50  aria latifolia. White Beam-tree. 40 6 to 8 ft. 2.50 2.00 8 to 10 ft. 3.00 2.50 1¼ to 1½ in. 3.50 3.00 1½ to 13¼ in. 4.00 3.50 1¼ to 1½ in. 3.50 3.00 1½ to 13¼ in. 4.00 3.50 1¼ to 1½ in. 3.50 3.00 1½ to 13¼ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50			.00	.20
3 to 4 ft. B&B 4.50 4.00 3.50 4 to 5 ft. B&B 6.00 5.50 5.00 5 to 6 ft. B&B 8.50 7.50 6.50 6 to 8 ft. B&B 10.00 8.50 5 to 6 ft. Spec. B&B 12.50 6 to 8 ft. Spec. B&B 15.00  vicifolia. Vetchleaf Sophora. 6' 3 to 4 ft. B&B 5.00  Sorbaria aitchisoni. Kashmir False Spiraea. 8' 3 to 4 ft 65 .55 .50 5 to 6 ft. 7.75 .65 .60  arborea glabrata. 15' 3 to 4 ft60 .50 .40 4 to 5 ft75 .65 .60  arborea glabrata. 15' 3 to 6 ft75 .65 .50 5 to 6 ft75 .60 .50 5 to 6 ft75 .65 .55 5 to 6 ft75 .65  Sorbifolia. Ural False Spiraea. 8' 2 to 3 ft50 .40 .35 4 to 5 ft50 .40 .35 5 to 6 ft75 .65  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft40 .30 .25 3 to 4 ft50 .40 .35 5 to 6 ft75 .65  Sorbus americana American Mountain Ash. 25' 5 to 6 ft75 .65 .60  Sorbus americana American Mountain Ash25' 5 to 6 ft75 .65 .60  Sorbus americana American Mountain Ash25' 5 to 6 ft75 .65 .60  Sorbus americana American Mountain Ash25' 5 to 6 ft75 .65 .60  Sorbus americana American Mountain Ash25' 5 to 6 ft75 .65 .60  Sorbus americana American Mountain Ash25' 5 to 6 ft75 .65 .60  Sorbus americana American Mountain Ash25' 5 to 6 ft75 .65 .60  Sorbus americana American Mountain Ash25' 5 to 6 ft250 .2.00 6 to 8 ft3.00 .2.50 8 to 10 ft3.00 .2.50 8 to 10 ft3.00 .2.50 8 to 10 ft3.00 .2.50 11/4 to 11/2 in3.50 .3.00 11/2 to 13/4 in4.00 .3.50 11/4 to 11/2 in3.50 .3.00 11/2 to 13/4 in4.00 .3.50	Sophora japonica. Chinese Scholartre	e. 25'		
4 to 5 ft. B&B 6.00 5.50 5.00 5 to 6 ft. B&B 8.50 7.50 6.50 6 to 8 ft. B&B 10.00 8.50 5 to 6 ft. spec. B&B 12.50 6 to 8 ft. spec. B&B 12.50 6 to 8 ft. spec. B&B 15.00  vicifolia. Vetchleaf Sophora. 6' 3 to 4 ft. B&B 5.00  Sorbaria aitchisoni. Kashmir False Spiraea. 8' 3 to 4 ft. 50 .40 .35 4 to 5 ft. 65 .55 .50 5 to 6 ft. 7.75 .65 .60  arborea glabrata. 15' 3 to 4 ft60 .50 .40 4 to 5 ft65 .55 .70 .60 5 to 6 ft85 .70 .60 6 to 8 ft. 1.00 .85 .75  lindleyana. Lindley False Spiraea. 8' 3 to 4 ft55 .45 .40 4 to 5 ft55 .50 5 to 6 ft75 .65 .50  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft75 .65 .50 3 to 4 ft50 .40 .35 4 to 5 ft55 .45 .40 5 to 6 ft75 .65 .50  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft40 .30 .25 3 to 4 ft50 .40 .35 4 to 5 ft300 .250 8 to 10 ft300 .250 11/4 to 11/2 in350 .300 11/2 to 13/4 in400 .350 11/4 to 11/2 in350 .300 11/2 to 13/4 in400 .350	2 to 3 ftB&B	3.50	3.25	3.00
5 to 6 ft. B&B 8.50 7.50 6.50 6 to 8 ft. B&B 10.00 8.50 5 to 6 ft. spec. B&B 12.50 6 to 8 ft. spec. B&B 12.50 6 to 8 ft. spec. B&B 15.00  vicifolia. Vetchleaf Sophora. 6' 3 to 4 ft. B&B 5.00  Sorbaria aitchisoni. Kashmir False Spiraea. 8' 3 to 4 ft. 50 .40 .35 4 to 5 ft. 65 .55 .50 5 to 6 ft. 75 .65 .60  arborea glabrata. 15' 3 to 4 ft85 .70 .60 5 to 6 ft. 85 .70 .60 6 to 8 ft. 1.00 .85 .75  lindleyana. Lindley False Spiraea. 8' 3 to 4 ft55 .45 .40 4 to 5 ft55 .55 .50 5 to 6 ft75 .65 .50  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft75 .65 .50 5 to 6 ft75 .65 .60  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft50 .40 .35 4 to 5 ft50 .40 .35 4 to 5 ft50 .40 .35 5 to 6 ft75 .65 .50 5 to 6 ft50 .40 .35 4 to 5 ft30 .25 5 to 6 ft30 .30 .25 5 to 6 ft30 .30 .30 6 to 8 ft30 .30	3 to 4 ftB&B	4.50	4.00	3.50
6 to 8 ft. B&B 10.00 8.50 5 to 6 ft. spec. B&B 12.50 6 to 8 ft. spec. B&B 15.00  vicifolia. Vetchleaf Sophora. 6' 3 to 4 ft. B&B 5.00  Sorbaria aitchisoni. Kashmir False Spiraea. 8' 3 to 4 ft	4 to 5 ftB&B	6.00	5.50	5.00
5 to 6 ft. spec. B&B 12.50 6 to 8 ft. spec. B&B 15.00  vicifolia. Vetchleaf Sophora. 6' 3 to 4 ft. B&B 5.00  Sorbaria aitchisoni. Kashmir False Spiraea. 8' 3 to 4 ft. 55 t. 65 .55 .50 5 to 6 ft. 75 .65 .60  arborea glabrata. 15' 3 to 4 ft. 60 .50 .40 .35 4 to 5 ft. 60 .50 .50 .40 4 to 5 ft. 75 .60 .50 5 to 6 ft. 75 .60 .50 5 to 6 ft. 75 .60 .50 5 to 6 ft. 85 .70 .60 6 to 8 ft. 1.00 .85 .75  lindleyana. Lindley False Spiraea. 8' 3 to 4 ft. 55 .45 .40 4 to 5 ft. 65 .55 .50 5 to 6 ft. 75 .65  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft. 40 .30 .25 3 to 4 ft. 55 t. 65 .50 .45 5 to 6 ft. 75 .65  Sorbus americana American Mountain Ash. 25' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 8 to 10 ft. 4.00 3.50 1½4 to 1½ in. 5.00 4.50  aria latifolia. White Beam-tree. 40 6 to 8 ft. 2.50 2.00 8 to 10 ft. 3.00 2.50 1¼4 to 1½ in. 3.50 3.00 1½4 to 1½ in. 3.50 3.00	5 to 6 ftB&B	8.50	7.50	6.50
vicifolia. Vetchleaf Sophora. 6'           3 to 4 ft.         B&B 5.00           Sorbaria aitchisoni. Kashmir False Spiraea. 8'           3 to 4 ft.         .50         .40         .35           4 to 5 ft.         .65         .55         .50           5 to 6 ft.         .75         .65         .60           arborea glabrata.         15'         .60         .50         .40           4 to 5 ft.         .60         .50         .40           4 to 5 ft.         .75         .60         .50           5 to 6 ft.         .85         .70         .60           6 to 8 ft.         .100         .85         .75           lindleyana.         Lindley False Spiraea.         8'           3 to 4 ft.         .55         .45         .40           4 to 5 ft.         .65         .55         .50           5 to 6 ft.         .75         .65         .50           sorbifolia.         Ural False Spiraea.         6'         .2         .40         .30         .25           3 to 4 ft.         .50         .40         .35         .4         .40         .30         .25           5 to 6 ft.         .50         <	6 to 8 ftB&B	10.00	8.50	
vicifolia.         Vetchleaf Sophora.         6'           3 to 4 ft.         B&B 5.00           Sorbaria aitchisoni.         Kashmir False Spiraea.         8'           3 to 4 ft.         .50         .40         .35           4 to 5 ft.         .65         .55         .50           5 to 6 ft.         .75         .65         .60           arborea glabrata.         15'         .60         .50         .40           4 to 5 ft.         .60         .50         .40           4 to 5 ft.         .75         .60         .50           5 to 6 ft.         .85         .70         .60           6 to 8 ft.         .100         .85         .75           lindleyana.         Lindley False Spiraea.         8'         .40         .40         .40         .40         .40         .40         .40         .40         .40         .40         .40         .40         .40         .40         .40         .40         .25         .40         .40         .40         .30         .25         .50         .40         .40         .30         .25         .50         .40         .35         .40         .40         .30         .25	5 to 6 ft. spec	12.50		
Sorbaria aitchisoni. Kashmir False Spiraea. 8'   3 to 4 ft	6 to 8 ft. specB&B	15.00		
Sorbaria aitchisoni.         Kashmir False Spiraea.         8'           3 to 4 ft.         .50         .40         .35           4 to 5 ft.         .65         .55         .50           5 to 6 ft.         .75         .65         .60           arborea glabrata.         15'         .75         .60         .50           3 to 4 ft.         .60         .50         .40           4 to 5 ft.         .75         .60         .50           5 to 6 ft.         .85         .70         .60           6 to 8 ft.         1.00         .85         .75           lindleyana.         Lindley False Spiraea.         8'           3 to 4 ft.         .55         .45         .40           4 to 5 ft.         .65         .55         .50           5 to 6 ft.         .75         .65           sorbifolia.         Ural False Spiraea.         6'           2 to 3 ft.         .40         .30         .25           3 to 4 ft.         .50         .40         .35           4 to 5 ft.         .50         .40         .35           4 to 5 ft.         .50         .20         .40 <td< td=""><td>vicifolia. Vetchleaf Sophora. 6'</td><td></td><td></td><td></td></td<>	vicifolia. Vetchleaf Sophora. 6'			
3 to 4 ft	3 to 4 ftB&B	5.00		
4 to 5 ft	Sorbaria aitchisoni. Kashmir False S	piraea.	. 8 <b>'</b>	
5 to 6 ft.       .75 .65       .60         arborea glabrata.       15'         3 to 4 ft.       .60 .50       .40         4 to 5 ft.       .75 .60       .50         5 to 6 ft.       .85 .70       .60         6 to 8 ft.       1.00 .85 .75         lindley False Spiraea. 8'         3 to 4 ft.       .55 .45 .40         4 to 5 ft.       .65 .55 .50         5 to 6 ft.       .75 .65         sorbifolia. Ural False Spiraea. 6'         2 to 3 ft.       .40 .30 .25         3 to 4 ft.       .50 .40 .35         4 to 5 ft.       .65 .50 .45         5 to 6 ft.       .75 .65 .60         Sorbus americana American Mountain Ash. 25'         5 to 6 ft.       2.50 2.00         6 to 8 ft.       3.00 2.50         8 to 10 ft.       4.00 3.50         1½ to 1½ in.       5.00 4.50         aria latifolia. White Beam-tree.       40         6 to 8 ft.       2.50 2.00         8 to 10 ft.       3.00 2.50         1¼ to 1½ in.       3.50 3.00         1¼ to 1¼ in.       4.00 3.50         1¼ to 1¾ in.       4.00 3.50         1¾ to 2 in.       5.00 4.50    <	3 to 4 ft	.50	.40	.35
arborea glabrata.       15'         3 to 4 ft.       .60 .50 .40         4 to 5 ft.       .75 .60 .50         5 to 6 ft.       .85 .70 .60         6 to 8 ft.       1.00 .85 .75         lindleyana.       Lindley False Spiraea. 8'         3 to 4 ft.       .55 .45 .40         4 to 5 ft.       .65 .55 .50         5 to 6 ft.       .75 .65         sorbifolia.       Ural False Spiraea. 6'         2 to 3 ft.       .40 .30 .25         3 to 4 ft.       .50 .40 .35         4 to 5 ft.       .65 .50 .45         5 to 6 ft.       .75 .65 .60         Sorbus americana American Mountain Ash. 25'         5 to 6 ft.       2.50 2.00         6 to 8 ft.       3.00 2.50         8 to 10 ft.       4.00 3.50         1¼ to 1½ in.       5.00 4.50         aria latifolia.       White Beam-tree.       40         6 to 8 ft.       2.50 2.00         8 to 10 ft.       3.00 2.50         1¼ to 1½ in.       3.50 3.00         1¼ to 1½ in.       3.50 3.00         1½ to 1¾ in.       4.00 3.50         1¾ to 2 in.       5.00 4.50	4 to 5 ft	.65	.55	.50
3 to 4 ft	5 to 6 ft	.75	.65	.60
3 to 4 ft	arborea glabrata. 15'			
4 to 5 ft	<u> </u>	.60	.50	.40
5 to 6 ft.       .85       .70       .60         6 to 8 ft.       1.00       .85       .75         lindley False Spiraea. 8'         3 to 4 ft.       .55       .45       .40         4 to 5 ft.       .65       .55       .50         5 to 6 ft.       .75       .65         sorbifolia. Ural False Spiraea. 6'         2 to 3 ft.       .40       .30       .25         3 to 4 ft.       .50       .40       .35         4 to 5 ft.       .65       .50       .45         5 to 6 ft.       .75       .65       .60         Sorbus americana American Mountain Ash. 25'         5 to 6 ft.       2.50       2.00         6 to 8 ft.       3.00       2.50         8 to 10 ft.       4.00       3.50         1½ to 1½ in.       5.00       4.50         aria latifolia. White Beam-tree. 40       6       to 8 ft.       2.50       2.00         8 to 10 ft.       3.00       2.50       1½ to 1½ in.       3.50       3.00         1½ to 1½ in.       3.50       3.00       1½ to 1½ in.       3.50       3.00         1½ to 1¼ in.       4.00       3.50       1		.75	.60	.50
6 to 8 ft.       1.00       .85       .75         lindleyana.       Lindley False Spiraea.       8'         3 to 4 ft.       .55       .45       .40         4 to 5 ft.       .65       .55       .50         5 to 6 ft.       .75       .65         sorbifolia.       Ural False Spiraea.       6'         2 to 3 ft.       .40       .30       .25         3 to 4 ft.       .50       .40       .35         4 to 5 ft.       .65       .50       .45         5 to 6 ft.       .75       .65       .60         Sorbus americana American Mountain Ash.       25'         5 to 6 ft.       2.50       2.00         6 to 8 ft.       3.00       2.50         8 to 10 ft.       4.00       3.50         1¼ to 1½ in.       5.00       4.50         aria latifolia.       White Beam-tree.       40         6 to 8 ft.       2.50       2.00         8 to 10 ft.       3.00       2.50         1¼ to 1½ in.       3.50       3.00         1½ to 1¾ in.       4.00       3.50         1½ to 1¾ in.       4.00       3.50         1¼ to 1½ in.			.70	.60
lindleyana. Lindley False Spiraea. 8'   3 to 4 ft				
3 to 4 ft			,,,,	
5 to 6 ft.       .75 .65         sorbifolia.       Ural False Spiraea.       6'         2 to 3 ft.       .40 .30 .25         3 to 4 ft.       .50 .40 .35         4 to 5 ft.       .65 .50 .45         5 to 6 ft.       .75 .65 .60         Sorbus americana American Mountain Ash. 25'         5 to 6 ft.       2.50 2.00         6 to 8 ft.       3.00 2.50         8 to 10 ft.       4.00 3.50         1¼ to 1½ in.       5.00 4.50         aria latifolia.       White Beam-tree.         40       6 to 8 ft.       2.50 2.00         8 to 10 ft.       3.00 2.50         1¼ to 1½ in.       3.50 3.00         1¼ to 1½ in.       3.50 3.00         1½ to 1¾ in.       4.00 3.50         1¾ to 2 in.       5.00 4.50	-		.45	.40
sorbifolia. Ural False Spiraea. 6'           2 to 3 ft.         .40 .30 .25           3 to 4 ft.         .50 .40 .35           4 to 5 ft.         .65 .50 .45           5 to 6 ft.         .75 .65 .60           Sorbus americana American Mountain Ash. 25'           5 to 6 ft.         2.50 2.00           6 to 8 ft.         3.00 2.50           8 to 10 ft.         4.00 3.50           1¼ to 1½ in.         5.00 4.50           aria latifolia. White Beam-tree. 40           6 to 8 ft.         2.50 2.00           8 to 10 ft.         3.00 2.50           1¼ to 1½ in.         3.50 3.00           1½ to 1¾ in.         4.00 3.50           1¾ to 2 in.         5.00 4.50	4 to 5 ft	.65	.55	.50
sorbifolia. Ural False Spiraea. 6'           2 to 3 ft.         .40 .30 .25           3 to 4 ft.         .50 .40 .35           4 to 5 ft.         .65 .50 .45           5 to 6 ft.         .75 .65 .60           Sorbus americana American Mountain Ash. 25'           5 to 6 ft.         2.50 2.00           6 to 8 ft.         3.00 2.50           8 to 10 ft.         4.00 3.50           1¼ to 1½ in.         5.00 4.50           aria latifolia. White Beam-tree. 40           6 to 8 ft.         2.50 2.00           8 to 10 ft.         3.00 2.50           1¼ to 1½ in.         3.50 3.00           1½ to 1¾ in.         4.00 3.50           1¾ to 2 in.         5.00 4.50	5 to 6 ft	.75	.65	
3 to 4 ft		6 <b>'</b>		
4 to 5 ft	2 to 3 ft	.40	.30	.25
5 to 6 ft	3 to 4 ft	.50	.40	.35
Sorbus americana       American Mountain Ash.       25'         5       to 6       ft.       2.50       2.00         6       to 8       ft.       3.00       2.50         8       to 10       ft.       4.00       3.50         1½ to 1½ in.       5.00       4.50         aria latifolia.       White Beam-tree.       40         6       to 8       ft.       2.50       2.00         8       to 10       ft.       3.00       2.50         1¼ to 1½ in.       3.50       3.00         1½ to 1¾ in.       4.00       3.50         1¾ to 2 in.       5.00       4.50	4 to 5 ft	.65	.50	.45
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 to 6 ft	.75	.65	.60
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Sorbus americana American Mountai	n Ash.	25 <b>'</b>	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 to 6 ft	2.50	2.00	
1½ to $1½$ in.       5.00       4.50         aria latifolia.       White Beam-tree.       40         6 to 8 ft.       2.50       2.00         8 to 10 ft.       3.00       2.50 $1¼$ to $1¼$ in.       3.50       3.00 $1½$ to $1¾$ in.       4.00       3.50 $1¾$ to 2 in.       5.00       4.50	6 to 8 ft	3.00	2.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. $5.00$ 4.50         aria latifolia.       White Beam-tree. $40$ 6 to 8 ft. $2.50$ 2.00         8 to 10 ft. $3.00$ 2.50 $1\frac{1}{4}$ to $1\frac{1}{2}$ in. $3.50$ 3.00 $1\frac{1}{2}$ to $1\frac{3}{4}$ in. $4.00$ 3.50 $1\frac{3}{4}$ to 2 in. $5.00$ 4.50	8 to 10 ft	4.00	3.50	
6 to 8 ft. 2.50 2.00 8 to 10 ft. 3.00 2.50 1½ to 1½ in. 3.50 3.00 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50		5.00	4.50	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	aria latifolia. White Beam-tree.	40		
8       to 10       ft.       3.00       2.50         1½ to 1½ in.       3.50       3.00         1½ to 1¾ in.       4.00       3.50         1¾ to 2 in.       5.00       4.50		•	2.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. $3.50$ $3.00$ $1\frac{1}{2}$ to $1\frac{3}{4}$ in. $4.00$ $3.50$ $1\frac{3}{4}$ to $2$ in. $5.00$ $4.50$				
1½ to 1¾ in 4.00 3.50 1¾ to 2 in 5.00 4.50				
134 to 2 in 5.00 4.50				
*** ** = = ===========================				

Sorbus	1-4 Each	5-24 Each	25 & up Each
pugunaria E	4.7	- o.t	
aucuparia. European Mountai		50'	
6 to 8 ft 8 to 10 ft		2.00	1.50
0 10 10 101		2.50	2.00
1½ to 1½ in		3.00	2.50
1½ to 1¾ in		3.50	3.00
13/4 to 2 in		4.00	3.50
$\frac{2}{2}$ to $\frac{21}{2}$ in		5.00	4.50
2½ to 3 in		7.50	6.50
3 to $3\frac{1}{2}$ in		10.00	
$3\frac{1}{2}$ to 4 in	20.00	15.00	
aucuparia columnaris. Column		1sh. 4	0'
aucuparia fastigiata. Pyramida	l Mt. Ash	. 40'	
8 to 10 ft	7.50		
commixta. Japanese Mountain		<i>5</i> ′	
6 to 8 ft		2.50	
8 to 10 ft		3.00	
10 to 12 ft	4.00	3.50	
quercifolia. Oak-leaf Mountag	in Ash.	25 <b>'</b>	
6 to 8 ft	2.75	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
1½ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.00	
2½ to 3 in		7.50	
3 to 3½ in		10.00	
spuria. 15'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
1½ to 1½ in	4.00	3.50	
torminalis. Wild Service Tree	e. 50'		
6 to 8 ft	3.50	3.00	
8 to 10 ft		3.50	
Spirea arguta. Garland Spirea. 6		.30	.25
2 to 3 ft		.30 .35	.30
3 to 4 ft		.50	.40
4 to 5 ft		.60	.50
5 to 6 ft	10	.00	.50
aitchisoni. (See Sorbaria).			

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
billiardi. Billiard Spiraea. 6.'	40		0.5
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
bumalda. Bumalda Spiraea. 3'			
18 to 24 in	.40	.35	.30
24 to 30 in	.50	.40	.35
bumalda Anthony Waterer.			
Anthony Waterer Spiraea.	3'		
18 to 24 in	.40	.35	.30
24 to 30 in	.50	.40	.35
bumalda walluffi. 3'			
18 to 24 in	.45	.35	
24 to 30 in	.50	.40	
callosa alba. (See japonica ovalife	olia).		
chamaedryfolia ulmifolia. $Elmlea$	f Snir	raea.	6'
2 to 3 ft	, 5p., .75	aca.	Ü
	1.25	1.00	
3 to 4 ft	1.40	1.00	
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
fortunei. Fortune Spiraea. 4'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
froebeli. Froebel Spiraea. 4'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	
japonica. Japanese Spiraea. 6'			
18 to 24 in	.40	.30	.25
24 to 30 in	.45	.35	.30
japonica ovalifolia. White Japan			3'
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.40	.35
japonica ruberrima. Pink Japane.			5'
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
O 10 T 10	.50	.40	.50

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
latifolia syn. bethlehemensis.			
Pink Meadow Spiraea. 6' 2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
lindleyana. (See Sorbaria).	.00	.50	.40
- ,	,		
margaritae. Margarita Spiraea. 5 2 to 3 ft	.45	.35	20
			.30
nipponica rotundifolia. Big Nippo			10'
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
Product of the control of	.45	.35	.30
2 to 3 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
pubescens. 6'	.13	.00	.00
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
reevesiana. Reeves Spiraea. 8'	.10	.00	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
reevesiana lanceata. Double Reev	es Sp		8'
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
salicifolia. Willowleaf Spiraea.	5 <b>'</b>		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
sorbifolia. (See Sorbaria).			
superba. Striped Spiraea. 4'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
syringiflora. Lilac Spiraea. 3'			
18 to 24 in	.60		
thunbergi. Thunberg Spiraea. 5'	0.5	0.5	0.0
18 to 24 in	.35	.25	.20
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60

		1-4 Each	5-24 Each	25 & up Each
Spiraea				
	. Hardhack. 4'			
2 to	3 ft	.40	.30	.25
3 to	4 ft	.50	.40	.35
trichocarr	oa. Korean Spiraea. 4'			
2 to	3 ft	.40	.30	.25
3 to	4 ft	.50	.40	.35
4 to	5 ft	.60	.50	.40
van houti		10'	0.5	10
2 to	3 ft	.35	.25	.18
3 to	4 ft	.40	.30	.25
4 to	5 ft	.50	.40	.35
5 to	6 ft	.65	.55	.50
veitchi.	Veitch Spiraea. 12'			
2 to	3 ft	.50	.40	.35
3 to	4 ft	.60	.50	.45
wilsoni.	Wilson Spiraea. 6'			
3 to	4 ft	1.00	.75	.60
4 to	5 ft	1.25	1.00	.75
4 10	<b>5</b> 11	1.20	1.00	.75
Staphylea bui	malda. Bumalda Bladder	rnut.	8'	
3 to	4 ft	.75	.60	.50
4 to	5 ft	1.00	.75	.60
5 to	6 ft	1.25	1.00	.75
colchica.	Colchis Bladdernut. 12	2'		
3 to	4 ft	1.75	1.25	
4 to	5 ft	2.00	1.75	
5 to	6 ft	2.50	2.25	
6 to	8 ft.	3.00	2.50	
pinnata.	European Bladdernut.	12'		
3 to	4 ft	.60	.50	
4 to	5 ft	.75	.60	
trifolia.	American Bladdernut.	12'		
2 to	3 ft	.50	.40	.30
3 to	4 ft.	.60	.50	.40
4 to	5 ft.	.75	.60	.50
5 to	6 ft	1.00	.75	.60
6 to	8 ft	1.25	1.00	.75
0 10	0 10	1.40	1.00	.10
Stephanandra	flexuosa. Cutleaf Step	hanan	$dra.$ $\epsilon$	g <b>'</b>
2 to	3 ft	.45	.35	.30
3 to	4 ft	.55	.45	.40

Stewartia	per	ntaç	yyna. Mountain Ster	1-4 Each wartia.	5-24 Each	25 & up Each
3	to	4	ftB&B	5.00	4.00	
4	to	5	ftB&B	6.00	5.00	
5	to	6	ftB&B	7.50	6.50	
6	to	8	ftB&B	10.00		
8	to	10	ftB&B	15.00		
penta	gyn	a g:	randiflora. 15'			
5	to	6	ftB&B	10.00		
6	to	8	ftB&B	12.50		
8	to	10	ftB&B	17.50		
Stranvaesi	ia d	lavi	diana. 5'			
12	to	15	in., from pots	1.25	1.00	.75
18	to	$^{24}$	$in.\dots\dots.B\&B$	1.75	1.50	
24	to	30	$in \hbox{,} \ldots . B\&B$	2.50	2.00	
Styrax jag	oni	ica.	Japanese Snowbel!.	20'		
3	to	4	ftB&B	3.50	3.00	2.50
4	to	5	ft	4.50	4.00	3.75
5	to	6	ftB&B	7.50	6.00	5.50
6	to	8	ft	10.00	7.50	
8	to	10	ftB&B	12.50	10.00	
obassi	a.	Free	igrant Snowbell. 20'			
4	to	5	ft	5.00		
5	to	6	ftB&B	7.50		
6	to	8	ftB&B	10.00		
8	to	10	ftB&B	12.50		
Symphoric	carp	os	chenaulti. 5'			
2	to	3	$ft.\dots\dots\dots\dots\dots$	.40	.30	.25
3	to	4	$ft.\dots\dots\dots\dots\dots\dots$	.50	.40	.35
			eading Snowberry. 6'			
	to		ft	.40	.30	.25
3	to	4	ft	.50	.35	.30
occide			Western Snowberry			
_	to	3	ft	.40	.35	.30
3	• •	4	ft	.50	.45	.40
4	to	5	ft	.65	.55	.50
o. hey	eri.	. 5	,			
2	to	, 3	ft	.50	.40	
racem			Snowberry. 6'			
2	to	-	$ft.\dots\dots\dots\dots\dots$	.40	.30	.25
3	to	4	ft	.45	.35	.30
4		5	ft	.60	.45	.40
5	to	6	ft	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Symphoricarpos			
vulgaris. Coralberry. 5'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
*Symplocos paniculata. syn. crataegoid	les.		
Asiatic Sweetleaf. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.75	1.50	1.00
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	2.50	2.25
Syringa affinis giraldi. Purple Early	Lilac	12'	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
chinensis. syn. rothomagensis. $\it Ch$	inese	Lilac.	10'
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	.75
chinensis alba. White Chinese Li	lac.	! <i>0</i> '	
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	
chinensis metensis. 10'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	
chinensis saugeana. Purple Chin	ese L	ilac. 1	10'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
emodi. Himalayan Lilac. 8'			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.50	1.00	
5 to 6 ft	2.00	1.50	

				1-4	E 04	OE 9
Syringa				Each	5-24 Each	25 & up Each
henryi	ex	im	ea. 8'			
3	to	4	ft	2.50	2.00	
4	to	5	ft	3.00	2.50	
5	to	6	ft	3.50	3.00	
henryi	lu	iec	e. 8'			
3	to	4	ft	2.50	2.00	
4	to		ft	3.00	2.50	
5	to		ft	3.50	3.00	
japoni	ca.	J	apanese Tree Lilac.	20'		
3	to	4	•	.75	.60	.50
4	to	5	ft	1.00	.90	.75
5	to	6	ft	1.50	1.25	1.00
6	to	8	ft	1.75	1.50	1.25
• 8	to	10	$\mathbf{ft.}\dots\dots\dots\dots\dots\dots$	2.50	2.25	1.75
10	to	12	ft	6.00	5.00	
12	to	15	ft	10.00		
josika	ea.	Hi	ungarian Lilac. 10'			
2	to	3	ft	.50	.40	.35
3	to	4	$\mathbf{ft.}\dots\dots\dots\dots\dots\dots$	.60	.50	.45
4	to	5	$\mathbf{ft.}\dots\dots\dots\dots\dots\dots$	.75	.60	.50
5	to	6	$ft.\dots\dots\dots\dots\dots\dots$	1.00	.75	.60
6	to	8	ft	1.25	1.00	.75
micro	phy	lla.	Littleleaf Lilac. 10	,		
2	to	3	ft	1.50	1.25	1.00
3	to	4	$\mathtt{ft.}\dots\dots\dots\dots\dots\dots$	2.00	1.50	1.25
4	to	5	$\mathbf{ft.}\dots\dots\dots\dots\dots$	2.50	2.00	1.50
5	to	6	ft	3.00	2.50	2.00
oblata	•	12'				
3	to	4	ft	1.50	1.25	1.00
4	to	5	ft	1.75	1.50	1.25
5	to	6	ft	2.00	1.75	
oblata	di	lata	ita. 12'			
2	to	3	ft	1.00	.75	.60
3	to	4	ft	1.25	1.00	.75
4	to	5	$ft,\dots\dots\dots$	1.50	1.25	1.00
palibii	nia	na.	10'			
	to	4	ft,	1.50	1.25	
4	to	5	ft	2.00	1.50	
5	to	6	$\mathbf{ft.}\dots\dots\dots\dots$	2.50	2.00	

				1-4 Each	5-24 Each	25 & up Each
Syringa						
pekine	nsi	s.	Peking Lilac. 15'			
4	to	5	ft	1.75	1.50	1.25
5	to	6	ft	2.50	2.00	1.75
6	to	8	ft	3.00	2.75	2.50
8	to	10	ft	4.00	3.75	3.50
10	to	12	ft	7.50	6.00	
6	to	8	ft. specB&B	10.00		
8	to	10	ft. specB&B	12.50		
persic			rsian Lilac. 10'			
2	to		ft	.55	.45	.40
3	to	4	ft	.65	.55	.50
4	to	5	ft	.75	.65	.60
5	to	6	$ft.\dots\dots\dots\dots\dots\dots$	1.00	.90	
persic	a a	lba	. White Persian Lila	c. 10'		
2	to	3	$ft.\dots\dots\dots\dots\dots\dots$	.85	.75	*
3	to	4	$\mathbf{ft.}\dots\dots\dots\dots\dots\dots$	1.00	.90	
pubes	cen	s.	Hairy Lilac. 6'			
2	to	3	ft	2.00	1.50	
3	to	4	ft	2.50	2.00	
villosa	ı.	La	te Lilac. 8'			
2	to	3	ft	.50	.40	.35
3	to	4	ft	.60	.50	.45
4	to	5	ft	.75	.60	.55
5	to	6	ft	1.00	.75	.65
6	to	8	ft	1.25	1.00	
vulga	is.	$C_{\ell}$	ommon Purple Lilac.	15'		
-	to	3	ft	.45	.35	.30
3	to	4	ft	.60	.50	.45
4	to	5	ft	.75	.65	.60
5	to	6	ft	1.00	.85	.75
6	to	8	ft	1.25	1.10	1.00
4	to	5	ft. clumps	4.00	1.10	2.00
5	to	6	ft. clumps	5.00		
			•			
vulga					15'	
2	to	3	ft	.60	.50	.45
3	to	4	ft	.75	.60	.55
4	to	5	ft	1.00	.75	
5	to	6	ft	1.25	1.00	
6	to	8	ft	1.50	1.25	
4	to	5	ft. clumps	4.00		
5	to	6	ft. clumps	5.00		

						25 & up
				Each	Each	Each
Syringa	vulgaris.	Named	Varieties.	15'		

These hybrid lilacs are grown on their own roots in bush form. Can also be furnished in tree form in first two sizes at 25% additional.

2	to	3	ft	1.00	.75	.60
3	to	4	ft	1.25	1.00	.90
4	to	5	ft	1.50	1.35	1.25
5	to	6	ft	2.25	2.00	1.75
6	to	8	ft	3.00	2.75	2.50

## Belle de Nancy—Double Rose.

2-3' 3-4' 4-5' 5-6' 6-8'

Chas. Joly—Dark Purplish Red.

2-3' 3-4' 4-5' 5-6' 6-8'

Frau Dammann—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

La Tour d'Auvergne—Double Purple. 2-3' 3-4' 4-5'

Ludwig Spaeth-Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay-Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier—Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine—Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye—Single White.

2-3' 3-4' 4-5' 5-6'

**Pres. Grevy**—Double Blue. 2-3′ 3-4′ 4-5′ 5-6′ 6-8′

Princess Alexandra—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices. A list of varieties will be forwarded on request.

2	to	3	ft									1.50
3	to	4	ft.				,					2.00
4	to	5	ft.		,							2.50
5	to	6	ft									3.50

## 

Tamarix africana. African Tamarix. 1-4 Each 15'	5-24 Each	25 & up Each
3 to 4 ft	.35	.30
4 to 5 ft	.50	.40
5 to 6 ft	.60	.50
6 to 8 ft	.85	.75
gallica. French Tamarix. 10'		
3 to 4 ft	.35	.30
4 to 5 ft	.45	.40
gallica indica. India Tamarix. 10'	, , ,	
3 to 4 ft	.35	.30
4 to 5 ft	.45	.40
5 to 6 ft	.60	.50
juniperina. Juniper Tamarix. 15'		
3 to 4 ft 1.50	1.25	
odessana. Odessa Tamarix. 6'		
3 to 4 ft	.35	.30
4 to 5 ft	.45	.40
5 to 6 ft	.60	.50
pentandra. Fivestamen Tamarix. 12'		
3 to 4 ft	.45	.35
4 to 5 ft	.60	.50
5 to 6 ft	.75	
ietandra purpurea. Fourstamen Tama	rix. 1	0'
3 to 4 ft	.40	.35
4 to 5 ft	.50	.45
Taxodium ascendens. Pondcypress. 50'		
6 to 8 ftB&B 12.50		
8 to 10 ftB&B 15.00		
10 to 12 ftB&B 20.00		
distichum. Common Baldcypress. 50'		
4 to 5 ftB&B 4.50	4.00	
5 to 6 ftB&B 6.50	5.50	
6 to 8 ftB&B 10.00	7.50	
8 to 10 ftB&B 15.00	12.50	
10 to 12 ftB&B 20.00	15.00	
Taxus baccata. English Yew. 50'		
18 in B&B 3.50	3.00	
2 ftB&B 4.50	4.00	
2½ ftB&B 6.00	5.00	
3 ftB&B 7.50	6.50	
3½ ftB&B 10.00	7.50	
baccata erecta. Broom Yew. 10'		
2 ftB&B 6.00		
2½ ftB&B 7.50		

	1-4 Each	5-24 Each	25 & up Each
Taxus			
baccata fastigiata. Irish Yew. 10			
2 ftB&B			
3 ftB&B	15.00		
baccata repandens. Spreading E	nalish	Yew.	2'
15 to 18 in. spd	3.00	2.50	2.25
18 to 24 in. spd		3.50	3.25
24 to 30 in. spdB&B	5.50	5.00	4.50
	6.50	6.00	5.50
36 to 42 in. spdB&B	10.00	7.50	
baccata washingtoni. Washington	Yew.	6'	
18 inB&B	5.00		
24 in. specB&B	10.00		
canadensis. Canada Yew. 3'			
15 to 18 in. spdB&B	2.50	2.25	
	2.00	2.20	
cuspidata. $Japanese Yew. 10'$ 15 to 18 in. spdB&B	2.75	2.50	2.25
18 to 24 in. spdB&B		3.50	3.25
2 to 2½ ft. spd B&B		$\frac{3.30}{4.75}$	4.50
2½ to 3 ft. spdB&B		5.50	5.00
3 to 3½ ft. spd B&B		7.50	6.50
3½ to 4 ft. spdB&B		10.00	0.50
4 to 4½ ft. spdB&B		12.50	
4½ to 5 ft. spd B&B		17.50	
	40.00	35.00	
6 to 7 ft. spec. B&B		45.00	
_			
cuspidata aurescens. Golden Jap		Yew.	20'
18 inB&B	5.00		
cuspidata brevifolia. Dwarf Japa			
15 to 18 inB&B		3.25	2.75
18 to 24 inB&B		4.50	
	7.50	6.50	6.00
30 to 36 in		8.50	
36 to 42 inB&B			
cuspidata brevifolia compacta. 6			
18 to 24 inB&B		5.00	
24 to 30 inB&B	7.50		
cuspidata capitata. Upright Japa			25'
18 inB&B	2.75	2.50	2.25
2 ftB&B	4.00	3.50	
2½ ftB&B		5.00	
3 ftB&B	7.50	6.50	5.50

Taxus cuspidata capitata	1-4 Each	5-24 Each	25 & up Each
3½ ftB&B	10.00	8.50	7.50
4 ft	12.50	10.00	9.00
	15.00	10.00	0.00
5 ftB&B			
intermedia. Hybrid Yew. 12'			
18 to 24 inB&B	4.00	3.50	
24 to 30 inB&B	5.00	4.50	
media hicksi. Hicks Yew. 20'			
18 to 24 inB&B	4.00	3.50	
24 to 30 inB&B	5.00	4.50	
30 to 36 inB&B	7.50	6.00	
Tecoma. (See Bignonia).			
Thuja occidentalis. American Arborv	itae.	40'	
3 ftB&B	3.00	2.75	2.50
4 ftB&B	4.00	3.75	3.50
4 ft. heavy spec B&B	6.00		
5 ftB&B	5.50	5.00	4.75
5 ft. heavy spec B&B	7.50		
6 ftB&B	7.50	6.50	6.25
6 ft. heavy specB&B	10.00		
7 ftB&B	10.00	8.50	7.50
7 ft. heavy specB&B	12.50		
8 ftB&B	12.50	10.00	8.50
8 ft. heavy specB&B	15.00		
9 ftB&B	15.00	12.50	10.00
	17.50	15.00	12.50
10 ft. heavy specB&B	20.00		
For larger sizes to 18 ft., add	\$5.00	per foo	t.
occidentalis aurea douglasi.			
Douglas Golden Arborvitae.	15'		
3 ft	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ft	12.50	10.00	
9 ftB&B	15.00	12.50	
2	_0.00	12.00	

For larger sizes to 16 ft., add \$5.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Juniperus			
japonica. Japanese Juniper. 8'			
18 inB&B	2.50	2.25	2.00
2 ftB&B	3.50	2.75	2.50
3 ftB&B	5.00	4.00	3.50
4 ftB&B	7.50	6.00	5.00
5 ftB&B	10.00		
japonica aurea. Golden Japanese	Junip	er. 8'	
18 inB&B	3.50	3.00	
2 ftB&B	4.50	4.00	
3 ftB&B	6.00		
recurva. Himalayan Juniper. 30	) <b>'</b>		
2 ftB&B	3.50		
<b>3</b> ftB&B	5.00		
rigida. Needle Juniper. 30'			
2 ftB&B	4.00	3.00	
3 ftB&B	5.00	4.00	
4 ftB&B	6.00	5.00	
5 ftB&B	7.50		
sabina. Savin Juniper. 6'			
18 to 24 in. spdB&B	2.50	2.25	2.00
2 to 2½ ft. spdB&B		2.75	2.50
2½ to 3 ft. spdB&B	4.00	3.50	3.00
3 to 3½ ft. spdB&B	5.00	4.00	3.50
3½ to 4 ft. spdB&B	6.50	5.50	4.50
4 to $4\frac{1}{2}$ ft. spdB&B	9.00	7.50	6.00
$4\frac{1}{2}$ to 5 ft. spdB&B	12.50	10.00	
sabina tamariscifolia. Tamarix Sci	avin.	2'	
18 to 24 in. spdB&B	3.00	2.75	2.50
24 to 30 in. spdB&B		3.50	3.00
$2\frac{1}{2}$ to 3 ft. spdB&B	5.00	4.50	4.00
3 to 3½ ft. spdB&B	7.50	6.00	5.50
3½ to 4 ft. spdB&B	12.50	10.00	
sabina Von Ehron. 10'			
24 to 30 in. spdB&B	3.50	3.00	
30 to 36 in. spdB&B	4.50	4.00	
36 to 42 in. spd	7.50	6.00	
42 to 48 in. spdB&B	10.00	8.00	

E	1-4 ach	5-24 Each	25 & up Each
Juniperus			
scopulorum. Colorado Juniper. 40	,		
	1.50	4.25	
	6.00	5.50	
0 20	7.50	6.50	
2 200 111111111111111111111111111111111	0.00	8.50	
• 200		10.00	
		12.50	
For larger sizes to 16 ft., add \$5.0	0 per	foot.	
sphaerica.			
	1.50	4.00	
	3.50	5.00	
5 ft	3.50		
squamata. Japanese Trailing Junip	er.	3 <b>'</b>	
2 to 2½ ft. spdB&B 5	5.00	4.50	
squamata meyeri. Meyer Juniper.	4'		
	3.50	3.00	2.50
	1.00	3.50	3.00
2½ to 3 ftB&B 5	5.00	4.50	4.00
3 to 3½ ftB&B 7	7.50	6.00	5.50
virginiana. Red Cedar. 40'			
3 ftB&B 3	3.50	3.00	2.75
4 ft	5.00	4.50	4.00
5 ftB&B 6	3.50	5.50	5.00
6 ftB&B 7	7.50	7.00	6.50
7 ftB&B 10	0.00	9.00	8.00
8 ft B&B 15	5.00	12.50	10.00
		15.00	12.50
10 ft B&B 22		18.00	15.00
For larger sizes to 20 ft., add \$5.00	per f	oot.	
virginiana burki. Syn. virginiana ve	nusta	i.	
virginiana cannarti. Cannart Red	Cedar	. 15'	1
	5.00	4.50	4.00
	3.00	5.50	5.00
	3.00	7.00	6.50
	1.00	9.00	8.00
		12.50	10.00
		15.00	12.50
9 ftB&B 22		18.00	15.00
10 ftB&B 27	.50	22.50	18.00

For larger sizes to 18 ft., add \$5.00 per foot.

Juniperus	1-4 Each	5-24 Each	25 & up Each
-			
virginiana elegantissima. $Goldtip$	Red	Cedar.	15 <b>'</b>
2 ftB&B	4.50	4.00	3.50
3 ftB&B	5.00	4.50	4.00
4 ft	6.50	5.50	
5 ft	7.50		
6 ftB&B	10.00		
For larger sizes to 12 ft., add \$5.0		foot.	
virginiana glauca. Silver Red Ced	dar.	25 <b>'</b>	
3 ft	5.00	4.50	4.00
4 ft	6.50	5.50	5.00
5 ft	8.50	7.50	6.50
6 ft		10.00	0.50
	15.00	12.50	
8 ftB&B	18.00	15.00	
For larger sizes to 18 ft., add \$5.00	-		
virginiana globosa. $Globe\ Red\ Ced$		4'	
18 to 24 in	4.00	3.50	3.00
24 to 30 inB&B	5.00	4.50	4.00
3 to 3½ ftB&B	6.00	5.50	5.00
3½ to 4 ftB&B	7.50	6.50	
virginiana keteleeri. 15'			
	0.50	0.05	2.00
2 ftB&B	3.50	3.25	3.00
3 ft B&B	4.50	4.00	3.75
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	7.50	
6 ft	12.50	10.00	
7 ft	15.00	12.50	
For larger sizes to 12 ft., add \$5	5.00 p	er foot	; <b>.</b>
virginiana kosteri. Koster Red Ce	dar.	4'	
2 to 2½ ft. spdB&B	3.50	3.00	2.75
2½ to 3 ft. spdB&B	4.50	4.00	3.50
3 to 3½ ft. spdB&B	6.00	5.00	4.50
3½ to 4 ft. spdB&B	7.50	6.50	6.00
		7.50	7.00
4 to 4½ ft. spdB&B			1.00
	12.50	10.00	
5 to 6 ft. spd B&B	15.00		
virginiana pendula. Weeping Red	l Ced	ar. 15'	
4 ft			
5 ft			
3 10		,	

For larger sizes to 12 ft., add \$5.00 per foot.

Juniperus	1-4 Each	5-24 Each	25 & up Each
-	~	1 -1	
virginiana plumosa. Plume Red (6 ft		15 <b>'</b>	
7 ftB&B	12.50		
virginiana schotti. Schott Red Ce	edar.	15 <b>'</b>	
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.00	5.50	5.00
5 ftB&B	8.50	7.50	6.50
6 ftB&B		10.00	8.00
7 ft	15.00	12.50	10.00
For larger sizes to 18 ft., add	\$5.00 j	per foo	t.
virginiana tripartita. Fountain R	Red Ce	dar. &	5'
2 ftB&B	4.50	4.00	
2½ ftB&B	5.50	5.00	
3 ftB&B	8.50	7.50	
3½ ftB&B		9.00	
4 ftB&B	12.50	10.00	
virginiana venusta. 15'			
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.00	5.50	5.00
5 ft	8.50	7.50	
6 ft	12.50	10.00	
7 ft	15.00	12.50	
		15.00	
For larger sizes to 12 ft., add \$		er foo	t.
Kalmia latifolia. Mountain Laurel.	6 <b>'</b>		
18 to 24 inB&B	3.00	2.75	2.50
2 to 3 ftB&B	4.00	3.50	3.25
3 to 4 ftB&B	5.50	5.00	4.50
Kerria japonica. Kerria. 4'			
13 to 24 in	.50	.45	.40
2 to 3 ft	.65	.55	.50
japonica florepleno. Double Kerr	ia. 4'	,	•
18 to 24 in	1.00	.75	
2 to 3 ft	1.25	1.00	
Koelreuteria paniculata. Goldenrain	Tree.	25'	
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.50	3.25
10 to 12 ft		5.00	

				1-4	5-24	25 & up
Kolkwitzia	a ar	nab	ilis. Beauty Bush.	Each 8'	Each	Each
2			't		.55	.50
3	to		t		.65	.60
4	to		t		.85	.75
5	to		t		1.00	.90
6			t		1.25	
*Laburnu	n a	lpir	um. Scotch Laburr	ıum. s	20'	
4	to	5	ftB&I	5.00		
5	to	6	ftB&I			
6	to	8	ft. heavy B&I	3 15.00		
8	to	10	ft. heavyB&I	3 20.00		
vossi.	20	*				
8	to	10	ftB&I	3 20.00		
10	to	12	ftB&I	3 25.00		
*vulga	are.	G	foldenchain. 20'			
4	to	5	ftB&H	3 4.00		
5	to	6	ftB&H	5.00		
6	to	8	ft. heavy B&I	3 12.50		
8	to	10				
10	to	12	ft. heavyB&F	3 20.00		
			dica rubra. Red Ca		rtle. 1	2'
18	to	24	in, from pots	1.25	1.00	
	_		European Larch. 60			
4		5			4.00	
5	to	_	ftB&I		5.00	
6	to	8	ftB&I		6.00	
8	to		ftB&I	3 10.00	7.50	
laricir			nerican Larch. 50'			
3	to	_	ftB&I			
6	to	8	ftB&I			
8	to	$\frac{10}{12}$	ftB&I			
10	to		ft. B&I			
4	to	. <i>J</i>	ftB&I		4.00	
5	to	6	ftB&I		5.00	
6	to	8	ftB&I		6.00	
8	to	-	ft		7.50	
10	to	12	ft		15.00	
12	to	14	ft			
Laurocera		off	icinalis schipkaensis			
12			in., 4 in pots		.75	
18	to		in		1.25	1.00
24			in		1.50	_

Terredora bireles Church Duck clauser	1-4 Each	5-24 Each	25 & up Each
Lespedeza bicolor. Shrub Bushclover.	.60	.50	.40
2 to 3 ft			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
formosa syn. penduliflorum. Pur	ple $Bi$ .50	ishclov .40	er. 4'
2 year	.60	.50	.40
3 year			.40
formosa albiflora. $Japanese$ $Bush$	iclove	r. 5'	
2 year	.60	.50	.40
Leucothoe catesbaei. Drooping Leucot	hoe.	4'	
15 to 18 inB&B	2.50	2.25	2.00
18 to 24 inB&B	3.00	2.50	2.25
24 to 30 inB&B	4.00		
Libocedrus decurrens. Incense Cedar	. 100	P	
18 to 24 in	2.25	2.00	
24 to 30 in	3.00	2.50	
3 to 3½ ftB&B	4.50	3.50	
4 to 5 ft	6.00	0.00	
	0.00		
Ligustrum acuminatum. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
acuminatum macrocarpum. $Bigbe$	rry P	rivet.	10'
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
amurense. Amur Privet. 15'			
18 to 24 in	.25	.18	.15
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.75
ibolium. Ibolium Privet. 8'			
18 to 24 in	.25	.18	.12
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.45	.40
ibota. Ibota Privet. 10'		. 20	
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.40

	1-4 Each	5-24 Each	25 & up Each		
Ligustrum	Eden	Lucii	Lucii		
ibota nanum. Pygmy Privet. 6'					
18 to 24 in	.35	.25	.20		
2 to 3 ft	.40	.30	.25		
3 to 4 ft	.50	.35	.30		
4 to 5 ft	.60	.45	.40		
	6 <b>'</b>				
18 to 24 in. spd	.40	.35	.30		
24 to 30 in. spd	.50	.40	.35		
$2\frac{1}{2}$ to 3 ft. spd	.75	.60	.50		
3 to 4 ft. spd	1.25	1.00	.90		
4 to 5 ft. spd	1.75	1.50			
lodense. Dwarf Privet. 3'					
12 to 15 in	.35	.30	.25		
15 to 18 in	.45	.35	.30		
18 to 24 in	.55	.45	.40		
24 to 30 in	.65	.55	.50		
ovalifolium. California Privet.	10 <b>'</b>				
18 to 24 in	.20	.10	.08		
24 to 30 in	.25	.12	.10		
ovalifolium variegatum. Golden I	Privet.	10'			
15 to 18 in	.40	.30	.25		
18 to 24 in	.45	.35	.30		
24 to 30 in	.50	.40	.35		
3 to 4 ft	.60	.50	.40		
vulgare. European Privet. 12'					
2 to 3 ft	.35	.25	.18		
3 to 4 ft	.40	.30	.25		
4 to 5 ft	.50	.40	.35		
5 to 6 ft	.65	.55	.50		
vulgare foliosum. 10'					
2 to 3 ft	.45	.35	.30		
3 to 4 ft	.50	.40	.35		
vulgare leucocarpum. Yellowberry	Priv	et. 12	<i>p</i>		
2 to 3 ft	.45	.35	.30		
3 to 4 ft	.55	.40	.35		
4 to 5 ft	.65	.50			
5 to 6 ft	.75	.60			
Lindera benzoin. (See Benzoin aestivale).					
*Liquidambar formosana. Formosa Sweetgum. 60'					
8 to 10 ft	10.00				
10 to 12 ft	15.00				

***	1-4 Each	5-24 Each	25 & up Each		
Liquidambar					
*styraciflua. Sweetgum. 60'					
6 to 8 ft	3.00	2.75	2.50		
8 to 10 ft	3.75	3.25	3.00		
1¼ to 1½ in	4.50	4.00	3.50		
1½ to 1¾ in	5.00	4.50	4.00		
134 to 2 in	6.00	5.50	5.00		
2 to 2½ in	7.50 $12.50$	6.50	$6.00 \\ 7.50$		
2½ to 3 in	20.00	10.00 15.00	1.50		
4 to 5 in	35.00	30.00			
5 to 6 in	50.00	30.00			
		0.01			
*styraciflua aurea. Golden Sweets		60 <b>'</b>			
6 to 8 ft	7.50				
8 to 10 ft	10.00				
1½ to 1¾ in	12.50				
1¾ to 2 in	15.00				
*Liriodendron chinense. Chinese Tuli		e. 70'			
5 to 6 ft	6.00				
6 to 8 ft	7.50				
*tulipifera. Tuliptree. 80'					
6 to 8 ft	2.00	1.75	1.50		
8 to 10 ft	2.50	2.25	2.00		
1½ to 1½ in	3.50	3.00	2.75		
1½ to 1¾ in	4.50	3.75	3.50		
13/4 to 2 in	5.00	4.50			
2 to 2½ in	7.50	6.00			
2½ to 3 in	12.50	10.00			
3 to 3½ in	20.00	15.00			
3½ to 4 in	25.00	18.00			
4 to 5 in					
*tulipifera pyramidale. Pyramid	-		0 <b>'</b>		
6 to 8 ft	7.50	6.50			
8 to 10 ft	10.00	8.50			
1½ to 1¾ in	12.50				
2 to 2½ in	15.00				
2½ to 3 in	20.00				
3 to 3½ in	30.00				
Lonicera alseuosmoides.					
2 year	.75	.60	.50		

• • •	1-4 Each	5-24 Each	25 & up Each
Lonicera.  bella albida. White Belle Honeusu.	.1.1	101	
		10'	0.5
2 to 3 ft	.40 .50	.30 .40	.25 .35
	.65	.55	.50
_ 00 0 20000000000000000000000000000000	.05 .75	.65	
5 to 6 ft	1.00	.85	.60 .75
0 00 0 10000000000000000000000000000000	1.00 10'	.00	.10
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft.	.65	.55	.50
5 to 6 ft.	.75	.65	.60
billardi. 8'			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
browni plantierensis. Orange Hon	eysuc	kle.	4 <b>'</b>
2 year	.50	.40	.35
3 year	.60	.50	
caprifolium. Sweet Honeysuckle.	10'		
2 year	.50	.40	.30
chrysantha. Coralline Honeysuckle	. 10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
conjugialis. $8'$			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.75	.60	.50
dioica. Limber Honeysuckle. 10'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
fragrantissima. Winter Honeysuch		3 <b>"</b>	
2 to 3 ft	.40	.30	
3 to 4 ft	.50	.40	
4 to 5 ft	.65	.55	
5 to 6 ft	.75	.65	
6 to 8 ft	1.00	.85	.75
fuchsioides.			
2 year	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
gracilipes. Spangled Honeysuckle.	6'		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
heckrotti. Everblooming Honeysu		<i>15</i> ′	
2 year	.50	.40	.30
henryi. Henry Honeysuckle. 15'			
2 year	.75	.60	.50
hirsuta. Hairy Honeysuckle. 15'			
2 year	.50	.40	
3 year	.60	.50	
japonica. Japanese Honeysuckle.	15 <b>'</b>		
2 year	.25	.20	.15
3 year	.35	.25	.18
japonica halleana. Hall Japanese	Hone	ysuckle	e. 20'
2 year	.25	.20	.15
3 year	.35	.25	.18
japonica reticulata aurea.			
Yellow Japanese Honeysuck	ile	15 <b>'</b>	
2 year	.45	.35	.25
kesselringi. Black fruited Honeys	uckle.	10'	
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.50	
koehneana. 12'			
18 to 24 in	.60	.50	•
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
korolkowi floribunda.			
Broad Blueleaf Honeysuck	le. 1	o <b>'</b>	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.75	
ledebouri. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.75	.50	
maacki. Amur Honeysuckle. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75

	1-4 Each	5-24 Each	25 & up Each
Lonicera.			
maacki podocarpa. Late Honeysuc	kle.	8 <b>'</b>	
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
morrowi. Morrow Honeysuckle. 8	,		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65-	.55	.50
5 to 6 ft	.75	.65	.60
morrowi. (Yellow Fruited). 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
muendeniensis. Muenden Honeysi	ıckle.	8 <b>'</b>	
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
nitida. 3'			
6 to 12 in	.50	.40	.30
periclymenum belgica. Dutch Wo	odbine	. 15'	
2 year	.40	.30	.25
3 year	.50	.40	.35
pileata. Privet Honeysuckle. 2'			
6 to 12 in	.60	.50	.40
prolifera syn. sullivanti. $Grape\ H$	กทอนจ	uckle	5 <b>'</b>
3 year	.60	.45	.35
- <b>v</b>	•••		.00
quinquelocularis. Mistletoe Honey		e. 10'	
4 to 5 ft	.75		
5 to 6 ft	1.00		
6 to 8 ft	1.25		
ruprechtiana. Manchurian Honeys	suckle	. 10'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
saccata. $6'$			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50

	1-4	5-24	25 & up				
Lonicera	Each	Each	Each				
sempervirens. Trumpet Honeysuckle. 15'							
2 year	.40	.30	.25				
3 year	.50	.40	.30				
spinosa alberti. Thorn Honeysuck	cle. 2	*					
12 to 15 in	.45	.35	.30				
15 to 18 in	.55	.45	.40				
18 to 24 in	.75	.60	.55				
standishi. 5'							
2 to 3 ft	.50	.40	.30				
3 to 4 ft	.60	.50	.40				
4 to 5 ft	.75	.60	.50				
5 to 6 ft	1.00	.75	.65				
syringantha. Lilac Honeysuckle.	4'						
15 to 18 in., 4 in. pots	1.00	.75					
2 to 3 ft., field grown	1.50	1.25	1.00				
syringantha wolfi. Wolf Honeysu		6'					
15 to 18 in., 4 in. pots	1.00	.75					
2 to 3 ft., field grown	1.50	1.25					
tatarica. Red Tatarian Honeysuc	kle.	10'					
2 to 3 ft	.40	.30	.25				
3 to 4 ft	.50	.40	.35				
4 to 5 ft	.65	.55	.50				
5 to 6 ft	.75	.65	.60				
6 to 8 ft	1.00	.75					
tatarica alba. White Tatarian H	oneus	uckle.	10'				
2 to 3 ft	.40	.30	.25				
3 to 4 ft	.50	.40	.35				
4 to 5 ft	.65	.55	.50				
5 to 6 ft	.75	.65	.60				
6 to 8 ft	1.00	.85	.75				
tatarica grandiflora. Pink Tatarian	Hon	eusuck	le. 10'				
2 to 3 ft	.40	.30	.25				
3 to 4 ft	.50	.40	.35				
4 to 5 ft	.65	.55	.50				
5 to 6 ft	.75	.65	.60				
6 to 8 ft	1.00	.85	.75				
tatarica lutea. Yellow Tatarian	Homos	10210111	10'				
3 to 4 ft	попеу .75	зискіе.	10				
υ ω τ μ	.10						

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Lonicera	1-4 Each	5-24 Each	25 & up Each
tatarica siberica. Siberian Honeys		101	
2 to 3 ft	<i>зискіе.</i> .40	10'	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft.	1.00	.85	.75
tellmanniana.	2100	.00	.10
2 year	1.00	.90	
thibetica. Tibetan Honeysuckle.	4'		
2 year	1.25	1.00	
verna. 5'			
2 year	.50	.35	.30
virginalis alba. Maiden Honeysuc	kle. 1	0'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
xylosteum. Fly Honeysuckle. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
Lycium chinense. Chinese Matrimony	Vine.	5 <b>'</b>	
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.35	.30
halimifolium. Common Matrimony	Vine.	<i>6'</i>	
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.35	.30
Lyonia ligustrina. He-Huckleberry. 12			
18 to 24 in	1.50	1.25	
24 to 30 in	2.00	1.75	
Maackia amurensis. Amur Maackia.	40'		
2 to 3 ft	1.50		
3 to 4 ft	2.00		
Maclura pomifera. Osage-orange. 30'	P C	E 0	
4 to 5 ft	.75	.50	
5 to 6 ft	1.00	.75	
6 to 8 ft	1.25	1.00	
8 to 10 ft	1.50	1.25	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

			1-4 Each	5-24 Each	25 & up Each
_			nata. Cucumber Tree. 70'		
_	to		ftB&B 3.00		
-	to	-	ftB&B 5.00		
_	to		ftB&B 7.50 ftB&B 10.00		
			ftB&B 10.00 ftB&B 12.50		
				10.00	
conspi			Yulan. 50'		
_	to	_	ft		
_	to	-	ftB&B 12.50 ftB&B 15.00		
_	to				
_					
			ser Magnolia. 50'		
	to	_	ftB&B 10.00		
•	to		ftB&B 12.50		
			ftB&B 15.00		
			virginiana. Sweetbay. 25'	0.50	
_	to	_	ftB&B 3.00		2.00
3	to	_	ftB&B 4.00		3.00
4	to		ftB&B 5.00		4.00
5	to		ftB&B 7.50		5.50
6	to		ft		7.50
8			ft		9.00
			ft	15.00	12.50
hypol			Silver Magnolia. 50'		
_	to		ftB&B 10.00		
_	to	6	ftB&B 12.50		
6	to	8	ftB&B 15.00		
8			ftB&B 20.00		
10	to	12	ftB&B 25.00	20.00	
kobus	• 5	30 <b>'</b>			
4	to	5	ftB&B 6.00	5.00	4.50
5	to	6	ftB&B 7.50	6.50	6.00
6	to	8	ftB&B 10.00		8.50
8			ftB&B 12.50		10.00
8			ft. spec		
			ger sizes quoted on reques	t.	
lennei			ne Magnolia. 20'		
	to		ftB&B 4.00	ı	
_	to		ft B&B 6.00		
4	to	5	ftB&B 7.50		*
5	to	6	ftB&B 10.00		
6	to	8	ftB&B 15.00		
8	to	10	ftB&B 20.00	ļ	

1-4 5-24 25 & up Each Each Magnolia macrophylla. Large-leaved Cucumber-tree, 50' 10 to 12 ft...... B&B 25.00 Oyama Magnolia. 30' parviflora. 5 to 6 ft......B&B 15.00 6 to 8 ft......B&B 20.00 salicifolia. Anise Magnolia. 30' 8 to 10 ft......B&B 25.00 soulangeana. Saucer Magnolia. 20' 4 ft......B&B 3 to 5.004 to 5 ft..... B&B 6 ft......B&B 10.00 5 to 8 ft......B&B 12.50 soulangeana nigra. 20' 6 to 8 ft......B&B 25.00 stellata. Star Magnolia. 8' 2 to 3 ft......B&B 6.00 7.504 to 5 ft......B&B 10.00 stellata rosea. Pinkstar Magnolia. 2 to 3 ft..... B&B 3 to 4 ft......B&B 10.00 to 5 ft......B&B 12.50 to 6 ft......B&B 15.00 to 8 ft......B&B 25.00 tripetala. Umbrella Magnolia. 5 to 6 ft......B&B 6.00 5.50 5.00 8 ft......B&B 7.506.50 6.00 7.50 10 to 12 ft......B&B 12.50 10.00virginiana. (See glauca) Mahonia aquifolium. Oregon Hollygrape. 2.00 1.75 1.50 2.50 2.25 2.00 3.00 2.75 2.50 repens. Creeping Mahonia. 1' 2.00 1.75 1.50

15 to 18 in.....B&B

2.25

2.00

1.75

	1-4 Each	5-24 Each	25 & up Each
Malus adstringens. 12'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
angustifolia. Southern Crab. 2	5'		
3 to 4 ft	1.50	1.25	
4 to 5 ft		1.75	
5 to 6 ft		2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft		4.00	
2 22 23 23 23 23 23 23 23 23 23 23 23 23	5.00	1.00	
arnoldiana. Arnold Crab. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
baccata. Siberian Crab. 30'			
	1.50	1.05	1.00
3 to 4 ft		1.25	1.00
4 to 5 ft		1.50	1.25
5 to 6 ft		1.75	1.50
6 to 8 ft		2.50	2.00
8 to 10 ft		4.00	3.50
10 to 12 ft	10.00	7.50	
baccata mandshurica. Manchuri	an Crai	b. 30'	
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	
brevipes. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft		2.00	
6 to 8 ft		3.00	
coronaria. Wild Sweet Crab.	30 <b>'</b>		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft		1.50	1.25
5 to 6 ft		1.75	1.50
6 to 8 ft		3.00	2.50
8 to 10 ft		4.50	2.00
10 to 12 ft	10.00	7.50	

	1-4	5-24	25 & up
Malus	Each	Each	Each
coronaria Charlotte. 15'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
dolga. 15'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	1.75	
6 to 8 ft	3.00	2.50	
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
Elisa Rathke. Weeping Flg. App	le. 8'		
3 to 4 ft. spread	3.00		
4 to 5 ft. spread	4.00		
5 to 6 ft. spread	5.00		
6 to 8 ft. spread	6.00		
florentina. Florentine Crab. 20'			
4 to 5 ft	2.25	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
floribunda. Japanese Flowering	Crab.	20'	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
floribunda atrosanguinea. Carmi	ne Cro	ıb. 20	) <b>*</b>
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	$1.50^{\circ}$
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	
8 to 10 ft. spec B&B	12.50		
floribunda lemoinei. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	

Malus				1-4 Each	5-24 Each	25 & up Each
fusca.		١	Ct 201			
		-	on Crab. 20'	1 75	1 50	
4	to		ft	1.75	1.50	
5	to	6	ft	2.50	2.00	
_	to	8	ft	3.50	3.00	
8	to	10	ft	5.00	4.00	
glauce			Dunbar Crab. 12'			
_	to	4	ft	1.50	1.25	1.00
4	to	5	ft	2.00	1.75	1.50
5	to	6	ft	2.50	2.25	2.00
6	to	8	ft	3.50	3.00	2.50
8	to	10	ft	5.00	4.50	
hallia	na.	H	Tall Crab. 15'			
5	to	6	ft	6.00		
6	to	8	ft	7.50		
8	to	10	$\mathbf{ft.}\dots\dots\dots\dots\dots\dots$	10.00		
halliar	na j	par	kmani. Parkman Cro	ıb. 15	,	
3	to	4	ft	1.75	1.50	1.25
4	to	5	ft	2.25	2.00	1.75
5	to	6	ft	3.50	3.00	2.50
6	to	8	ft	4.50	4.00	3.50
8	to	10	ft	6.00	5.00	
10	to	12	ft	10.00	7.50	
hopa.	R	ed	Flowering Crab. 12'			
4	to		ft	1.75	1.50	1.25
5	to	6	ft	2.50	2.00	1.75
6	to	_	ft	3.50	3.00	2.50
8	to		ft	6.00	5.00	2.50
				0.00	0.00	
ioensis			airie Crab. 25'			
_	to		ft	1.75	1.50	1.25
. 4	to	5	ft	2.00	1.75	1.50
5	to	6	ft	3.00	2.50	2.00
6	to	8	ft	4.00	3.50	
8	to	10	ft	6.00	5.00	
ioensis				! 5 <b>'</b>		
_	to	4	ft	1.75	1.50	1.25
4	to	5	ft	2.00	1.75	1.50
5	to	6	$ft.\dots\dots\dots\dots\dots\dots$	3.00	2.50	2.00
6	to	8	$ft.\dots\dots\dots\dots\dots\dots$	4.00	3.50	3.00
8	to	10	ft	6.00	5.00	4.50
10	to	12	ft	10.00	7.50	

	1-4	5-24	25 & up
Malus	Each	Each	Each
micromalus. Midget Crab. 10'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
niedzwetzkyana. Redvein Crab.	20 <b>'</b>		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	4.00
Oekonemurat Echtermeyer. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	5.00	4.00	3.50
8 to 10 ft	6.00	5.00	
purpurea. Purple Crab. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
purpurea aldenhamensis. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
purpurea eleyi. Eley Flowering	Crab.	15 <b>'</b>	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.50	4.00
prunifolia rinki. Chinese Apple.	15 <b>'</b>		
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Malus			
robusta. Cherry Crab. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
robusta fastigiata. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	
robusta persicifolia. 12'			
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
8 10 10 11	5.00	4.50	
sargenti. Sargent Crab. 6'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	
scheideckeri. Scheidecker Crab.	20'		
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2100
6 to 8 ft		3.50	
0 10 0 10	1.00	0.00	
	1 50	1.05	1.00
	1.50	1.25	1.00
2 55 5 200	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.60
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft	10.00	7.50	
spectabilis. Chinese Flowering C		5 <b>'</b>	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.50	4.00

Malus	1-4 Each	5-24 Each	25 & up Each
spectabilis alba plena. Dbl. White	Chine	se Cra	b. 15'
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
sublobata. Yellow Autumn Crab.	12'		
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
theifera. Tea Crab. 20'			
4 to 5 ft	$2.00^{\circ}$	1.50	
5 to 6 ft	2.75	2.25	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00		
theifera rosea. 20'			
4 to 5 ft	2.25	2.00	1.75
5 to 6 ft	2.75	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.50
10 to 12 ft	10.00	7.50	
toringoides. Cutleaf Crab. 15'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50		
8 to 10 ft	5.00		
tschonoski. 20'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
yunnanensis veitchi. 25'	1 85	1.50	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
<b>zumi.</b> Zumi Crab. 12'	1 75	1.50	1 95
2 00 0 20000000000000000000000000000000	$1.75 \\ 2.50$	1.50	1.25 $1.50$
2 20 2 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$\frac{2.50}{3.50}$	$\frac{2.00}{3.00}$	$\frac{1.50}{2.50}$
6 to 8 ft 8 to 10 ft	6.00	5.00	2.50
	10.00	7.50	
10 to 12 ft	10.00	1.50	

	1-4 Each	5-24 Each	25 & up Each
Malus			
zumi calocarpa. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
Morus alba pendula. Weeping Mulber	rru. 1	0'	
3 yr. heads, 5 to 7 ft. stems	3.00	2.75	
alba tatarica. Russian Mulberry.	60'		
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	2.00	1.75	1.50
1¾ to 2 in	2.50	2.25	2.00
2 to 2½ in	3.50	3.00	
Myrica carolinensis. Northern Bayber	U		
18 to 24 in	.75	.60	.50
24 to 30 in	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
cerifera. Southern Waxmyrtle. 5	,		
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	.65
3 to 4 ft. heavy B&B	4.00		
4 to 5 ft. heavyB&B	5.00		
	0.00		
gale. Sweetgale. 4'  18 to 24 in	9.00	1 77 5	1 50
	2.00	1.75	1.50
2 to 3 ftB&B	2.50	2.00	
Nandina domestica. Nandina. 8'			
18 to 24 inB&B	2.50		
Neillia longeracemosa. 10'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
		-	
4 to 5 ft	1.25	1.00	.75
sinensis. Tube Neillia. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
Nemopanthus mucronatus. Mountain	$H_{0}ll_{2}$	10'	
2 to 3 ft	2.00	10	
Neviusia alabamensis. Snow-wreath.	6'		
2 to 3 ft	1.25		
3 to 4 ft	1.50		

	1-4 Each	5-24	25 & up
*Nyssa aquatica. Big Tupelo. 40'	Edch	Each	Each
3 to 4 ft	3.50		
4 to 5 ft	4.50		
*sylvatica. Tupelo. 40'			
3 to 4 ft	3.00	2.50	
4 to 5 ft	4.00	3.00	
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	5.00	
8 to 10 ft	10.00	7.50	
10 to 12 ft	15.00	12.50	
Ostrya virginiana. American Hophorn	beam.	40'	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.50	3.00	
10 to 12 ft	5.00	4.50	
*Oxydendrum arboreum . Sourwood.	40'		
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	3.50	2.75	2.25
6 to 8 ft	5.00	4.00	3.50
8 to 10 ft	7.50	6.00	5.00
10 to 12 ft	10.00	7.50	
Pachistima canbyi. Canby Pachistime	a. 1'		
3 inch pots	.75	.60	.50
Paeonia suffruticosa. Tree Peony. 6'			
8 to 10 in., 3 year	3.00	2.50	
Paulownia tomentosa. Royal Paulow	nia. 3	30 <b>'</b>	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50		
Periploca graeca. Silk Vine. 30'		4.0	
2 year	.50	.40	.30
3 year	.60	.50	.40
Perowskia atriplicifolia. 4'	1.50	1.05	
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
Phellodendon amurense. Amur Cork	$tree. \\ 1.50$	50' 1.25	1.00
6 to 8 ft 8 to 10 ft	$\frac{1.50}{2.00}$	1.75	1.00 $1.50$
8 to 10 ft	2.50	2.25	$\frac{1.50}{2.00}$
1½ to 1¾ in	$\frac{2.50}{3.00}$	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$
134 to 2 in	4.00	3.75	3.50
2 to 2½ in	5.50	4.50	
4 to 472 III	0.00	4.00	

	1-4 Each	5-24 Each	25 & up Each
Phellodendron	Eden	Lucii	Lucii
lavallei. 30'			
8 to 10 ft	4.00		
1½ to 1¾ in	6.00		
sachalinense. Sakhalin Corktree.	50 <b>'</b>		
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
1½ to 1¾ in	4.50	4.00	
Philadelphus Albatre. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	
Argentine. 5'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
Avalanche. 5'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	
Banniere. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
Bouquet Blanc. 5'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
coronarius. Sweet Mockorange.	10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
coronarius aureus. Golden Mocke	range.	4'	
18 to 24 in	.65	.55	.50
24 to 30 in	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	
coronarius nanus. 4'			
12 to 15 in	.60	.50	
15 to 18 in	.75	.60	
18 to 24 in	1.00	.75	
coronarius multiflorus plenus. 6			
2 to 3 ft	.50	.40	
Dame Blanche. 6'		4.5	
2 to 3 ft	.50	.40	.30

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			4
dianthiflorus plenus. 4'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	
falconeri. Star Mockorange. 8'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
Favorite. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	
Gerbe de Neige. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
Glacier. 5'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.75	.60	
gordonianus. Gordon Mockorange.	12'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
grandiflorus. Big Scentless Mock	orang	e. 8'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
incanus. Gray Mockorange. 10'			
3 to 4 ft	1.00	.75	
lemoinei erectus. 5'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	
lewisi. Lewis Mockorange. 10'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60	.50
Magdalene. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40

•	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
- 1	10'	40	0.0
3 to 4 ft	.50	.40	.30
1 00 0 100	.60	.50	.40
0 00 0 20000000000000000000000000000000	.75	.60	.50
6 to 8 ft	1.00	.75	.60
nivalis. Snowbank Mockorange.	<i>10</i> <b>′</b>		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
Norma. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
Ophelia. 6'			
Ophelia. 6' 2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
	.00	.50	.40
Pavillon Blanc. 8'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
pyramidale. $6'$			
3 to 4 ft	.50	.45	.40
4 to 5 ft	.65	.55	
sericanthus. Silk Mockorange.	12'		
3 to 4 ft	1.50	1.25	
3 to 4 It	1.50	1.20	
Sybille. 5'			
18 to 24 in	.50	.40	
2 to 3 ft	.60	.50	
virginal. 8'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
Voie Lactee. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	
zeyheri. Zeyher Mockorange. 10'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	
Photina villosa. 8'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.50	3.00	2.50
villosa laevis. 15'			
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
6 to 8 ft	3.00	2.50	
Physocarpus intermedius parvifolius.			
Dwarf Ninebark. 4'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
monogynus. 3'			
2 to 3 ft	3.50	3.00	
opulifolius. Ninebark. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
opulifolius luteus. Goldleaf Nine		10'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
	1.00	.00	
op dilitorial limited	50	.40	20
2 to 3 ft	.50		.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50

Picea alba. White Spruce. 50'	1-4 Each	5-24 2 Each	5 & up Each
2 ftB&B	3.00	2.75	2.50
3 ft	4.00	3.50	3.00
4 ft	5.50	5.00	4.50
5 ft	7.50	6.50	1.00
6 ft	10.00	7.50	
7 ft	12.50	10.00	
8 ft	15.00	12.50	
	18.50	15.00	
10 ft		20.00	
For larger sizes to 20 ft., add			
alba gloriosa. 30'			
2 ftB&B	7.50		
3 ftB&B	10.00		
4 ftB&B	12.50		
5 ftB&B	15.00		
6 ft	18.00		
alcockiana. Alcock Spruce. 75'		•	
2 ftB&B	7.50		
10 ftB&B	40.00		
For larger sizes to 15 ft., add	\$5.00	per foot.	
canadensis. Black Hills Spruce.	60 <b>'</b>		
2 ftB&B	3.00	2.75	2.50
3 ft	4.00	3.50	3.00
4 ftB&B	5.50	5.00	4.50
5 ftB&B	7.50	6.50	
6 ft	10.00	7.50	
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
9 ft	18.50	15.00	
10 ftB&B		20.00	
For larger sizes to 18 ft., add		per foot.	
engelmanni. Engelmann Spruce			
3 ftB&B		7.50	
4 ftB&B		10.00	
5 ftB&B	15.00	12.50	
excelsa. Norway Spruce. 75'	0.50	0.05	0.00
2 ftB&B		2.25	2.00
3 ftB&B		2.75	2.50
4 ftB&B		4.50	4.00
5 ftB&B		5.50	5.00
6 ftB&B	8.50	7.50	6.50

Picea excelsa	5 <b>-24</b> Each	25 & up Each
7 ft	10.00	7.50
8 ft B&B 15.00	12.50	1.50
9 ftB&B 18.00	15.00	
10.00		
For larger sizes to 25 ft., add \$5.00	_	ot.
excelsa aurea. Golden Norway Spruce.	75'	
3 ftB&B 10.00	8.00	
4 ftB&B 12.50	10.00	
5 ftB&B 15.00	12.50	
6 ftB&B 18.00		
7 ftB&B 22.50		
For larger sizes to 12 ft., add \$5.00	per fo	ot.
excelsa clanbrasiliana. 7'		
18 inB&B 6.50		
2 ftB&B 8.00		
excelsa maxwelli. Maxwell Spruce. 6	,	
18 to 24 inB&B 7.50	6.00	
24 to 30 inB&B 10.00	7.50	
30 to 36 inB&B 12.50	10.00	
36 to 42 inB&B 15.00	12.50	
42 to 48 inB&B 20.00	15.00	
excelsa nana compacta. Dwarf Spruce	e. 4'	
18 to 24 in	6.00	
24 to 30 inB&B 10.00	7.50	
30 to 36 in	10.00	
36 to 42 in	12.50	
42 to 48 in		
excelsa nana pyramidalis.		
Pyramidal Dwf. Spruce. 4'		
18 in		
2 ft		
3 ft		
excelsa parviformis. Dwf. Pyramid S		,,
18 in	рисе.	4'
excelsa pendula. Weeping Spruce. 20	,	
3 ft	4.50	
4 ft	6.00	
5 ftB&B 10,00	8.00	
6 ft	10.00	
For larger sizes to 12 ft., add \$5.00	per 100	Jt.

	1-4	5-24	25 & up
Picea	Each	Each	Each
excelsa pygmea. Pygmy Norwa	y Spr	uce.	20'
	6.00	5.50	
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B	10.00	7.50	
36 to 42 inB&B	15.00		
excelsa remonti. Remont Spruce.	. <i>6'</i>		
18 to 24 inB&B		5.50	5.00
24 to 30 inB&B	7.50	6.50	6.00
30 to 36 inB&B	10.00	8.50	7.50
36 to 42 inB&B	12.50	10.00	9.00
42 to 48 inB&B	15.00	12.50	
glauca conica. Dwarf Alberta Sp	ruce.	6'	
2½ ftB&B	7.50	6.00	5.50
3 ft	10.00	7.50	6.50
4 ft	12.50		
mariana. Black Spruce. 30'			
7 ftB&B	10.00		
7 It	10.00		
mariana doumeti. Doumet Spruc	e. 25	,	
2 ftB&B	5.00	4.00	
	6.00	5.00	
4 ftB&B	7.50		
5 ftB&B	10.00		
omorika. Serbian Spruce. 50'			
3 ftB&B	7.50	6.50	6.00
4 ftB&B	10.00	9.00	8.00
5 ftB&B	12.50	10.00	
6 ft	15.00		
orientalis. Oriental Spruce. 75'			
	4.00	3.75	
3 ft	5.00	4.75	
4 ft	7.50	6.50	
15 ft		0.00	
nolita Tigortail Common No.			
polita. Tigertail Spruce. 75' 2 ft	4.00	3.50	3.00
3 ft	5.00	4.50	4.00
4 ft	7.50	6.00	4.00
For larger sizes to 16 ft., add 5			+
roi larger sizes to 10 ft., and a	PO.OO F	er 100	ι.

	1-4 Each	5-24 Each	25 & up Each
Picea	Lucii	20011	200
pungens. Colorado Spruce. 60'			
3 ftB&B	4.00	3.50	3.25
4 ftB&B	5.50	5.00	4.50
5 ftB&B	7.50	6.50	5.50
6 ftB&B	10.00	7.50	
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
For larger sizes to 18 ft., add	\$5.00 g	er foo	t.
pungens glauca. Blue Colorado S	Spruce	. 60'	
2 ft	5.00	4.50	4.00
3 ft	6.50	5.50	5.00
4 ft	7.50	7.00	6.50
5 ft	10.00	9.00	8.00
6 ft	15.00	12.50	10.00
	18.00	15.00	12.50
8 ft		20.00	17.50
9 ft		30.00	21100
For larger sizes to 20 ft., add			t.
pungens kosteri. Koster Blue Sp	ruce.	50 <b>'</b>	
2 ft B&B	6.00	5.50	5.00
2½ ftB&B	7.50	6.50	6.00
3 ftB&B	9.00	8.00	7.50
3½ ftB&B	10.00	9.00	8.50
4 ftB&B	12.00	11.00	10.00
4½ ftB&B	14.00	13.00	12.00
5 ftB&B	16.00	15.00	14.00
0,2 200	17.50	16.00	15.00
6 ftB&B	20.00	18.00	16.00
7 ftB&B	25.00	20.00	18.00
8 ftB&B		25.00	20.00
For larger sizes to 25 ft., add	\$10.00	per f	oot.
pungens moerheimi. 40'			
2½ ftB&B	7.00	6.50	
3 ftB&B	8.50	8.00	
3½ ftB&B	12.00	10.00	
4 ftB&B	15.00	12.50	
rubra. Red Spruce. 60'			
10 ft	20.00		
10 It	40.00		

Pieris floribunda. Mountain Androm	1-4 Each	5-24 Each	25 & up Each
18 to 24 inB&B	4.50		3.50
24 to 30 in	6.00		0.00
	<i>10</i> ′		
15 to 18 inB&B	3.00		
18 to 24 inB&B	3.50		
24 to 30 inB&B	5.00		
mariana. Staggerbush. 4'			
18 to 24 inB&B	3.00	2.50	
24 to 30 inB&B	3.50	3.00	
30 to 36 inB&B	4.00	3.50	
36 to 42 inB&B	5.00	4.50	
Pinus banksiana. Jack Pine. 60'			
4 ftB&B	6.00	5.00	4.50
5 ft	7.50	6.50	5.50
6 ft	10.00	8.50	7.00
7 ft	12.50	10.00	8.50
8 ft	15.00	12.50	10.00
9 ftB&B	18.00	15.00	12.50
10 ftB&B			15.00
For larger sizes to 18 ft., add			
bungeana. Lacebark Pine. 60'			
2 ftB&B	5.00	4.50	
3 ft	7.50		
0 100 111111111111111111111111111111111	1.50	0.50	
cembra. Swiss Stone Pine. 70'	10.00		
2 ftB&B	10.00		
densiflora. Japanese Red Pine.	60'		
3 ftB&B	5.00	4.00	3.50
4 ftB&B	6.50	5.50	4.50
5 ftB&B	7.50	6.50	5.50
6 ftB&B	10.00	7.50	
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
For larger sizes to 17 ft., add	\$5.00	per foot	•
flexilis. Limber Pine. 30'			
3 ftB&B	6.00	5.00	
4 ftB&B	7.50	6.50	
5 ftB&B			
6 ftB&B	12.50	10.00	
7 ftB&B			
For larger sizes to 16 ft., add	\$5.00	per foot	

Pinus	1-4 Each	5-24 Each	25 & up Each
	4.05		
montana. Swiss Mountain Pine.  18 in. B&B	10'	0.75	0.50
18 in	3.00	2.75	2.50
2½ ftB&B	3.50 4.50	3.25 $4.25$	3.00
	6.50		4.00
	10.00	5.50	5.00
	15.00	8.00 $12.50$	7.50 $10.00$
5 ftB&B		15.00	12.50
6 ft		13.00	12.50
7 ft			
7 II,	33.00		
montana mughus. Dwarf Mounta	in Pin	e. 4'	
15 to 18 in. spdB&B	2.75	2.50	2.25
18 to 24 in. spd B&B	3.50	3.00	2.75
2 to 2½ ft. spdB&B	4.50	4.00	3.75
2½ to 3 ft. spdB&B	6.50	5.50	5.00
3 to 3½ ft. spdB&B	8.50	7.50	6.50
3½ to 4 ft. spdB&B	10.00	9.00	8.00
4 to 5 ft. spdB&B	15.00	12.50	10.00
5 to 6 ft. spdB&B	25.00		
6 to 7 ft. spdB&B	35.00		
nigra. Austrian Pine. 50'			
3 ftB&B	5.50	5.00	4.50
4 ftB&B	7.50	6.50	6.00
5 ft	10.00	8.50	7.50
	12.50	11.00	10.00
	15.00	13.50	12.50
8 ft	18.00	16.00	14.00
9 ft	22.50	18.00	16.00
For larger sizes to 25 ft., add	\$5.00 j	per foo	t.
peuce. Balkan Pine. 20'			
2 ftB&B	7.50	6.00	
ponderosa. Western Yellow Pine.	60'		
5 ftB&B	8.50	7.50	
6 ftB&B		9.00	
For larger sizes to 18 ft., add 3	\$5.00 ]	per foo	t.
parviflora. Japanese White Pine.	50 <b>'</b>		
3 ft	7.50		
4 ft,B&B	10.00		

Pinus			1-4 Each	5-24 Each	25 & up Each	
resinosa.	Red Pine. 50'	•				
3 ft.			5.00	4.50	4.00	
4 ft.			6.50	5.50	5.00	
5 ft.			10.00	8.50	7.50	
6 ft.		B&B	12.50	11.00	10.00	
7 ft.			15.00	13.50	12.50	
8 ft.		B&B	18.00	16.00	14.00	
9 ft.			22.50	18.00	16.00	
For larg	er sizes to 18 ft			er foot.		
strobus.	White Pine. 75	<b>5</b> ′				
5 ft.			8.50	7.50		
6 ft.			10.00	8.50		
7 ft.			15.00	12.50		
8 ft.		B&B	18.00	15.00		
For larg	ger sizes to 20 f	t., add \$	5.00 p	er foo	t.	
sylvestris	• Scotch Pine.	50 <b>'</b>				
3 ft.		B&B	4.50	4.00	3.50	
4 ft.			5.50	5.00	4.50	
5 ft.		B&B	8.50	7.50	6.50	
6 ft.		B&B	11.00	10.00	9.00	
7 ft.		B&B	13.50	12.50	11.00	
8 ft.		B&B	18.00	15.00	13.50	
9 ft.				16.00	15.00	
10 ft.		B&B	25.00	22.50	20.00	
For larg	ger sizes to 18 f	t., add \$	5.00 p	er foo	t.	
sylvestris	nana. $Dwarf$		Pine.	10'		
4 ft.			8.50	7.50		
5 ft.		B&B	10.00	8.50		
thunberg	i. Japanese Blac	ck Pine.	60 <b>'</b>			
3 ft.		B&B	6.00	5.50	5.00	
4 ft.		B&B	8.50	7.50		
5 ft.		B&B	12.50	10.00		
6 ft.		B&B	15.00			
Platanus occidentalis. American Planetree. 75'						
8	to 10 ft		2.50	2.00	1.75	
11/4	to 1½ in		3.00	2.75	2.50	
11/2	to 13/4 in		3.75	3.25	3.00	
13/4	to 2 in		5.00	4.00		
2 1	o 2½ in,		6.50	5.50		

Platanus			1-4 Each	5-24 Each	25 & up Each
orientalis.	Euro	pean Planetree.	80 <b>'</b>		
6 to	8	ft	1.75	1.50	1.25
8 to	10	ft	2.00	1.75	1.50
11/4 to	11/2	in	3.00	2.50	2.25
1½ to	13/4	in	3.50	3.00	2.75
13/4 to	2	in	4.00	3.75	3.50
2 to	21/2	in	6.00	5.00	4.50
2½ to	3	in	10.00	7.50	6.50
Polygonum aub	erti.	China Fleecevin	e. 25'		
2 year			.50	.45	.40
Populus alba.	Whit	e Poplar. 60'			
10 to	12	ft	1.75	1.50	
13/4 to	<b>2</b>	in	3.00	2.50	
2 to	$2\frac{1}{2}$	$in.\dots\dots\dots$	3.50	3.00	
alba nivea.	Sili	ver Poplar. 90'			
8 to	10	ft	2.25	2.00	
10 to	12	ft	3.00	2.75	
2 to	$2\frac{1}{2}$	in	6.50	5.50	
2½ to	3	in	7.50	6.50	
berolinensis	s. V	olga Poplar. 40'			
	10	ft	2.50	2.25	2.00
11/4 to	$1\frac{1}{2}$	in	3.00	2.75	2.50
1½ to	$1\frac{3}{4}$	in	3.50	3.25	3.00
13/4 to	2	'in	5.00	4.00	3.50
2 to	$2\frac{1}{2}$	in	7.50	6.00	
bolleana.	Bolleo	ana Poplar. 50'			
6 to	8	ft	1.50	1.25	1.00
8 to	10	ft	2.00	1.50	1.25
11/4 to	$1\frac{1}{2}$	in	2.50	2.00	1.75
1½ to	$1\frac{3}{4}$	in	3.50	3.00	2.50
13/4 to	2	in	4.50	4.00	
2 to	$2\frac{1}{2}$	in	6.50	5.50	
2½ to	3	$in.\dots\dots\dots$	10.00	7.50	
candicans.	Bala	m of Gilead. 90'			
			2.00		
certinensis.	Ce	rtinensis Poplar.	40'		
6 to	8	ft	2.00	1.75	
8 to	10	ft	2.50	2.00	
10 to	12	ft	3.00	2.50	
13/4 to	2	in	4.00	3.50	
2 to	$2\frac{1}{2}$	in	6.50	5.00	

				1-4 Each	5-24 Each	25 & up Each
Populus				Eden	Lucii	Edell
maximo	wic	zi.	Japanese Poplar.	40'		
8	to	10	ft	3.00	2.50	2.25
10	to	12	ft	3.50	3.00	
$1\frac{1}{2}$	to	$1\frac{3}{4}$		4.00	3.50	
2	to	$2\frac{1}{2}$	in	6.50	5.00	
nigra be	iul	ifolia	. 60'			
11/2	to	2	in	5.00	4.00	3.50
2	to	$2\frac{1}{2}$	in	7.50	6.00	5.00
$2\frac{1}{2}$	to	3	in	10.00	7.50	
nigra ita	alic	a. <i>L</i>	ombardy Poplar.	60'		
6	to	8	ft	1.00	.75	.60
8	to	10	ft	1.25	1.00	.75
10	to	12	ft	1.50	1.25	1.00
11/2	to	$1\frac{3}{4}$	in	2.00	1.60	1.35
13/4	to	2	in	3.00	2.50	2.00
2	to	$2\frac{1}{2}$	in	4.00	3.00	2.50
$2\frac{1}{2}$	to	3	in	5.00	4.00	3.50
3	to	$3\frac{1}{2}$	in	7.50	6.00	
simoni.	Si	imon	Poplar. 35'			
6	to	8	ft	1.25	1.00	.75
8	to	10	ft	1.50	1.25	1.00
11/4			in	1.75	1.50	1.25
11/2		$1\frac{3}{4}$	in	2.00	1.75	1.65
13/4	to	2	in	3.00	2.50	
2	to	$2\frac{1}{2}$	in	4.00	3.00	
suaveole	ns	prze	walski. 40'			
$2\frac{1}{2}$			in	5.00	4.00	
3	to	$3\frac{1}{2}$	in	7.50	6.50	
tremulo	ides	Qu	aking Aspen. 50'	•		
8	to	10	ft	2.75	2.25	
10	to	12	ft	3.50	3.00	
$1\frac{3}{4}$	to	<b>2</b>	in	4.00	3.50	
<b>2</b>	to		in	5.00	4.50	
$2\frac{1}{2}$	to	3	in	6.00		
3	to	$3\frac{1}{2}$	in	7.50		
trichoca	rpa	. Bl	ack Cottonwood.	40'		
10	to	12	ft	2.75	2.25	1.75
11/2	to	$1\frac{3}{4}$	in	3.00	2.50	
13/4	to	2	in	3.50	3.00	
2	to	$2\frac{1}{2}$	in	4.00	3.50	
$2\frac{1}{2}$	to	3	in	5.00	4.00	

Potentilla fruticosa. Shrubby Cinquefo	1-4 Each oil. 4'	5-24 Each	25 & up Each
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
		.40	.40
Prinsepia sinensis. Cherry Prinsepia.	6 <b>'</b>		
9 to 12 in., from pots	1.25	1.00	
Prunus americana. American Plum.	20'		
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
americana Newport.			
Purple-leaved American Plan	um. 20	) <b>'</b>	
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.65	1.50
armeniaca sibirica. Siberian Apri	cot. 1	2'	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
*avium plena.	0.00	0.00	
Double White Flowering C	herru.	30'	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
10 to 12 ft	6.00	5.00	
	25.00		
besseyi. Bessey Cherry. 8' 2 to 3 ft	.50	40	.30
		.40 .50	.40
3 to 4 ft	.60 .75	.50 .60	.50
4 to 5 ft		.00	.50
cerasifera pissardi. Purpleleaf P		12 <b>'</b>	
4 to 5 ft	.85	.75	.65
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.65	1.50
8 to 10 ft	2.50	2.00	
cistena. Purpleleaf Sand Cherry.	20'		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	.90

Prunus		1-4 Each	5 <b>-24</b> Each	25 & up Each
demissa.	Western Chokecherry.	30'		
	4 ft	.60	.50	
	5 ft	.75	.60	
	6 ft	1.00	.75	
		1100	.,,	
	Dunbar Plum. 6'	0.5	70	
	3 ft	.85	.70	
	4 ft	1.00	.85	
	5 ft	1.25	1.10	
5 10	6 ft	1.50	1.25	
glandulos	a. Flowering Almond.	10'		
	3 ft	.50	.40	.30
	4 ft	.60	.50	.40
4 to	5 ft	.75	.60	.50
glandulos	a albiplena.			
D	ouble Whiteflowering Al		6 <b>'</b>	
	3 ft	.65	.50	.45
	4 ft	.75	.65	.60
2 to	3 ft. own roots	1.50		
glandulos	sa sinensis.			
D	ouble Pink-flowering Alm	nond.	6 <b>'</b>	
	3 ft	.65	.50	.45
	4 ft	.75	.65	.60
	3 ft. own roots	1.50		
3 to	4 ft. own roots	2.00		
horiulana	. Hortulan Plum. 30'			
4 to	5 ft	1.25	1.00	
5 to	6 ft	1.50	1.25	
6 to	8 ft	2.00	1.50	
8 to	10 ft	2.50	2.00	
incisa. A	Iame Cherry. 15'			
4 to	5 ft	1.75	1.50	1.25
5 to	6 ft	2.00	1.75	1.50
6 to	8 ft	2.50	2.25	2.00
8 to	10 ft	3.50	3.00	2.50
japonica.	Chinese Bush Cherry.	12'		
	3 ft	1.50	1.25	1.00
	4 ft	1.75	1.50	1.25

	1-4 Each	5-24 <b>Each</b>	25 & up Each
Prunus			
*lannesiana. Hitoye Cherry. 30'			
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
*lannesiana Amayadori. 30'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
*lannesiana Jonioi. 25'			
4 to 5 ft	2.50	2.00	
*lannesiana sirotae. Mt. Fuji Che	rru	25 <b>'</b>	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
maacki. Amur Cherry. 12'	0.00	0.00	
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
	1.20	1.00	.10
maritima. Beech Plum. 12'	C.F.		45
2 to 3 ft	.65	.55	.45
3 to 4 ft	.75	.65	.55
4 to 5 ft	1.00	.85	.75
moseri fl. pl. 12'			
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.50	2.00	
mume. Japanese Apricot. 15'			
5 to 6 ft	2.25	2.00	
6 to 8 ft	2.50	2.25	
mume. fl. pl. Dbl. Flg. Japanese 5 to 6 ft	Apric 3.00	ot. 15	·
	3.00		
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.35	1.10	1.00
	1.50	1.35	1.25
8 to 10 ftpennsylvanica. Pin Cherry. 25'	1.00	1.00	1,20
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	3.00	2.50	
persica. (See Amygdalus).	J.00	۵.00	. 2,20
persica. (See Amygawas).			

		1-4 Each	5-24 Each	25 & up Each
Prunus	~ 1 ~ 1			
pumila.	Sand Cherry. 5'		5.0	45
	3 ft	.60	.50	.45
3 to		.75	.60	.55
serotina.	Wild Black Cherry. 60'		75	60
5 to	6 ft	1.00	.75	.60
6 to	8 ft	1.25	1.00	.75
8 to	10 ft	1.50	1.25	1.00
10 to	12 ft	2.50	2.00	
*serrulat				
5 to	6 ft	2.50	2.25	2.00
6 to	8 ft	3.00	2.75	2.50
8 to	10 ft	5.00	4.00	3.75
*serrulat	a Higantakura. $Dbl.\ Whit$	e Flg.	Cherr	y. 30'
5 to	6 ft	3.00	2.50	
6 to	8 ft	4.00	3.50	
8 to	10 ft	6.00	5.00	
10 to	12 ft. spec B&B	30.00		
*serrulat	a Hisakura. Dbl. Pink I	Flg. C	herry.	30 <b>'</b>
4 to	5 ft	2.50	2.00	
5 to	6 ft	3.00	2.50	
6 to	8 ft	4.00	3.50	
8 to	10° ft	6.00	5.00	
10 to	12 ft. spec B&B	30.00		
*serrulat	a James H. Veitch, syn. 1	Fugen	zo. 30	,
4 to	5 ft	2.50	2.00	1.50
5 to	6 ft	3.00	2.50	2.00
6 to	8 ft	4.00	3.50	2.75
8 to	10 ft	6.00	5.00	
*s. Jame:	s H. Veitch pendula.			
D	bl. Pink Wpg. Cherry.			
2 yr.	hds., 3 to 5 ft. stem	10.00		
*serrulat	a sachalinensis. syn. Sar	genti.		
Y	ama Cherry. 50'			
4 to	5 ft	2.50	2.00	1.50
5 to	6 ft	3.00	2.50	2.00
6 to	8 ft	4.00	3.50	2.75
8 to	10 ft	6.00	5.00	4.00
10 to		10.00	7.50	
*sieboldi	, syn. Naden. Siebold Ch	erry.	40'	
5 to	6 ft	3.00	2.50	2.00
6 to	8 ft	4.00	3.50	2.75
8 to		6.00	5.00	4.00
10 to	12 ft	10,00	7,50	

Prunus			1-4 Each	5-24 Each	25 & up Each
	Blackthorn.	101			
3 to	4 ft		.75	.60	.50
4 to	5 ft		1.00	.75	.60
5 to	6 ft		1.25	1.00	.75
6 to	8 ft		1.50	1.25	1.00
	10 ft		2.00	1.75	1.50
*subhirtell			2.00	1.10	1.50
4 to	5 ft		2.50	2.00	1.50
5 to	6 ft		3.00	2.50	2.00
6 to	8 ft		4.00	3.50	3.00
8 to 1	10 ft		6.00	5.00	4.00
	12 ft		10.00	7.50	
	la ascendens.		an. 20	o <b>'</b>	
4 to 5	5 ft		3.00	2.50	
	6 ft		4.00	3.50	
6 to 8	3 <b>ft.</b>		5.00	4.50	
*subhirtell	la autumnali:	s.			
A	utumn Flow	erin <b>g</b> Higa	n Cher	ry. 30	) <b>'</b>
5 to	6 ft		5.00	4.00	
6 to	8 ft		7.50	5.00	
	10 ft		10.00		
10 to 1	12 ft. spec	B&B	35.00		
*subhirtell	la pendula.	Weeping H	ligan (	Cherry	. 15'
2 yr. l	hds., 4 to 6 ft	. stem	5.00	4.00	
tomentosa.	. Nanking (	Cherry. 8'			
2 to 3	3 ft		.60	.50	.40
3 to 4	1 ft		.75	.60	.50
4 to 5	5 ft		1.00	.75	.60
5 to 6	6 ft		1.25	1.00	.85
triloba. S	Single Flower	ing Plum.	10'		
4 to 5	5 ft		2.50	2.25	2.00
5 to 6	6 ft		3.50	3.25	3.00
triloba ple	na. Double	Flowering	Plum.	10'	
3 to 4	1 ft		.75	.60	.55
4 to 5	5 ft		1.00	.75	.65
5 to 6	6 ft		1.25	1.00	.85
virginiana	. Chokecher	ry. 30'			
3 to	4 ft		.60	.50	.40
4 to	$5\ ft\dots\dots$		.75	.60	.50
5 to	$6\ \text{ft.}\dots\dots$		1.00	.75	.60
6 to	8 ft		1.25	1.00	.75
8 to 1	10 ft		1.50	1.25	1.00

Prunus			1-4 Each	5-24 Each	25 & up Each
*yedoensis	•	Yoshino Cherry. 35'			
5 to	6	ft	3.00	2.50	2.00
6 to	8	ft	4.00	3.50	3.00
8 to 1	0	$ft.\dots\dots\dots\dots\dots\dots$	6.00	5.00	4.00
10 to 1	2	ft	10.00	7.50	
*yedoensis	t	aizanfukun.			
4 to	5	ft	2.50	2.00	1.50
5 to	6	ft	3.00	2.50	2.00
6 to	8	ft	4.00	3.50	3.00
8 to 1	0	ft	6.00	5.00	4.00
10 to 1	12	ft. spec B&B	30.00		
12 to 1	4	ft. specB&B	35.00		

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.50, \$3.00 and \$4.00 each, respectively.

Amanogawa—semi-double pale pink

Gioiko-semi-double pale yellow

Hata-zakura—semi-double white

Horaisan-aouble pink

Hosokawanioi-semi-double flesh

Kuramayami—double pink

Kwanzan—syn. Sekiyama—double deep pink

Miyako—double pink

Shirofugen—double light pink

 $\textbf{Shogetsu}\text{---} double \ soft \ pink$ 

Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsuga	douglasi.	Douglas	Fir.	70'
-------------	-----------	---------	------	-----

2	ft.	 	B&B	2.75	2.50	2.25
3	ft.	 	B&B	4.00	3.50	3.25
4	ft.	 	B&B	6.50	5.50	5.00
5	ft.	 	B&B	8.50	7.50	6.50
6	ft.	 	B&B	10.00	8.50	7.50
7	ft.	 	B&B	15.00	12.50	10.00
8	ft.	 	B&B	18.00	15.00	12.50
9	ft.	 	B&B	22.50	18.00	15.00
10	ft.	 	B&B	25.00	20.00	18.00

For larger sizes to 25 ft., add \$5.00 per foot.

Pseudolarix kaempferi. Golden Larch	1-4 Each . 50'	5-24 Each	25 & up Each
9 ft B&B 10 ft B&B			
Ptelea trifoliata. Hoptree. 20'	0.00		
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
Pterocarpa stenoptera. Chinese Wing	nut.	40'	
5 to 6 ft	7.50		
6 to 8 ft	10.00		
Pierostyrax corymbosa. Little Epaule	ette-tr	ee. 20	) <b>'</b>
4 to 5 ft	4.50	3.50	
5 to 6 ft	5.00	4.00	
Pueraria thunbergiana. Kudzu-bean.	40'		
2 year		.30	.20
Pyracantha (See Crataegus).			
Pyrus betulaefolia. Birch Leaf Pear.	20'		
6 to 8 ft	3.50	3.00	
calleryana. Callery Pear. 20'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
salicifolia. Willowleaf Pear. 30'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
serrulata. 20'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
Quercus alba. White Oak. 75'	4.50	4.00	
6 to 8 ft	4.50	4.00	
1¼ to 1½ in	5.50	5.00 6.00	
1½ to 1¾ in	6.50		
134 to 2 in	8.50	7.50	
2 to 2½ in	12.50	10.00 $12.50$	
2½ to 3 in	15.00	15.00	
3 to 3½ in	20.00		
3½ to 4 in	25.00	20.00	'

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

				1-4 Each	5-24 Each	25 & up Each
Quercus			1			
			p White Oak. 60		4.00	
6	to	_	ft	4.50	4.00	
11/4			in	5.50	5.00	
1½	to	13/4	in	6.50	6.00	
13/4	to		in	8.50	7.50	
2		$2\frac{1}{2}$		12.50	10.00	
$2\frac{1}{2}$			in	15.00	12.50	
3			in	20.00		
$3\frac{1}{2}$	to	4	in	25.00		
coccinea. Scarlet Oak. 75'						
6	to	8	ft	4.00	3.50	3.00
$1\frac{1}{4}$	to	$1\frac{1}{2}$	in	5.00	4.50	4.00
11/2	to	$1\frac{3}{4}$	$in.\dots\dots\dots$	6.00	5.50	5.00
13/4	to	2	$in.\dots\dots\dots$	10.00	7.50	6.00
2	to	$2\frac{1}{2}$	$in.\dots\dots\dots\dots$	12.50	10.00	7.50
$2\frac{1}{2}$	to	3	in	15.00	12.50	10.00
3	to	$3\frac{1}{2}$	in	20.00	15.00	
$3\frac{1}{2}$	to	4	in	25.00		
4	to	$4\frac{1}{2}$	in	35.00		
lyrata.	Ov	ercu	p Oak. 75'			
-			in	7.50		
13/4	to	2	in	10.00		
3	to	31/2	in	20.00		
$3\frac{1}{2}$			in	25.00		
macroca	rpa	a. /I	Aossycup Oak. 75'	,		
	-		in	6.00	5.50	
13/4	to		in	7.50	6.50	
2			in	12.50	10.00	
21/2	to		in	15.00	12.50	
3			in	20.00	15.00	
31/2			in	25.00	20.00	
4			in	35.00		
palustri			Oak. 75'			
6		8	ft	2.50	2.25	2.00
11/4	to	$1\frac{1}{2}$	in	3.00	2.75	2.50
11/2	to	13/4	in	3.75	3.25	3.00
13/4	to	2	in	5.50	5.00	4.50
2	to	$2\frac{1}{2}$	in	8.50	7.50	6.00
$\frac{1}{2}$			in	12.50	10.00	7.50
3		31/2		15.00	12.50	10.00
31/2	to		in	20.00	15.00	12.50
4	to		in	30.00	25.00	00
5	to	-	in	40.00		
_		-				

Oueraua			1-4 Each	5-24 Each	25 & up Each
Quercus					
phellos.	Willo	w Oak. 40'			
6	to 8	ft	8.50	7.50	6.50
11/4	to 1½	$in.\dots\dots\dots\dots\dots$	10.00	8.50	7.50
11/2	to 13/4	in	12.50	10.00	
13/4	to 2	in	15.00	12.50	
5	to 6	in	50.00		
prinus.	Chestn	ut Oak. 50'			
6	to 8	ft	4.50	4.00	3.50
$1\frac{1}{4}$	to 1½	in	5.50	5.00	4.50
		in	7.50	6.00	5.50
13/4	to 2	in	10.00	7.50	
2		in	12.50	10.00	
	to 3	in	15.00	12.50	
3		in	20.00	15.00	
$3\frac{1}{2}$	to 4	in	25.00		
robur.	Englis	h Oak. 80'			
$1\frac{1}{2}$	to 13/4	in	6.50	5.50	5.00
2	to $2\frac{1}{2}$	$in.\dots\dots\dots\dots$	12.50	10.00	7.50
$2\frac{1}{2}$	to 3	$in.\dots\dots\dots\dots$	15.00	12.50	10.00
3	to 3½	in	20.00	15.00	
$3\frac{1}{2}$	to 4	in	25.00		
4	to 4½	in	35.00		
robur fa	stigiata	. Pyramidal Eng	lish O	ak. 6	0'
$2\frac{1}{2}$	to 3	inB&B	40.00		
3	to 3½	inB&B	50.00		
$3\frac{1}{2}$	to 4	inB&B			
4	to $4\frac{1}{2}$	inB&B	75.00		
rubra.	Red Oc	ık. 75'			
6	to 8	ft	3.50	2.75	2.50
$1\frac{1}{4}$	to 1½	in	4.50	3.75	3.50
$1\frac{1}{2}$	to 13/4	in	5.50	5.00	4.50
13/4	to 2	in	7.50	6.50	6.00
2	to 2½	in	10.00	8.50	7.50
$2\frac{1}{2}$	to 3	in	15.00	12.50	10.00
3		in	20.00	15.00	
31/2		in	25.00	20.00	
4	to 4½	in	35.00		
stellata.	Post	Oak. 75'			
		in	5.00	4.50	

1-4 Each	5-24 Each	25 & up Each
Quercus	Lucii	Edell
texana. 75'		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 7.50	6.00	5.50
134 to 2 in 10.00	7.50	6.50
2 to 2½ in 12.50	10.00	
2½ to 3 in	12.50	
3 to 3½ in 20.00	15.00	
3½ to 4 in	20.00	
4 to 4½ in		
velutina. Black Oak. 70'		
6 to 8 ft 5.00	4.50	4.00
1½ to 1½ in 6.00	5.50	5.00
1½ to 1¾ in 10.00	7.50	7.00
13/4 to 2 in 12.50	10.00	9.00
2 to 2½ in	12.50	11.00
2½ to 3 in 20.00		
Retinospora. (See Chamaecyparis).		
Rhamnus caroliniana. Carolina Buckthorn.	25'	
3 to 4 ft	.45	
4 to 5 ft	.60	
5 to 6 ft	.75	
cathartica. Buckthorn. 12'		
3 to 4 ft	.40	.35
4 to 5 ft	.50	.45
5 to 6 ft	.60	.55
6 to 8 ft	.85	.75
dahurica. Dahurian Buckthorn. 12'		
2 to 3 ft	.35	.30
3 to 4 ft	.45	.40
4 to 5 ft	.60	.50
5 to 6 ft	.75	.60
6 to 8 ft	.85	.75
frangula. Glossy Buckthorn. 12'		
3 to 4 ft	.45	.35
4 to 5 ft	.55	.45
5 to 6 ft	.65	.55
6 to 8 ft	.85	.75
8 to 10 ft	1.25	1.00
frangula asplenifolia. Fernleaf Rhamn	us. 1	2'
3 to 4 ft	2.00	
4 to 5 ft	3.00	
5 to 6 ft	3.50	
6 to 8 ft	4.00	

	1-4	5-24	25 & up
Rhamnus	Each	Each	Each
koraiensis. 12'			
3 to 4 ft	1.00	.90	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
purshiana. Cascara Buckthorn.	12'		
3 to 4 ft	.60	.45	.35
4 to 5 ft	.75	.55	.45
5 to 6 ft	.85	.65	.55
6 to 8 ft	1.25	.85	.75
8 to 10 ft	1.50	1.25	1.00
spathulaefolia. 6'			
2 to 3 ft	2.00	1.50	
3 to 4 ft	2.50	2.00	
utilis. 10'	2.00	2.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.25	1.75	
5 to 6 1t	4.43	1.75	
wilsoni. 10'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
Rhododendron carolinianum. Carolina	Rhodo	dendri	on. 6'
2 to 3 ftB&B	4.50	4.00	3.75
		_,,,	31.13
catawbiense. Catawba Rhododend		8 <b>'</b>	0.50
2 to 3 ftB&B	4.50	4.00	3.50
3 to 4 ftB&B	6.00	5.00	4.75
maximum. Rosebay Rhododendron	. 15'		
2 to 3 ftB&B	4.00	3.50	3.00
3 to 4 ftB&B	5.00	4.50	4.00
4 to 5 ftB&B	7.50		
Di latara l'aminides l'athord 6'			
Rhodotypos kerrioides. Jetbead. 6' 2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
4 to 5 it	.13	.00	.50
Rhus canadensis. Fragrant Sumac.			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75

	1-4 Each	5-24 Each	25 & up Each
Rhus			
copallina. Shining Sumac. 20'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
cotinus. Purple Fringe or Smoke	tree.	12'	
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	2.75	2.50	
glabra. Smooth Sumac. 12'			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
javanica syn. osbecki. Java Sumac	. 18	,	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.00	1.75	
8 to 10 ft	3.00	2.50	
trilobata. Lemonade Sumac. 3'			*
18 to 24 in	.75	.60	
2 to 3 ft	1.00	.75	
typhina. Staghorn Sumac. 25'			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
5 to 6 ft	.60	.55	.50
typhina laciniata. Shredded Sum	ac.	25'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	
Ribes alpinum. Mountain Currant.	د		
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Ribes	4		
aureum. Slender Golden Currant.		40	0.5
2 to 3 ft	.50	.40	.35
0 00 1 100	.60 $.75$	.50 .60	.40
4 to 5 ft	1.00	.75	.50
			.60
fasciculatum. Winterberry Curran			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
	8'	co	
3 to 4 ft	.75	.60	
sanguineum. Ruby Winter Curran		= 0	
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
Robinia Elliotti. 10'			
3 to 4 ft	3.00		
4 to 5 ft	4.00		
fertilis. 25'			
6 to 8 ft	4.00	3.50	
$egin{array}{ll} {f globe} & Locust. \end{array}$			
3 yr. hds., 5 to 6 ft. stems	5.00		
3 yr. hds., 6 to 8 ft. stems	7.50		
hispida. Rose Acacia.			
2 yr. standard, 3 to 4 ft	1.75		
2 yr. standard, 4 to 5 ft	2.00		
Bush form, 2 to 3 ft	1.50		
holdti. Holdt Locust. 25'			
6 to 8 ft	3.50		
8 to 10 ft	4.50		
kelseyi. Kelsey Locust. 12'			
5 to 6 ft	4.00	3.50	3.00
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft	6.00	5.50	5.00
neomexicana. New Mexico Locus	t. 10'		
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
pseudoacacia. Common Locust.	60 <b>'</b>		
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	2.00	1.50	1.00
10 to 12 ft	3.00	2.50	)

Pseudoacacia bessoniana.   Besson Locust.   40'	<b></b>	1-4 Each	5-24 Each	25 & up Each
5 to 6 ft		_		
6 to 8 ft. 5.00 8 to 10 ft. 6.00  pseudoacacia decaisneana. Decaisne Locust. 40' 5 to 6 ft. 3.50 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 5 to 6 ft. 4.50  viscosa. Clammy Locust. 10' 2 to 3 ft. 60 .55 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.25 .90 .75  Rosa acicularis. Prickly Rose. 5' 18 to 24 in. 40 .30 .25 2 to 3 ft. 50 .40 acicularis bourgeauiana. Bourgeau Rose. 6' 15 to 18 in. 1.00  alpina. Pyrenees Rose. 3' 2 to 3 ft75 .60 .50 3 to 4 ft. 1.00 .75 .60 blanda. Meadow Rose. 5' 18 to 24 in. 40 .30 .25 2 to 3 ft. 50 .40 .30 3 to 4 ft. 50 .40 .30 3 to 4 ft. 50 .40 .30 .25 2 to 3 ft. 50 .40 .30 3 to 4 ft. 50 .40 .30 .25 2 to 3 ft. 50 .40 .30 .25 3 to 4 ft. 50 .40 .30 .25 2 to 3 ft. 50 .40 .30 .25 3 to 4 ft. 50 .40 .30 coriifolia froebeli. Froebel Rose. 5' 18 to 24 in. 40 .30 .25 2 to 3 ft. 50 .40 .30 coriifolia froebeli. Froebel Rose. 5' 18 to 24 in. 40 .30 .25 2 to 3 ft. 50 .40 .30 coriifolia froebeli. Froebel Rose. 5' 18 to 24 in. 40 .30 .25 2 to 3 ft. 50 .35 .30 3 to 4 ft. 50 .35 .30	• ** * * * * * * * * * * * * * * * * *		t. 40'	
8 to 10 ft.       6.00         pseudoacacia decaisneana.       Decaisne Locust.       40'         5 to 6 ft.       3.50       6 to 8 ft.       4.00         8 to 10 ft.       5.00       5.00         pseudoacacia Marguerite.       20'       5 to 6 ft.       4.50         viscosa.       Clammy Locust.       10'       2 to 3 ft.       .60 .50 .45         3 to 4 ft.       .75 .60 .55       .55       .4 to 5 ft.       1.00 .75 .65         5 to 6 ft.       1.25 .90 .75         Rosa acicularis.       Prickly Rose.       5'         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .20         3 to 4 ft.       .60 .50 .45         acicularis bourgeauiana.       Bourgeau Rose.       6'         15 to 18 in.       1.00         alpina.       Pyrenees Rose.       3'         2 to 3 ft.       .75 .60 .50         3 to 4 ft.       .100 .75 .60         blanda.       Meadow Rose.       5'         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .35         3 to 4 ft.       .50 .40 .30         canina.       Dogbrier.       8'         2 to 3 ft.       .40 .30 .25				
pseudoacacia decaisneana.         Decaisne Locust.         40'           5 to 6 ft.         3.50           6 to 8 ft.         4.00           8 to 10 ft.         5.00           pseudoacacia Marguerite.         20'           5 to 6 ft.         4.50           viscosa.         Clammy Locust.         10'           2 to 3 ft.         .60 .50         .45           3 to 4 ft.         .75 .60         .55           4 to 5 ft.         1.00 .75 .65         .55           5 to 6 ft.         1.25 .90 .75           Rosa acicularis. Prickly Rose.         5'           18 to 24 in.         .40 .30 .25           2 to 3 ft.         .50 .40 .30           3 to 4 ft.         .60 .50 .45           acicularis bourgeauiana. Bourgeau Rose.           6'         15 to 18 in.         1.00           alpina. Pyrenees Rose.           2 to 3 ft.         .75 .60 .50           3 to 4 ft.         .100 .75 .60           blanda. Meadow Rose.         5'           18 to 24 in.         .40 .30 .25           2 to 3 ft.         .50 .40 .35           3 to 4 ft.         .60 .50 .40           20 to 3 ft.         .40 .30 .25				
5 to 6 ft. 3.50 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 5 to 6 ft. 4.50  viscosa. Clammy Locust. 10' 2 to 3 ft. 60 .55 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.25 .90 .75  Rosa acicularis. Prickly Rose. 5' 18 to 24 in. 40 .30 .25 2 to 3 ft. 60 .50 .45  acicularis bourgeauiana. Bourgeau Rose. 6' 15 to 18 in. 1.00 .75 .60 blanda. Meadow Rose. 5' 18 to 24 in. 40 .30 .25 2 to 3 ft. 50 .40 .30  alpina. Pyrenees Rose. 3' 2 to 3 ft. 75 .60 .50 3 to 4 ft. 60 .50 .45  blanda Meadow Rose. 5' 18 to 24 in. 40 .30 .25 2 to 3 ft. 50 .40 .30 conina. Dogbrier. 8' 2 to 3 ft. 50 .40 .35 3 to 4 ft. 50 .40 .30 conina. Dogbrier. 8' 2 to 3 ft40 .30 .25 3 to 4 ft50 .40 .30 conifolia froebeli. Froebel Rose. 5' 18 to 24 in. 40 .30 .25 2 to 3 ft50 .40 .30 conifolia froebeli. Froebel Rose. 5' 18 to 24 in40 .30 .25 2 to 3 ft50 .40 .30 conifolia froebeli. Froebel Rose. 5' 18 to 24 in40 .30 .25 2 to 3 ft50 .35 .30 3 to 4 ft50 .35 .30 3 to 4 ft50 .35 .30				
6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 5 to 6 ft. 4.50  viscosa. Clammy Locust. 10' 2 to 3 ft	pseudoacacia decaisneana. $Decai$	sne Lo	cust.	40'
8 to 10 ft.       5.00         pseudoacacia Marguerite.       20'         5 to 6 ft.       4.50         viscosa.       Clammy Locust.       10'         2 to 3 ft.       .60 .50 .45         3 to 4 ft.       .75 .60 .55         4 to 5 ft.       1.00 .75 .65         5 to 6 ft.       1.25 .90 .75         Rosa acicularis. Prickly Rose. 5'         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .30         3 to 4 ft.       .60 .50 .45         acicularis bourgeauiana. Bourgeau Rose. 6'         15 to 18 in.       1.00         alpina. Pyrenees Rose. 3'       2         2 to 3 ft.       .75 .60 .50         3 to 4 ft.       .100 .75 .60         blanda. Meadow Rose. 5'       5         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .35         3 to 4 ft.       .60 .50 .45         blanda Willmottiae. 5'       15 to 18 in.       1.00         canina. Dogbrier. 8'       2 to 3 ft.       .40 .30 .25         2 to 3 ft.       .50 .40 .30         3 to 4 ft.       .50 .35 .30         3 to 4 ft.       .50 .35 .30         3 to 4 ft.	5 to 6 ft	3.50		
pseudoacacia Marguerite.       20'         5 to 6 ft.       4.50         viscosa. Clammy Locust.       10'         2 to 3 ft.       .60 .50 .45         3 to 4 ft.       .75 .60 .55         4 to 5 ft.       1.00 .75 .65         5 to 6 ft.       1.25 .90 .75         Rosa acicularis. Prickly Rose.         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .30         3 to 4 ft.       .60 .50 .45         acicularis bourgeauiana. Bourgeau Rose.         6'       15 to 18 in.       1.00         alpina. Pyrenees Rose.       3'         2 to 3 ft.       .75 .60 .50         3 to 4 ft.       1.00 .75 .60         blanda. Meadow Rose.       5'         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .35         3 to 4 ft.       .60 .50 .45         blanda Willmottiae.         5'       15 to 18 in.       1.00         canina. Dogbrier.       8'         2 to 3 ft.       .40 .30 .25         3 to 4 ft.       .50 .40 .30         coriifolia froebeli. Froebel Rose.         18 to 24 in.       .40 .3		4.00		
viscosa.       Clammy Locust.       10'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .75       .65         5 to 6 ft.       1.25       .90       .75         Rosa acicularis. Prickly Rose. 5'         18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .40       .30         3 to 4 ft.       .60       .50       .45         acicularis bourgeauiana. Bourgeau Rose. 6'         15 to 18 in.       1.00       .50       .45         alpina. Pyrenees Rose. 3'         2 to 3 ft.       .75       .60       .50         3 to 4 ft.       1.00       .75       .60         blanda. Meadow Rose. 5'         18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .40       .35         3 to 4 ft.       .60       .50       .45         blanda Willmottiae. 5'         15 to 18 in.       1.00       .60       .50       .45         blanda Willmottiae. 5'       .50       .40	8 to 10 ft	5.00		
viscosa.       Clammy Locust.       10'         2 to 3 ft.       .60       .50       .45         3 to 4 ft.       .75       .60       .55         4 to 5 ft.       1.00       .75       .65         5 to 6 ft.       1.25       .90       .75         Rosa acicularis.       Prickly Rose.       5'         18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .40       .30         3 to 4 ft.       .60       .50       .45         acicularis bourgeauiana.       Bourgeau Rose.       6'         15 to 18 in.       1.00       .50         3 to 4 ft.       .75       .60       .50         3 to 4 ft.       .100       .75       .60         blanda.       Meadow Rose.       5'         18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .40       .35         3 to 4 ft.       .60       .50       .45         blanda Willmottiae.       5'         15 to 18 in.       1.00       .25         2 to 3 ft.       .40       .30       .25	pseudoacacia Marguerite. 20'			
2 to 3 ft	5 to 6 ft	4.50		
3 to 4 ft	viscosa. Clammy Locust. 10'			
## 4 to 5 ft.	2 to 3 ft	.60	.50	.45
5 to 6 ft.       1.25       .90       .75         Rosa acicularis. Prickly Rose. 5'         18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .40       .30         3 to 4 ft.       .60       .50       .45         acicularis bourgeauiana. Bourgeau Rose. 6'         15 to 18 in.       1.00         alpina. Pyrenees Rose. 3'       2       2 to 3 ft.       .75       .60       .50         3 to 4 ft.       1.00       .75       .60       .50       .50       .50       .40       .35       .25       .2 to 3 ft.       .50       .40       .35       .35       .35       .40       .35       .35       .45       .50       .45       .40       .30       .25       .25       .45       .50       .45       .50       .45       .50       .45       .50       .40       .30       .25       .40       .30       .25       .25       .40       .30       .25       .25       .35       .40       .30       .25       .25       .35       .30       .25       .35       .30       .30       .25       .25       .35       .30       .35       .30       .35		.75	.60	.55
Rosa acicularis. Prickly Rose. 5'				
18 to 24 in	5 to 6 ft	1.25	.90	.75
18 to 24 in	Rosa acicularis. Prickly Rose. 5'			
3 to 4 ft				.25
acicularis bourgeauiana. Bourgeau Rose. 6'  15 to 18 in. 1.00  alpina. Pyrenees Rose. 3'  2 to 3 ft	2 to 3 ft	.50	.40	.30
acicularis bourgeauiana. Bourgeau Rose. 6'  15 to 18 in. 1.00  alpina. Pyrenees Rose. 3'  2 to 3 ft	3 to 4 ft	.60	.50	.45
15 to 18 in	acicularis hourgeauiana. Rourge	n Ros	0 6'	
alpina.       Pyrenees Rose.       3'         2 to 3 ft.       .75       .60       .50         3 to 4 ft.       1.00       .75       .60         blanda.       Meadow Rose.       5'         18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .40       .35         3 to 4 ft.       .60       .50       .45         blanda Willmottiae.       5'       1.00         canina.       Dogbrier.       8'         2 to 3 ft.       .40       .30       .25         3 to 4 ft.       .50       .40       .30         coriifolia froebeli.       Froebel Rose.       5'         18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .35       .30         3 to 4 ft.       .50       .50       .40         davurica.       Dahurian Rose.       6'			· · ·	
2 to 3 ft				
3 to 4 ft. 1.00 .75 .60  blanda. Meadow Rose. 5'  18 to 24 in	- 0	7.5	00	F0
blanda. Meadow Rose. 5'  18 to 24 in				
18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .40       .35         3 to 4 ft.       .60       .50       .45         blanda Willmottiae.       5'       .100         canina.       Dogbrier.       8'       .2       .2       .30       .25         3 to 4 ft.       .50       .40       .30       .25         2 to 3 ft.       .50       .40       .30       .25         2 to 3 ft.       .50       .35       .30         3 to 4 ft.       .50       .50       .40         davurica.       Dahurian Rose.       6'	3 to 4 It	1.00	.75	.00
2 to 3 ft				
3 to 4 ft		.40	.30	.25
blanda Willmottiae. 5' 15 to 18 in. 1.00  canina. Dogbrier. 8' 2 to 3 ft				
15 to 18 in	3 to 4 ft	.60	. 50	.45
canina.       Dogbrier.       8'         2 to 3 ft.       .40       .30       .25         3 to 4 ft.       .50       .40       .30         coriifolia froebeli.       Froebel Rose.       5'         18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .35       .30         3 to 4 ft.       .60       .50       .40         davurica.       Dahurian Rose.       6'	blanda Willmottiae. 5'			
2 to 3 ft	15 to 18 in	1.00		
2 to 3 ft	canina. $Dogbrier$ . 8'			
coriifolia froebeli. Froebel Rose. 5'         18 to 24 in		.40	.30	.25
18 to 24 in	3 to 4 ft	.50	.40	.30
2 to 3 ft	coriifolia froebeli. Froebel Rose.	5'		
3 to 4 ft	18 to 24 in	.40	.30	.25
davurica. Dahurian Rose. 6'	2 to 3 ft	.50	.35	.30
	3 to 4 ft	.60	.50	.40
	davurica. Dahurian Rose. 6'			
		1.00	.75	.60

Rosa	1-4 Each	5-24 Each	25 & up Each
ecae. Eca Rose. 6'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
		.00	.50
foetida. Austrian Copper Rose. 2 to 3 ft		.75	
		.10	
foetida persiana. Persian Yellow 2 year		75	
	1.00	.75	
fujisanensis. $Mt. Fuji Rose.$ 8'			
3 to 4 ft	.75	.60	.50
helenae. Helen Rose. 6'			
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
helenae fl. pl. Dbl. Helen Rose.	6'		
3 to 4 ft	1.50		
hugonis. Hugonis Rose. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
humilis. Pasture Rose. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
laevigata. Cherokee Rose. 10'			
15 to 18 in	1.00		
lucida. Virginia Rose. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
marreti. Marret Rose. 6'			
3 to 4 ft	1.25	1.00	
maximowicziana jacki. Jack Ros	e. 6'		
2 to 3 ft	1.50		
moyesi. Moyes Rose. 10'			
2 to 3 ft	1.50		
3 to 4 ft	1.75		
multiflora. Japanese Rose. 8'			
2 to 3 ft	.50	.35	.25
3 to 4 ft	.55	.40	.30
4 to 5 ft	.60	.50	.40
multiflora cathayensis. Cathay	Rose.	<i>6'</i>	
3 to 4 ft		.50	.40

	1-4 Each	5-24 Each	25 & up Each
Rosa			
nitida. Bristly Rose. 3'	40	0.5	0.0
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
3 to 4 ft	.75	.60	.50
palustris. Swamp Rose. 8'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
pendulina. (See Alpina)			
rouletti.			
12 to 15 in., 4 in. pots	.75	.60	.50
15 to 18 in., F. G	.60	.50	.40
rubiginosa. Sweetbriar. 6'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	.40
rubiginosa hybrids. Lady Penzan			
Green Mantle, Lucy Asht			
and Flora McIvor. 6'	on, se	cannie	Deans,
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
	1.00	.10	
rubrifolia. Redleaf Rose. 6'	4.0		
18 to 24 in	.40	.30	
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	.40
rugosa. Rugosa Rose. 6'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	i
rugosa alba. White Rugosa Rose.	6'		
18 to 24 in	.60	.50	)
2 to 3 ft	.75	.60	
rugosa hybrids. 5'	60	5.0	`
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	,
Blanche de Coubert, C. F.	Mar	er C	F
Worth, Agnes Carmen, New			
Zembla, Mad. Geo. Bruant,	Mrc	Anth	nv.
Waterer, Belle Poitevine, Si			
ton, Hansa, Agnes, F. J. Gr			

	1-4 Each	5-24 Each	25 & up Each
osa rugosa hyb.—climbing.			
Max Graf.	.75	.60	
rugosa repens. Creeping Rugosa		1'	
	1.50	1.25	1.00
3 year	1.75	1.50	1.25
sericea. 4'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
setigera. Prairie Rose. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.50	.45	.40
spinosissima altaica. Altai Rose.	4'		
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
spinosissima hispida. Bristly Scot	ch Ros	e. 6'	
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
spinosissima hybrids. 5'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
Dbl. Blush, Dbl. White, D Sgl. Red, Sgl. Pink.	bl. Pi	nk, F	ulgens.
watsoniana. Watson Rose. 6' 3 to 4 ft	1.25	1.00	
wichuraiana. Wichurian Rose.	2'		
2 year	.40	.35	.30
3 year	.50	.45	.40
wichuraiana hybrids. 2'			
2 year	.75	.60	.50
Jersey Beauty, Sweetheart,	Univer		
orite, Manda's Triumph, Perfection, Evergreen Gem.	South	Orar	ige

1-4 5-24 25 & up Each Each .50 .75 .60 .60 .50 .65 .75 .60 .50 1.00 .75 .60

## ROSES

Hybrid Perpetuals. 2 year No. 1..............................60 J. B. Clark Anne de Diesbach Baroness Rothchild Mme. Albert Barbier Baron de Bonstettin Mrs. John Laing Earl of Dufferin Magna Charta Clio M. P. Wilder Eugene Furst Margaret Dickson Paul Neyron Frau Karl Druschki Tom Wood Gen. Jacqueminot Ulrich Brunner Geo. Arends Hybrid Tea. 2 year No. 1 ...... Betty Uprichard Madame Butterfly Chas. K. Douglas Mrs. Henry Bowles Etoile de France Mrs. Henry Morse Gruss an Teplitz Pres. Hoover Jonkheer J. L. Mock Radiance Killarnev Rev. F. Page-Roberts Lady Alice Stanley Sunburst Lady Hillingdon White Killarnev Mad. Abel Chatenay Willowmere American Beauty Mad. Gregoire Staechelin Mary Wallace American Pillar Aviateur Bleriot Paul's Scarlet Climber Dr. W. Van Fleet Roserie Dorothy Perkins Silver Moon Star of Persia Excelsa Gardenia White Dorothy Perkins Hiawatha Else Poulsen Ideal Gloria Mundi Katherine Zeimet Golden Salmon Lafayette woodsi. Wood's Rose. 5' 2 to 3 ft..... 3 to 4 ft..... xanthina Allard. 10' 2 to 3 ft..... 2.00 xanthina spontanea. Sgl. Korean Rose. 10'

2 to 3 ft.....

Rubus deliciosus. Boulder Raspberry.	1-4 Each 5'	5-24 Each	25 & up Each
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
dumetorum. European Dewberry.	2'		
2 year	z.50	.40	.35
		.40	.50
	6 <b>'</b>		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
phoenicolasius. Wineberry. 8'			
3 to 4 ft	1.00	.75	
Salix amygdaloides. Peachleaf Willow	, 20	,	
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
babylonica. Babylon Weeping Wil		50'	1.00
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1¼ to 1½ in	2.25	2.00	
babylonica crispa. Ringleaf Weep	ing V	Villow.	<i>30</i> ′
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.00	3.50	
babylonica dolorosa. Wisconsin Wea	enin a	Willow	v. 40'
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1½ to 1½ in	2.25	2.00	1.75
babylonica salamoni. Salamon Wee		Willou	
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1½ to ½ in	2.50	2.25	2.00
1½ to 1¾ in	2.75	2.50	
134 to 2 in	3.50	3.00	
2 to 2½ in	5.00	4.00	
2½ to 3 in	7.50	5.00	
	10.00	7.50	
caprea. $Goat\ Willow.\ 20'$			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
8 to 10 ft	1.25	1.00	.90
discolor. Pussy Willow. 20'			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.65
8 to 10 ft	1.25	1.00	.90

	1-4 Each	5-24 Each	25 & up Each
Salix			
doniana. 9'		4.05	1.00
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
elegantissima. Thurlow Weeping	Willo	w. 50'	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
1¼ to 1½ in	2.50	2.25	1.75
1½ to 1¾ in	2.75	2.50	2.00
13/4 to 2 in	3.00	2.75	2.50
2 to 2½ in	4.00	3.50	3.00
fragilis. Brittle Willow. 50'			
3 to 4 ft	1.50		
fragilis repandens. 10'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
incana. syn. rosmarinifolia. $Rosem$	uary	Willow.	. 20 <b>'</b>
3 to 4 ft. shrub form	.55	.45	.40
4 to 5 ft. shrub form	.65	.55	.50
5 to 6 ft. shrub form	.75	.65	.60
6 to 8 ft. shrub form	1.00	.75	.70
irrorata. Bluestem Willow. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
jessoensis. 6'	2.00	1.00	1.20
3 to 4 ft	2.00	1.50	1.25
	2.00 $2.25$	1.75	1.50
4 to 5 ft	2.25 $2.50$	2.00	1.75
0 00 0 200	2.30	2.00	1.70
lucida. Shining Willow. 18'			
2 to 3 ft	1.50		
mandshurica. 30'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
matsudana. Hankow Willow. 35'			
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	2.50	2.00	
13/4 to 2 in	3.50	3.00	

	1-4 Each	5-24 Each	25 & up Each
Salix	Lucii	Eden	Lucii
matsudana tortuosa. 20'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
mutabilis. 6'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	
myricoides rigida. 9'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
nigricans cotinifolia. 12'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
niobe. Niobe Weeping Willow. 30	o'		
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	2.75	2.50	2.25
1½ to 1¾ in	2.50	2.00	
13/4 to 2 in	3.00	2.50	
2 to 2½ in	4.00	3.50	
patula. 20'			
3 to 4 ft	1.50		
pentandra. Laurel Willow. 30'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1½ to 1½ in	2.00	1.75	1.40
1½ to 1¾ in	2.25	2.00	
13/4 to 2 in	3.00	2.50	
purpurea nana. Dwf. Purple Osie	r. 5'		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
regalis. Royal Willow. 30'			
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.75	1.50	
sieboldiana. Siebold Willow. 30'			
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.75	1.50	1.25
smithiana. 20'			
2 to 3 ft	1.50	1.25	
3 to 4 ft,	1.75	1.50	

a ::	1-4 Each	5-24 Each	25 & up Each
Salix			
uralensis. 15'		0.5	
5 to 6 ft	.75	.65	.50
6 to 8 ft	1.00	.90	.75
vitellina. Golden Willow. 30'			
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.75	1.50	1.25
1¼ to 1½ in	2.00	1.75	1.40
1½ to 1¾ in	2.50	2.00	1.60
13/4 to 2 in	3.00	2.50	2.00
vitellina britzensis. Bronze Golde	m Wi	llow.	30'
6 to 8 ft	1.50	1.25	90
8 to 10 ft	1.75	1.50	
1½ to 1¾ in	2.50	2.00	
1 <sup>3</sup> / <sub>4</sub> to 2 in	3.00	2.50	
2 to 2½ in	3.50	3.00	
vitellina glauca. Blue Russian Wi		20'	
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
		1,20	1.00
vitellina pendula. Golden Weeping	,		
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	2.25	2.00
134 to 2 in	3.00	2.75	2.50
wentworthi. 50'			
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	2.25	2.00	1.50
13/4 to 2 in	2.75	2.50	2.00
2 to 2½ in	3.50	3.00	2.50
Sambucus canadensis. American Elde	er. 16	) <b>'</b>	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
canadensis acutiloba. Cutleaved	Elder.	10'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75

	1-4 Each	<b>5-24</b> Each	25 & up Each
Sambucus			
nigra. European Elder. 15'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
nigra aurea. Golden European Ele	ler. 1	5'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
nigra variegata. Variegated Elde	r. 10	,	
3 to 4 ft	.75	.60	
pubens. Scarlet Elder. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
5 to 6 ft	1.00	.75	.65
pubens leucocarpa. Yellow-fruite	ed $Eld$	er. 8'	,
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
racemosa. European Red Elder.	8'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
Sassafras variifolium. Sassafras. 50'			
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
10 to 12 ft	6.00	5.00	
Schizophragma hydrangeoides.			
Japanese Hydrangea-vine	20'		
from pots	1.00	.85	.75
Sciadopitys verticillata. Umbrella Pin	ne. 60	,	
10 ft. specB&B			
Shepherdia argentea. Silver Buffalob		15 <b>'</b>	
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	,
6 to 8 ft	1.50	1.25	
canadensis. Russet Buffaloberry.	8'		
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.50	1.25	1.00
Smilax rotundifolia. Horsebrier.			
18 to 24 in	.50	.40	
2 to 3 ft	.60	.50	.40

2 year	Solanum dulc	amara.	True Bitterswee	1-4 Each	5-24 Each	25 & up Each
2 to 3 ft. B&B 3.50 3.25 3.00 3 to 4 ft. B&B 4.50 4.00 3.50 4 to 5 ft. B&B 6.00 5.50 5.00 5 to 6 ft. B&B 8.50 7.50 6.50 6 to 8 ft. B&B 10.00 8.50  **Yicifolia.** Vetchleaf Sophora.** 6' 3 to 4 ft. B&B 5.00  **Sorbaria aitchisoni.** Kashmir False Spiraea.** 8' 3 to 4 ft. 50 4.0 3.5 4 to 5 ft. 66 5.55 5.50 5 to 6 ft. 8.50 4.0 3.5 4 to 5 ft. 6.5 5.5 5.50 5 to 6 ft. 8.50 4.0 3.5 1 to 4 ft. 6.5 5.5 5.50 5 to 6 ft. 8.50 4.0 3.5 1 to 4 ft. 6.5 5.5 5.50 5 to 6 ft. 8.50 4.0 3.5 1 to 4 ft. 6.5 5.5 5.50 5 to 6 ft. 8.50 5.50 5 to 6 ft. 75 6.5  **Sorbifolia.** Ural False Spiraea.** 6' 2 to 3 ft. 40 3.0 2.5 3 to 4 ft. 55 6.5 5.50 5 to 6 ft. 75 6.5 6.6  **Sorbus americana** American Mountain Ash. 25' 5 to 6 ft. 75 6.5 6.0  **Sorbus americana** American Mountain Ash. 25' 5 to 6 ft. 8 ft. 8.00 2.50 8 to 10 ft. 4.00 3.50 1½ to 1½ in. 5.00 4.50  **aria latifolia.** White Beam-tree.** 40 6 to 8 ft. 2.50 2.00 6 to 8 ft. 2.50 2.00 8 to 10 ft. 3.00 2.50 1¼ to 1½ in. 3.50 3.00 1½ to 1¾ in. 4.00 3.50 1¾ to 1½ in. 3.50 3.00					.30	.25
2 to 3 ft. B&B 3.50 3.25 3.00 3 to 4 ft. B&B 4.50 4.00 3.50 4 to 5 ft. B&B 6.00 5.50 5.00 5 to 6 ft. B&B 8.50 7.50 6.50 6 to 8 ft. B&B 10.00 8.50  **Yicifolia.** Vetchleaf Sophora.** 6' 3 to 4 ft. B&B 5.00  **Sorbaria aitchisoni.** Kashmir False Spiraea.** 8' 3 to 4 ft. 50 4.0 3.5 4 to 5 ft. 66 5.55 5.50 5 to 6 ft. 8.50 4.0 3.5 4 to 5 ft. 6.5 5.5 5.50 5 to 6 ft. 8.50 4.0 3.5 1 to 4 ft. 6.5 5.5 5.50 5 to 6 ft. 8.50 4.0 3.5 1 to 4 ft. 6.5 5.5 5.50 5 to 6 ft. 8.50 4.0 3.5 1 to 4 ft. 6.5 5.5 5.50 5 to 6 ft. 8.50 5.50 5 to 6 ft. 75 6.5  **Sorbifolia.** Ural False Spiraea.** 6' 2 to 3 ft. 40 3.0 2.5 3 to 4 ft. 55 6.5 5.50 5 to 6 ft. 75 6.5 6.6  **Sorbus americana** American Mountain Ash. 25' 5 to 6 ft. 75 6.5 6.0  **Sorbus americana** American Mountain Ash. 25' 5 to 6 ft. 8 ft. 8.00 2.50 8 to 10 ft. 4.00 3.50 1½ to 1½ in. 5.00 4.50  **aria latifolia.** White Beam-tree.** 40 6 to 8 ft. 2.50 2.00 6 to 8 ft. 2.50 2.00 8 to 10 ft. 3.00 2.50 1¼ to 1½ in. 3.50 3.00 1½ to 1¾ in. 4.00 3.50 1¾ to 1½ in. 3.50 3.00	Sophora japo	nica. Ci	hinese Scholartre	e 25'		
3 to 4 ft. B&B 4.50 4.00 3.50 4 to 5 ft. B&B 6.00 5.50 5.00 5 to 6 ft. B&B 8.50 7.50 6.50 6 to 8 ft. B&B 10.00 8.50 5 to 6 ft. spec. B&B 12.50 6 to 8 ft. spec. B&B 12.50 6 to 8 ft. Spec. B&B 15.00  vicifolia. Vetchleaf Sophora. 6' 3 to 4 ft. Sophora. 6' 3 to 4 ft. Sophora. 6' 3 to 4 ft. Sophora. 6' 3 to 6 ft. 75 65 .55 .50 5 to 6 ft. 75 .65 .60  arborea glabrata. 15' 3 to 4 ft60 .50 .40 4 to 5 ft65 .55 .50 5 to 6 ft75 .60 .50 6 to 8 ft. 1.00 .85 .75  lindleyana. Lindley False Spiraea. 8' 3 to 4 ft55 .45 .40 4 to 5 ft55 .50 5 to 6 ft75 .65  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft50 .40 .35 4 to 5 ft50 .40 .35 4 to 5 ft50 .40 .35 4 to 5 ft50 .40 .35 5 to 6 ft75 .65 .60  Sorbus americana American Mountain Ash. 25' 5 to 6 ft75 .65 .60  Sorbus americana American Mountain Ash. 25' 5 to 6 ft75 .65 .60  Sorbus americana American Mountain Ash. 25' 5 to 6 ft75 .65 .60  Sorbus americana American Mountain Ash. 25' 5 to 6 ft30 .250 .45 5 to 6 ft30 .250 .200 6 to 8 ft300 .250 8 to 10 ft400 .350 1½ to 1½ in300 .250 8 to 10 ft300 .250 1¼ to 1½ in300 .250					3.25	3.00
4 to 5 ft. B&B 6.00 5.50 5.00 5 to 6 ft. B&B 8.50 7.50 6.50 6 to 8 ft. B&B 10.00 8.50 5 to 6 ft. Spec. B&B 12.50 6 to 8 ft. Spec. B&B 12.50 6 to 8 ft. Spec. B&B 15.00  vicifolia. Vetchleaf Sophora. 6' 3 to 4 ft. B&B 5.00  Sorbaria aitchisoni. Kashmir False Spiraea. 8' 3 to 4 ft. 50 .40 .35 4 to 5 ft. 65 .55 .50 5 to 6 ft. 75 .65 .60  arborea glabrata. 15' 3 to 4 ft. 60 .50 .40 4 to 5 ft. 65 .55 .70 .60 5 to 6 ft. 85 .70 .60 6 to 8 ft. 1.00 .85 .75  lindleyana. Lindley False Spiraea. 8' 3 to 4 ft55 .45 .40 4 to 5 ft55 .50 5 to 6 ft75 .65  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft55 .50 3 to 4 ft55 .40 3 to 4 ft55 .40 5 to 6 ft75 .65  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft50 .40 .35 4 to 5 ft50 .40 .35 4 to 5 ft55 .50 .50 5 to 6 ft75 .65  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft40 .30 .25 3 to 4 ft50 .40 .35 4 to 5 ft30 .25 5 to 6 ft30 .250 8 to 10 ft40 .30 .250 11/4 to 11/2 in300 .250 11/4 to 11/2 in3.50 .300 11/2 to 13/4 in400 .350 11/4 to 11/2 in3.50 .300						
5 to       6 ft.       B&B 8.50       7.50       6.50         6 to       8 ft.       B&B 10.00       8.50         5 to       6 ft. spec.       B&B 12.50         6 to       8 ft. spec.       B&B 15.00         vicifolia. Vetchleaf Sophora. 6'         3 to       4 ft.       B&B 5.00         Sorbaria aitchisoni. Kashmir False Spiraea.       8'         3 to       4 ft.       .50       .40         4 to       5 ft.       .65       .55       .50         5 to       6 ft.       .65       .55       .50         arborea glabrata.       15'       .60       .50       .40         4 to       5 ft.       .75       .60       .50         5 to       6 ft.       .85       .70       .60         6 to       8 ft.       1.00       .85       .75         lindleyana.       Lindley False Spiraea.       8'         3 to       4 ft.       .55       .45       .40         4 to       5 ft.       .65       .55       .50         5 to       6 ft.       .55       .50         5 to       6 ft.       .75       .65       .60	4 to					
6 to 8 ft. spec. B&B 10.00 8.50 6 to 8 ft. spec. B&B 12.50 6 to 8 ft. spec. B&B 15.00  vicifolia. Vetchleaf Sophora. 6' 3 to 4 ft. B&B 5.00  Sorbaria aitchisoni. Kashmir False Spiraea. 8' 3 to 4 ft. 50 .40 .35 4 to 5 ft. 65 .55 .50 5 to 6 ft. 7.75 .65 .60  arborea glabrata. 15' 3 to 4 ft60 .50 .40 4 to 5 ft60 .50 .50 5 to 6 ft75 .60 .50 5 to 6 ft75 .60 .50 5 to 6 ft85 .70 .60 6 to 8 ft. 1.00 .85 .75  lindleyana. Lindley False Spiraea. 8' 3 to 4 ft55 .45 .40 4 to 5 ft55 .55 .50 5 to 6 ft75 .65  Sorbifolia. Ural False Spiraea. 6' 2 to 3 ft75 .65  sorbifolia. Ural False Spiraea. 6' 2 to 3 ft90 .40 .35 4 to 5 ft50 .40 .35 5 to 6 ft75 .65  Sorbus americana American Mountain Ash. 25' 5 to 6 ft. 2.50 2.00 6 to 8 ft. 3.00 2.50 8 to 10 ft. 4.00 3.50 1½ to 1½ in. 5.00 4.50  aria latifolia. White Beam-tree. 40 6 to 8 ft. 2.50 2.00 8 to 10 ft. 3.00 2.50 1¼ to 1½ in. 3.50 3.00 1½ to 1¾ in. 4.00 3.50 1¼ to 1½ in. 3.50 3.00 1½ to 1¾ in. 4.00 3.50 1¼ to 1½ in. 3.50 3.00 1½ to 1¾ in. 4.00 3.50 1¼ to 1½ in. 3.50 3.00 1½ to 1¾ in. 4.00 3.50 1¾ to 1½ to 1¾ in. 4.00 3.50 1¾ to 1½ to 1¾ in. 4.00 3.50 1¾ to 1½ to 1¾ in. 4.00 3.50						
5 to 6 ft. spec.       B&B 12.50         6 to 8 ft. spec.       B&B 15.00         vicifolia. Vetchleaf Sophora. 6'         3 to 4 ft.       B&B 5.00         Sorbaria aitchisoni. Kashmir False Spiraea. 8'         3 to 4 ft.       .50 .40         .35       .4 to 5 ft.         .65       .55         .50       .50         .50       .50         .50       .50         .50       .40         .55       .65         .60       .50         .50 <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td>						0.00
vicifolia. Vetchleaf Sophora. 6'           3 to 4 ft.         B&B 5.00           Sorbaria aitchisoni. Kashmir False Spiraea. 8'           3 to 4 ft.         .50 .40 .35           4 to 5 ft.         .65 .55 .50           5 to 6 ft.         .75 .65 .60           arborea glabrata. 15'           3 to 4 ft.         .60 .50 .40           4 to 5 ft.         .75 .60 .50           5 to 6 ft.         .85 .70 .60           6 to 8 ft.         1.00 .85 .75           lindleyana. Lindley False Spiraea. 8'           3 to 4 ft.         .55 .45 .40           4 to 5 ft.         .65 .55 .50           5 to 6 ft.         .75 .65           sorbifolia. Ural False Spiraea. 6'           2 to 3 ft.         .40 .30 .25           3 to 4 ft.         .50 .40 .35           4 to 5 ft.         .50 .40 .35           4 to 5 ft.         .50 .40 .35           4 to 5 ft.         .50 .40 .35           5 to 6 ft.         .50 .40 .35           4 to 5 ft.         .50 .40 .35           5 to 6 ft.         .50 .40 .35           6 to 8 ft.         .50 .40 .35           5 to 6 ft.         .50 .40 .35           6 to 8 ft.					0.00	
vicifolia. Vetchleaf Sophora. 6'         3 to 4 ft.       B&B 5.00         Sorbaria aitchisoni. Kashmir False Spiraea. 8'         3 to 4 ft.       .50 .40       .35         4 to 5 ft.       .65 .55 .50       .50         5 to 6 ft.       .75 .65 .60       .60         arborea glabrata. 15'         3 to 4 ft.       .60 .50 .40         4 to 5 ft.       .75 .60 .50         5 to 6 ft.       .85 .70 .60         6 to 8 ft.       .100 .85 .75         lindley False Spiraea. 8'         3 to 4 ft.       .55 .45 .40         4 to 5 ft.       .65 .55 .50         5 to 6 ft.       .75 .65         sorbifolia. Ural False Spiraea. 6'         2 to 3 ft.       .40 .30 .25         3 to 4 ft.       .50 .40 .35         4 to 5 ft.       .65 .50 .40         5 to 6 ft.       .75 .65 .60         Sorbifolia. Ural False Spiraea. 6'         2 to 3 ft.       .40 .30 .25         3 to 4 ft.       .50 .40 .35         4 to 5 ft.       .50 .40 .35         5 to 6 ft.       .50 .40 .35         6 to 8 ft.       .2.50 .2.00         6 to 8 ft.       .2.50 .2.00						
3 to 4 ft.         B&B 5.00           Sorbaria aitchisoni.         Kashmir False Spiraea.         8'           3 to 4 ft.         .50         .40         .35           4 to 5 ft.         .75         .65         .60           arborea glabrata.         15'           3 to 4 ft.         .60         .50         .40           4 to 5 ft.         .75         .60         .50           5 to 6 ft.         .85         .70         .60           6 to 8 ft.         1.00         .85         .75           lindley False Spiraea.         8'           3 to 4 ft.         .55         .45         .40           4 to 5 ft.         .65         .55         .50           5 to 6 ft.         .75         .65         .65           sorbifolia.         Ural False Spiraea.         6'           2 to 3 ft.         .40         .30         .25           3 to 4 ft.         .50         .40         .35           4 to 5 ft.         .65         .50         .45           5 to 6 ft.         .50         .45           5 to 6 ft.         .2.50         .20 <td></td> <td></td> <td>•</td> <td>10.00</td> <td></td> <td></td>			•	10.00		
Sorbaria aitchisoni.         Kashmir False Spiraea.         8'           3 to 4 ft.         .50         .40         .35           4 to 5 ft.         .65         .55         .50           5 to 6 ft.         .75         .65         .60           arborea glabrata.         15'           3 to 4 ft.         .60         .50         .40           4 to 5 ft.         .75         .60         .50           5 to 6 ft.         .85         .70         .60           6 to 8 ft.         1.00         .85         .75           lindleyana.         Lindley False Spiraea.         8'           3 to 4 ft.         .55         .45         .40           4 to 5 ft.         .65         .55         .50           5 to 6 ft.         .75         .65           sorbifolia.         Ural False Spiraea.         6'           2 to 3 ft.         .40         .30         .25           3 to 4 ft.         .50         .40         .35           4 to 5 ft.         .65         .50         .45           5 to 6 ft.         .250         .20           6 to 8 ft.         3.00         2.50 <td></td> <td></td> <td></td> <td>5.00</td> <td></td> <td></td>				5.00		
3 to 4 ft					of	
4 to 5 ft				*		. 25
5 to 6 ft.       .75       .65       .60         arborea glabrata.       15'         3 to 4 ft.       .60       .50       .40         4 to 5 ft.       .75       .60       .50         5 to 6 ft.       .85       .70       .60         6 to 8 ft.       1.00       .85       .75         lindleyana.       Lindley False Spiraea.       8'         3 to 4 ft.       .55       .45       .40         4 to 5 ft.       .65       .55       .50         5 to 6 ft.       .75       .65       .65         sorbifolia.       Ural False Spiraea.       6'         2 to 3 ft.       .40       .30       .25         3 to 4 ft.       .50       .40       .35         4 to 5 ft.       .65       .50       .45         5 to 6 ft.       .25       .20         6 to 8 ft.       .250       2.00         6 to 8 ft.       .300       2.50         8 to 10 ft.       .400       3.50         1½ to 1½ in.       .500       2.50         1¼ to 1½ in.       .350       3.00         1¼ to 1½ in.       .350       3.00	0 00					
arborea glabrata.       15'         3 to 4 ft.       .60       .50       .40         4 to 5 ft.       .75       .60       .50         5 to 6 ft.       .85       .70       .60         6 to 8 ft.       1.00       .85       .75         lindley False Spiraea.       8'         3 to 4 ft.       .55       .45       .40         4 to 5 ft.       .65       .55       .50         5 to 6 ft.       .75       .65       .50         sorbifolia. Ural False Spiraea. 6'         2 to 3 ft.       .40       .30       .25         3 to 4 ft.       .50       .40       .35         4 to 5 ft.       .65       .50       .45         5 to 6 ft.       .75       .65       .60         Sorbus americana American Mountain Ash. 25'         5 to 6 ft.       2.50       2.00         6 to 8 ft.       3.00       2.50         8 to 10 ft.       4.00       3.50         1¼ to 1½ in.       5.00       4.50         aria latifolia. White Beam-tree. 40       40         6 to 8 ft.       2.50       2.00         8 to 10 ft.       3.50						
3 to 4 ft				.75	.00	.00
4 to 5 ft.       .75       .60       .50         5 to 6 ft.       .85       .70       .60         6 to 8 ft.       1.00       .85       .75         lindley ana. Lindley False Spiraea. 8'         3 to 4 ft.       .55       .45       .40         4 to 5 ft.       .65       .55       .50         5 to 6 ft.       .75       .65         sorbifolia. Ural False Spiraea. 6'         2 to 3 ft.       .40       .30       .25         3 to 4 ft.       .50       .40       .35         4 to 5 ft.       .65       .50       .45         5 to 6 ft.       .75       .65       .60         Sorbus americana American Mountain Ash. 25'         5 to 6 ft.       2.50       2.00         6 to 8 ft.       3.00       2.50         8 to 10 ft.       4.00       3.50         1½ to 1½ in.       5.00       4.50         aria latifolia.       White Beam-tree.       40         6 to 8 ft.       2.50       2.00         8 to 10 ft.       3.00       2.50         1¼ to 1½ in.       3.50       3.00         1¼ to 1¾ in.       4.00       3.50 <td>_</td> <td>-</td> <td>20</td> <td></td> <td></td> <td></td>	_	-	20			
5 to 6 ft.       .85       .70       .60         6 to 8 ft.       1.00       .85       .75         lindley ana. Lindley False Spiraea. 8'         3 to 4 ft.       .55       .45       .40         4 to 5 ft.       .65       .55       .50         5 to 6 ft.       .75       .65       .50         sorbifolia. Ural False Spiraea. 6'         2 to 3 ft.       .40       .30       .25         3 to 4 ft.       .50       .40       .35         4 to 5 ft.       .65       .50       .45         5 to 6 ft.       .75       .65       .60         Sorbus americana American Mountain Ash. 25'         5 to 6 ft.       2.50       2.00         6 to 8 ft.       3.00       2.50         8 to 10 ft.       4.00       3.50         1½ to 1½ in.       5.00       4.50         aria latifolia. White Beam-tree. 40       40         6 to 8 ft.       2.50       2.00         8 to 10 ft.       3.00       2.50         1¼ to 1½ in.       3.50       3.00         1¼ to 1½ in.       3.50       3.00         1¼ to 1¾ in.       4.00       3.50 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Sorbus americana   American Mountain   Ash   25'				.75		.50
lindleyana. Lindley False Spiraea. 8'   3 to 4 ft	5 to	6 ft		.85	.70	.60
3 to 4 ft	6 to	8 ft		1.00	.85	.75
4 to 5 ft	lindleyan	a. Lind	lley False Spirae	ea. 8'		
5 to 6 ft.       .75 .65         sorbifolia. Ural False Spiraea. 6'         2 to 3 ft.       .40 .30 .25         3 to 4 ft.       .50 .40 .35         4 to 5 ft.       .65 .50 .45         5 to 6 ft.       .75 .65 .60         Sorbus americana American Mountain Ash. 25'         5 to 6 ft.       2.50 2.00         6 to 8 ft.       3.00 2.50         8 to 10 ft.       4.00 3.50         1¼ to 1½ in.       5.00 4.50         aria latifolia. White Beam-tree. 40         6 to 8 ft.       2.50 2.00         8 to 10 ft.       3.00 2.50         1¼ to 1½ in.       3.50 3.00         1¼ to 1½ in.       3.50 3.00         1¼ to 1½ in.       3.50 3.00         1½ to 1¾ in.       4.00 3.50         1¾ to 2 in.       5.00 4.50	3 to	4 ft		.55	.45	.40
sorbifolia. Ural False Spiraea. 6'           2 to 3 ft.         .40 .30 .25           3 to 4 ft.         .50 .40 .35           4 to 5 ft.         .65 .50 .45           5 to 6 ft.         .75 .65 .60           Sorbus americana American Mountain Ash. 25'           5 to 6 ft.         2.50 2.00           6 to 8 ft.         3.00 2.50           8 to 10 ft.         4.00 3.50           1¼ to 1½ in.         5.00 4.50           aria latifolia. White Beam-tree. 40           6 to 8 ft.         2.50 2.00           8 to 10 ft.         3.00 2.50           1¼ to 1½ in.         3.50 3.00           1¼ to 1½ in.         3.50 3.00           1¼ to 1¾ in.         4.00 3.50           1¾ to 2 in.         5.00 4.50	4 to	5 ft		.65	.55	.50
2 to 3 ft	5 to	6 ft		.75	.65	
3 to 4 ft	sorbifolia			6'		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2 to			.40	.30	.25
5 to 6 ft.       .75       .65       .60         Sorbus americana       American Mountain Ash.       25'         5 to 6 ft.       2.50 2.00       2.50         6 to 8 ft.       3.00 2.50       3.50         1½ to 1½ in.       5.00 4.50         aria latifolia.       White Beam-tree.       40         6 to 8 ft.       2.50 2.00         8 to 10 ft.       3.00 2.50         1¼ to 1½ in.       3.50 3.00         1½ to 1¾ in.       4.00 3.50         1¾ to 2 in.       5.00 4.50	3 to			.50	.40	.35
Sorbus americana         American Mountain Ash.         25'           5         to 6         ft.         2.50         2.00           6         to 8         ft.         3.00         2.50           8         to 10         ft.         4.00         3.50           1½ to 1½ in.         5.00         4.50           aria latifolia.         White Beam-tree.         40           6         to 8         ft.         2.50         2.00           8         to 10         ft.         3.00         2.50           1¼ to 1½ in.         3.50         3.00           1½ to 1¾ in.         4.00         3.50           1¾ to 2         in.         5.00         4.50	4 to	5 ft		.65	.50	.45
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	<b>5</b> to	6 ft		.75	.65	.60
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Sorbus americana American Mountain Ash. 25'					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5	to 6	ft	2.50	2.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. $5.00$ 4.50         aria latifolia.       White Beam-tree. $40$ 6 to 8 ft. $2.50$ 2.00         8 to 10 ft. $3.00$ 2.50 $1\frac{1}{4}$ to $1\frac{1}{2}$ in. $3.50$ 3.00 $1\frac{1}{2}$ to $1\frac{3}{4}$ in. $4.00$ 3.50 $1\frac{3}{4}$ to 2 in. $5.00$ 4.50	6	to 8	ft	3.00	2.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. $5.00$ 4.50         aria latifolia.       White Beam-tree. $40$ 6 to 8 ft. $2.50$ 2.00         8 to 10 ft. $3.00$ 2.50 $1\frac{1}{4}$ to $1\frac{1}{2}$ in. $3.50$ 3.00 $1\frac{1}{2}$ to $1\frac{3}{4}$ in. $4.00$ 3.50 $1\frac{3}{4}$ to 2 in. $5.00$ 4.50	8	to 10	ft	4.00	3.50	
6 to 8 ft. 2.50 2.00 8 to 10 ft. 3.00 2.50 1½ to 1½ in. 3.50 3.00 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50	11/4	to 1½		5.00	4.50	
6 to 8 ft. 2.50 2.00 8 to 10 ft. 3.00 2.50 1½ to 1½ in. 3.50 3.00 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50	aria latif	olia. W	hite Beam-tree	40		
8 to 10 ft. 3.00 2.50 1½ to 1½ in. 3.50 3.00 1½ to 1¾ in. 4.00 3.50 1¾ to 2 in. 5.00 4.50					2.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in $3.50$ $3.00$ $1\frac{1}{2}$ to $1\frac{3}{4}$ in $4.00$ $3.50$ $1\frac{3}{4}$ to $2$ in $5.00$ $4.50$						
1½ to 1¾ in	_					
1 <sup>3</sup> / <sub>4</sub> to 2 in 5.00 4.50	- / -					
		to 2½	in	6.50	5.50	

	1-4 Each	5-24 Each	25 & up Each
Sorbus			
aucuparia. European Mountain A	sh.	50 <b>'</b>	
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.50	2.00
11/4 to 11/2 in	3.50	3.00	2.50
1½ to 1¾ in	4.00	3.50	3.00
13/4 to 2 in	4.50	4.00	3.50
2 to $2\frac{1}{2}$ in	6.00	5.00	4.50
	10.00	7.50	6.50
	12.50	10.00	
$3\frac{1}{2}$ to 4 in	20.00	15.00	
aucuparia columnaris. Columnar	Mt. A	4sh. 4	10'
8 to 10 ft	7.50		
aucuparia fastigiata. Pyramidal M	t. Asl	h. 40'	
8 to 10 ft	7.50	•	
commixta. Japanese Mountain A	ch 9	25'	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
10 to 12 ft	4.00	3.50	
guerrifelia Oul land Manatain	1 a h	25'	
quercifolia. Oak-leaf Mountain A	2.75	$\frac{z_0}{2.25}$	2.00
8 to 10 ft	3.50	2.75	2.50
1½ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.00	
2½ to 3 in	10.00	7.50	1
3 to 3½ in	12.50	10.00	
spuria. 15'			
6 to 8 ft	3.00	2.50	ı
8 to 10 ft	3.50	3.00	
1½ to 1½ in	4.00	3.50	
torminalis. Wild Service Tree.	50'		
6 to 8 ft	3.50	3.00	)
8 to 10 ft	4.00	3.50	)
Spirea arguta. Garland Spirea. 6' 2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60	
aitchisoni. (See Sorbaria).			

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
billiardi. Billiard Spiraea. 6'	4.0		0.5
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
bumalda. Bumalda Spiraea. 3'			
18 to 24 in	.40	.35	.30
24 to 30 in	.50	.40	.35
bumalda Anthony Waterer.			
Anthony Waterer Spiraea.	3'		
18 to 24 in	.40	.35	.30
24 to 30 in	.50	.40	.35
bumalda walluffi. 3'	45	0.5	
18 to 24 in	.45	.35	
24 to 30 in	.50	.40	
callosa alba. (See japonica ovalife	olia).		
chamaedryfolia ulmifolia. $Elmlea$	f Spir	aea.	6'
2 to 3 ft	.75		
dasyantha. 8'			
	1.25	1.00	
	1.40	1.00	
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
fortunei. Fortune Spiraea. 4'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
froebeli. Froebel Spiraea. 4'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
	.50	.40	.55
japonica. Japanese Spiraea. 6'			
18 to 24 in	.40	.30	.25
24 to 30 in	.45	.35	.30
japonica ovalifolia. White Japan	ese Sp	riraea.	3'
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.40	.35
japonica ruberrima. Pink Japane	se Sni	raea.	5'
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
		0	.50

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
latifolia syn. bethlehemensis.			
Pink Meadow Spiraea. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
lindleyana. (See Sorbaria).			
margaritae. Margarita Spiraea. 5'			
2 to 3 ft	.45	.35	.30
nipponica rotundifolia. Big Nippo	n Spi	raea.	10'
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
prunifolia. Bridal Wreath. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
pubescens. 6'			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
reevesiana. Reeves Spiraea. 8'		.00	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
reevesiana lanceata. Double Reev			8'
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
	 5'	.10	.40
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
	.60	.50	.40
2 00 0 2000	.75	.60	.50
· · · · · · · · · · · · · · · ·	.15	.00	.50
sorbifolia. (See Sorbaria).			
superba. Striped Spiraea. 4'	40	20	0.5
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
syringiflora. Lilac Spiraea. 3'	20		
18 to 24 in	.60		
thunbergi. Thunberg Spiraea. 5'	0.5	0.5	20
18 to 24 in	.35	.25	.20
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60

		1-4 Each	5-24 Each	25 & up Each
Spiraea				
	Hardhack. 4'			
2 to	3 ft	.40	.30	.25
3 to	4 ft	.50	.40	.35
trichocarpa	a. Korean Spiraea. 4'			
2 to	3 ft	.40	.30	.25
3 to	4 ft	.50	.40	.35
4 to	5 ft	.60	.50	.40
van houtte	i. Vanhoutte Spiraea.	10'		
	3 ft	.35	.25	.18
	4 ft	.40	.30	.25
	5 ft	.50	.40	.35
5 to	6 ft	.65	.55	.50
0 00		.00	.00	•00
	Veitch Spiraea. 12'	50	40	0.5
2 to	3 ft	.50	.40	.35
3 to	4 ft	.60	.50	.45
wilsoni. J	Wilson Spiraea. 6'			
3 to	4 ft	1.00	.75	.60
4 to	5 ft	1.25	1.00	.75
Stanhylea bur	nalda. Bumalda Bladder	mut	8'	
3 to	4 ft	.75	.60	.50
4 to	5 ft	1.00	.75	.60
5 to	6 ft	1.25	1.00	.75
colchica.	Colchis Bladdernut. 12			
3 to	4 ft	1.75	1.25	
4 to	5 ft	2.00	1.75	
5 to	6 ft	2.50	2.25	
6 to	8 ft	3.00	2.50	
pinnata.	European Bladdernut.	12'		
3 to	4 ft	.60	.50	
4 to	5 ft	.75	.60	
4-16-11-	American Bladdernut.	101		
trifolia. 2 to	3 ft	12 <b>'</b> .50	.40	.30
3 to		.60		
			.50	.40
4 to 5 to	5 ft	.75	.60	.50
0 00	6 ft	1.00	.75	.60
6 to	8 ft	1.25	1.00	.75
Stephanandra	flexuosa. Cutleaf Step.	hanan	dra.	g'
2 to	3 ft	.45	.35	.30
3 to	4 ft	.55	.45	,40

* * *			Ea		25 & up Each
	-		yna. Mountain Stewart		
3	to	4			
4	to	5	ft		
5	to	6	ftB&B 7.5		
6	to	8	ftB&B 10.0		
8	to	10	ftB&B 15.0	00	
penia	gyn	a g	randiflora. 15'		
5	to	6	ftB&B 10.0	00	
6	to	8	ftB&B 12.5	50	
8	to	10	ftB&B 17.5	50	
Stranvaesi					
			in., from pots 1.2		.75
18			inB&B 1.		
24	to	30	inB&B 2.5	50 2.00	
Styrax jar	oon	ica.	Japanese Snowbel <sup>1</sup> . 20'	•	
3	to	4	ftB&B 3.5		2.50
4	to	5	ftB&B 4.5		3.75
5	to	6	ftB&B 7.5		5.50
6	to	8	ftB&B 10.0		
8	to	10	ftB&B 12.5	50 10.00	
obassi	a.	Free	igrant Snowbell. 20'		
4	to	5	ftB&B 5.0	00	
5	to	6	ftB&B 7.5	50	
6	to	8	ftB&B 10.0	00	
8	to	10	ftB&B 12.5	50	
Symphoric	carr	oos	chenaulti. 5'		
$^2$	to	3	ft	40 .30	.25
3	to	4	ft	50 .40	.35
mollis	. S	Spre	eading Snowberry. 6'		
<b>2</b>	to			40 .30	.25
3	to	4	ft	50 .35	.30
occide	enta	lis.	Western Snowberry. 5	,	
2	to	3	ft	40 .35	.30
3	to	4	ft	50 .45	
4	to	5	ft	65 .55	.50
o. hey	eri				
2	to	3	ft	50 .40	
racem			Snowberry. 6'		
_	to			40 .30	
3		4		45 .35	
4	• •	5		60 .45	
5	to	6	ft	75 .60	.50

	1-4 Each	5-24 Each	25 & up Each				
Symphoricarpos							
vulgaris. Coralberry. 5'							
2 to 3 ft	40	.30	.25				
3 to 4 ft	45	.35	.30				
*Symplocos paniculata. syn. crataeg	oides.						
Asiatic Sweetleaf. 10'							
2 to 3 ft	. 1.00	.75	.60				
3 to 4 ft	. 1.25	1.00	.75				
4 to 5 ft	. 1.75	1.50	1.00				
5 to 6 ft	. 2.50	2.00	1.50				
6 to 8 ft	. 3.50	2.50	2.25				
Syringa affinis giraldi. Purple Ear	lu Lilac.	12'					
3 to 4 ft	-	1.25					
4 to 5 ft		1.50					
5 to 6 ft		2.00					
6 to 8 ft		3.00					
8 to 10 ft		4.00					
chinensis. syn. rothomagensis.	Chinese	Lilac.	10'				
2 to 3 ft		.40	.35				
3 to 4 ft		.50	.45				
4 to 5 ft		.60	.55				
5 to 6 ft		.75	.65				
6 to 8 ft		1.00	.75				
chinensis alba. White Chinese		!o'					
2 to 3 ft	1.00	.75	.60				
3 to 4 ft	. 1.25	1.00	.75				
4 to 5 ft	. 1.50	1.25	1.00				
5 to 6 ft	. 1.75	1.50					
chinensis metensis. 10'							
3 to 4 ft	. 1.25	1.00	.75				
4 to 5 ft		1.25	1.00				
5 to 6 ft		1.50					
chinensis saugeana. Purple Ch	inese L	ilac 1	10'				
2 to 3 ft		.45	.40				
3 to 4 ft		.55	.50				
4 to 5 ft		.65	.60				
5 to 6 ft		.85	.75				
6 to 8 ft		1.00	.90				
emodi. Himalayan Lilac. 8'							
3 to 4 ft	1.00	.75					
4 to 5 ft		1.00					
5 to 6 ft		1.50					

				1-4 Each	5-24 Each	25 & up Each
Syringa					20011	20011
henry	i ex	im	ea. 8'			
3	to	4	ft	2.50	2.00	
4	to	5	ft	3.00	2.50	
5	to	6	$ft.\dots\dots\dots\dots\dots$	3.50	3.00	
henry	i lu	itec	e. 8'			
3	to	4	ft	2.50	2.00	
4	to	5	ft	3.00	2.50	
5	to	6	ft	3.50	3.00	
japoni	ica.	J	apanese Tree Lilac.	20'		
3	to		ft	.75	.60	.50
4	to	5	ft	1.00	.90	.75
5	to	6	ft	1.50	1.25	1.00
6	to	8	ft	1.75	1.50	1.25
8	to	10	ft	2.50	2.25	1.75
10	to	12	ft	6.00	5.00	
12	to	15	$\mathbf{ft.}\dots\dots\dots\dots\dots$	10.00		
josika	ea.	$H^{i}$	ungarian Lilac. 10'			
2	to	3	ft	.50	.40	.35
3	to	4	$\mathbf{ft.}\dots\dots\dots\dots\dots$	.60	.50	.45
4	to	5	$\mathbf{ft.}\dots\dots\dots\dots\dots$	.75	.60	.50
5	to	6	$ft.\dots\dots\dots\dots$	1.00	.75	.60
6	to	8	ft	1.25	1.00	.75
micro	phy	ılla.	Littleleaf Lilac. 10	,		
2	to	3	ft	1.50	1.25	1.00
3	to	4	ft	2.00	1.50	1.25
4	tò	5	ft	2.50	2.00	1.50
5	to	6	ft	3.00	2.50	2.00
oblata	ι.	12'				
3	to	4	$ft.\dots\dots\dots\dots$	1.50	1.25	1.00
4	to	5	ft	1.75	1.50	1.25
5	to	6	ft	2.00	1.75	
oblata	di	lata	ata. 12'			
2	to	3	ft	1.00	.75	.60
3	to	4	ft	1.25	1.00	.75
4	to	5	ft	1.50	1.25	1.00
palibi	nia	na.	10'			
3	to	4		1.50	1.25	
4	to	5	$\mathbf{ft.}\dots\dots\dots\dots\dots\dots$	2.00	1.50	
5	to	6	ft	2.50	2.00	

				1-4 Each	5-24 Each	25 & up Each
Syringa						
pekine			Peking Lilac. 15'			
	to	5	ft	1.75	1.50	1.25
5	to	6	ft	2.50	2.00	1.75
6	to	8	ft	3.00	2.75	2.50
8	to	10	ft	4.00	3.75	3.50
10	to	12	ft	7.50	6.00	
6	to	8	ft. specB&B	10.00		
8	to	10	ft. specB&B	12.50		
persic	a.		ersian Lilac. 10'			
2	to	3	ft	.55	.45	.40
3	to	4	ft	.65	.55	.50
4	to	5	ft	.75	.65	.60
5	to	6	$\mathbf{ft.}\dots\dots\dots\dots\dots\dots$	1.00	.90	
persic	a a	lba	. White Persian Lila	c. 10'		
2	to	3	ft	.85	.75	
3	to	4	ft	1.00	.90	
pubes			Hairy Lilac. 6'			
-	to		ft	2.00	1.50	
	to		ft	2.50	2.00	
				2.50	2.00	
villosa			te Lilac. 8'			
	to		ft	.50	.40	.35
3	to	4	ft	.60	.50	.45
4	to	5	ft	.75	.60	.55
5	to	6	ft	1.00	.75	.65
6	to	8	ft	1.25	1.00	
vulga	ris.	C	ommon Purple Lilac.	15 <b>'</b>		
2	to		ft	.45	.35	.30
3	to	4	ft	.60	.50	.45
4	to	5	ft	.75	.65	.60
5	to	6	ft	1.00	.85	.75
6	to	8	ft	1.25	1.10	1.00
4	to	5	ft. clumps	4.00		
5	to	6	ft. clumps	5.00		
vulga					15'	4.5
2	to	3	ft	.60	.50	.45
3	to	4	ft	.75	.60	.55
4	to	5	ft	1.00	.75	
5	to	6	ft	1.25	1.00	
6	to	8	ft	1.50	1.25	
4	to	5	ft. clumps	4.00		
5	to	6	ft. clumps	5.00		

1-4	5-24	25 & up
Each	Each	Each

## Syringa vulgaris. Named Varieties. 15'

These hybrid lilacs are grown on their own roots in bush form. Can also be furnished in tree form in first two sizes at 25% additional

LI	-6	IO.	. 111	111	111 20	two	SIZCS	αı	20 /0	addition	iai.
2	to	3	ft.						1.00	.75	.60
3	to	4	ft.						1.25	1.00	.90
4	to	5	ft.						1.50	1.35	1.25
5	to	6	ft.						2.25	2.00	1.75
6	to	8	ft.						3.00	2.75	2.50

## Belle de Nancy-Double Rose.

2-3' 3-4' 4-5' 5-6' 6-8'

Chas. Joly-Dark Purplish Red.

3-4' 4-5' 5-6' 6-8'

Frau Dammann-Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

La Tour d'Auvergne-Double Purple. 2-3' 3-4' 4-5'

Ludwig Spaeth-Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay-Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier-Double Creamy White.

3-4' 4-5' 5-6' 6-8' 2-3'

Mad. Lemoine-Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye-Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy-Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8' Princess Alexandra-Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices. A list of varieties will be forwarded on request.

2	to	3	ft.									1.50
3	to	4	ft									2.00
4	to	5	ft.									2.50
5	to	6	ft.									3.50

yunnanensis.	Yunnan	Lilac.	10'	
3 to 4 ft.				2.00

Tamarix africana. African Tamarix.	1-4 Each 15'	5-24 Each	25 & up Each
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
	1.00	.85	.75
6 to 8 ft	1.00	.00	.13
gallica. French Tamarix. 10'			
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
gallica indica. India Tamarix.			
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
juniperina. Juniper Tamarix.	1 <i>5</i> ′		
3 to 4 ft	1.50	1.25	
odessana. Odessa Tamarix. 6'			
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
pentandra. Fivestamen Tamarix.		.00	.00
3 to 4 ft	.55	.45	.35
4 to 5 ft	.75	.60	.50
			.50
	1.00	.75	o!
tetandra purpurea. Fourstamen			<i>o'</i>
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
Taxodium ascendens. Pondcypress.			
6 to 8 ftB&B	12.50		
8 to 10 ftB&B	15.00		
10 to 12 ftB&B			
distichum. Common Baldcypress			
4 to 5 ftB&B		4.00	
5 to 6 ftB&B		5.50	
6 to 8 ftB&B	10.00	7.50	
8 to 10 ftB&B	15.00	12.50	
10 to 12 ftB&B	20.00	15.00	
Taxus baccata. English Yew. 50'			
18 inB&B	3.50	3.00	
2 ftB&B	4.50	4.00	
2½ ftB&B	6.00	5.00	
3 ftB&B	7.50	6.50	
3½ ftB&B		7.50	
baccata erecta. Broom Yew. 10'			
2 ftB&F	6.00		
2½ ft			

1-4 Each	5-24 Each	25 & up Each
Taxus		
baccata fastigiata. Irish Yew. 10'		
2 ftB&B 12.50		
3 ftB&B 15.00		
baccata repandens. Spreading English	Ven	2'
15 to 18 in. spdB&B 3.00	2.50	2.25
18 to 24 in. spd	3.50	3.25
24 to 30 in. spd B&B 5.50	5.00	4.50
30 to 36 in. spd B&B 6.50	6.00	5.50
36 to 42 in. spd	7.50	0.00
baccata washingtoni. Washington Yew	. 6'	
18 inB&B 5.00		
24 in. specB&B 10.00		
canadensis. Canada Yew. 3'		
15 to 18 in. spdB&B 2.50	2.25	
cuspidata. Japanese Yew. 10'		
15 to 18 in. spd B&B 2.75	2.50	2.25
18 to 24 in. spdB&B 3.75		3.25
2 to 2½ ft. spdB&B 5.00		4.50
2½ to 3 ft. spdB&B 6.50		5.00
3 to 3½ ft. spdB&B 10.00		6.50
3½ to 4 ft. spdB&B 12.50		0.00
4 to 4½ ft. spdB&B 15.00		
4½ to 5 ft. spdB&B 20.00		
5 to 6 ft. specB&B 40.00		
6 to 7 ft. spec B&B 50.00		
_		
cuspidata aurescens. Golden Japanese		20'
18 inB&B 5.00		
cuspidata brevifolia. Dwarf Japanese		
15 to 18 inB&B 3.75		2.75
18 to 24 inB&B 5.00		
24 to 30 inB&B 7.50		
30 to 36 inB&B 10.00		
36 to 42 inB&B 12.50	•	
cuspidata brevifolia compacta. $6'$		
18 to 24 inB&B 6.00		
24 to 30 inB&B 7.50		
cuspidata capitata. Upright Japanese	Yew.	25 <b>'</b>
18 inB&B 2.75		2.25
2 ftB&B 4.00	3.50	3.00
<b>2</b> ½ ftB&B 5.50	5.00	4.50
3 ftB&B 7.50	6.50	5.50

		1-4 Each	5-24 Each	25 & up Each
Taxus cus	pidata capitata	Lucii	Eden	Lucii
31,	⁄2 ftB&B	10.00	8.50	7.50
4	ftB&B	12.50	10.00	9.00
41,	½ ftB&B	15.00		
5	ftB&B	20.00		
interm	edia. Hybrid Yew. 12'			
	to 24 inB&B	4.00	3.50	
24	to 30 in	5.00	4.50	
	hicksi. Hicks Yew. 20'			
	to 24 inB&B	4.00	3.50	
	to 30 in	5.00		
	to 36 inB&B	7.50		
30	to 50 m	1.50	0.00	
Tecoma.	(See Bignonia).			
Thuja occi	dentalis. American Arbor	vitae.	40'	
3	ftB&B	3.00	2.75	2.50
4	ftB&B	4.00	3.75	3.50
4	ft. heavy spec B&B	6.00		
5	ftB&B	5.50	5.00	4.75
5	ft. heavy spec. B&B			
6	ftB&B	7.50	6.50	6.25
6	ft. heavy specB&B	10.00		
7	ftB&B		8.50	7.50
7	ft. heavy specB&B	12.50		
8	ft	12.50	10.00	8.50
8	ft. heavy specB&B	15.00		
9	ftB&B		12.50	10.00
10	ftB&B	17.50	15.00	12.50
10	ft. heavy specB&B	20.00		
Fo	or larger sizes to 18 ft., add	\$5.00	per foc	ot.
	ntalis aurea douglasi.			
	ouglas Golden Arborvitae.	15'	2.00	0.50
3	ftB&B	3.50		2.50
4	ftB&B	4.50		3.50
5	ft	6.00		5.00
6	ftB&B	7.50		6.00
7	ftB&B			7.50
8	ftB&B			
9	ftB&B	15.00	12.50	

For larger sizes to 16 ft., add \$5.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Thuja	Eden	Eden	Egch
occidentalis columbia. Silver-tippe	ed Ari	borvitae	. 40'
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.00	4.00
6 ftB&B	7.50	6.00	
7 ftB&B	8.50	7.00	
8 ftB&B	10.00	8.00	
9 ftB&B	12.50	10.00	
For larger sizes to 14 ft., add	\$5.00	per foo	t.
occidentalis compacta. Compact	Arbo	rvitae.	4'
15 inB&B	1.75	1.50	1.25
18 inB&B	2.00	1.75	1.60
24 inB&B	2.50	2.00	1.85
30 inB&B	3.00	2.50	2.25
<b>36</b> in	4.00	3.00	2.75
42 in	5.00	4.50	4.00
48 inB&B	7.50	6.50	
occidentalis compacta. Parsons	Arbor	vitae.	10'
2½ ftB&B	2.75	2.25	2.00
3 ftB&B	4.00	3.00	2.50
3½ ftB&B	4.50	3.50	3.00
4 ftB&B	5.00	4.00	3.50
4½ ftB&B	6.00	5.00	
5 ftB&B	7.50	6.00	
5½ ftB&B	8.50	7.50	
6 ftB&B	10.00	8.00	
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
9 ftB&B	18.00	15.00	
occidentalis cristata. 15'			
3 ftB&B	5.00		
4 ftB&B	7.50		
occidentalis elegantissima. 15'			
2 ftB&B	2.75	2.50	2.25
3 ftB&B	3.50	3.00	2.75
4 ftB&B	4.50	4.00	3.75
5 ft	5.00	4.50	4.25
6 ftB&B	6.50	5.50	5.00
7 ftB&B	9.00	7.50	6.00
8 ftB&B	10.00	9.00	7.50
9 ftB&B	12.50	10.00	9.00
For larger sizes to 15 ft., add	\$5.00	per foo	t.

	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis ellwangeriana.	_		
Tom Thumb Arborvitae. 6			
2 ftB&B	2.50	2.00	1.75
2½ ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
3½ ftB&B	4.50	4.00	3.50
4 ftB&B	5.00	4.50	4.00
4½ ftB&B	6.50	5.50	5.00
5 ftB&B	9.00	7.50	
occidentalis ericoides Heath Arb	orvita	ie. 5'	
3 ftB&B	3.50	3.00	
occidentalis globosa. Globe Arbo			
18 in	2.00	1.75	1.60
24 inB&B	2.50	2.25	2.00
30 inB&B	3.00	2.50	2.25
36 inB&B	3.50	3.00	2.50
42 inB&B	5.00	4.00	
occidentalis hoveyi. Hovey Golder	Arh	ornitae	. 8'
18 inB&B	2.25	2.00	1.75
2 ft	2.50	2.25	2.00
2½ ft	3.00	2.50	2.25
3 ft	3.50	3.00	2.50
		3.50	
	4.00		3.00
4 ftB&B	5.00	4.50	4.00
4½ ftB&B	7.50	6.00	5.50
5 ftB&B	8.50	7.50	7.00
	10.00		
	12.50		
7 ft	15.00		
occidentalis Little Gem. 2'			
15 inB&B	3.00	2.50	
18 in	4.00	3.50	
occidentalis lutea. Geo. Peabody's	Amb	orvitae.	15'
3 ftB&B	3.50	3.00	13
	5.00		
		4.00	
	6.00	5.00	
6 ftB&B	7.50	6.50	
• =•	10.00	8.00	
	12.50	10.00	
	15.00	12.50	
For larger sizes to 16 ft., add	\$5.00	per fo	ot.

Thuja	_1-4	5-24	25 & up
occidentalis pumila. Green Globe	Each $Arbor$	Each $vitae.$	Each 3'
18 in. spreadB&B	2.25	2.00	1.75
24 in. spreadB&B	3.00	2.50	2.25
30 in. spread	3.50	3.00	2.75
36 in. spread	5.00	4.00	3.50
42 in. spreadB&B	7.50	6.00	5.00
48 in. spreadB&B	10.00		
occidentalis pyramidalis. Pyramida	ul Arb	borvita	e. 25'
2 ftB&B	2.75	2.50	2.25
3 ftB&B	3.50	3.00	2.75
4 ftB&B	5.00	4.00	3.50
5 ftB&B	6.50	5.50	5.00
6 ftB&B	8.50	7.50	6.75
	10.00	9.00	8.00
	12.50	10.00	9.00
9 ftB&B	15.00	12.50	10.00
	18.00	15.00	12.50
For larger sizes to 18 ft., add	\$5.00 p	per foo	t.
occidentalis douglasi pyramidalis.			
Douglas Pyramidal Arborvitae	e. 20'		
2 ftB&B	3.00	2.75	2.25
3 ftB&B	3.50	3.00	2.75
4 ftB&B	5.00	4.00	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	8.50	7.50	6.75
	10.00	9.00	
For larger sizes to 13 ft., add	\$5.00 1	per foo	t.
occidentalis recurva nana. 6'			
18 inB&B	2.50	2.25	2.00
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	4.00	3.50
3½ ftB&B	6.00	5.00	
4 ftB&B	7.50	6.50	
occidentalis reevesi. Reeves Arbo			0.50
2½ ftB&B	3.00	2.75	2.50
3 ftB&B	4.00	3.50	3.00 $3.50$
3½ ftB&B	4.50	4.00 4.50	4.00
4 ftB&B	5.00	5,50	5.00
4½ ftB&B 5 ftB&B	$6.50 \\ 7.50$	6.50	6.00
6 ftB&B	10.00	8.50	7.50
7 ftB&B	12.50	10.00	1.50
8 ftB&B	15.00	12.50	
0 It	10.00	12.00	

Thuja	1-4 Each	5-24 Each	25 & up Each
occidentalis reidi. Reid Arborvit	ae. 8'		
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	3.75	3.25
3½ ftB&B	5.50	4.50	
4 ftB&B	6.50	5.50	
4½ ftB&B	7.50	6.50	
5 ftB&B	10.00	7.50	
6 ftB&B	12.50	10.00	
occidentalis riversi. Rivers Arbor	vitae.	12'	
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	6.50	5.50	5.00
7 ftB&B	7.50	6.50	6.00
	10.00	8.00	
9 ftB&B	12.50	10.00	
For larger sizes to 12 ft., add	\$5.00 r	er foc	ot.
occidentalis rosenthali. Rosenthal	Arbon	rvitae.	10'
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	3.00	2.75
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	9.00	8.50
occidentalis spiralis. Spiral Arbo	rvitae.	25'	
2 ftB&B	2.75	2.50	2.25
3 ftB&B	3.50	3.00	2.75
4 ftB&B	5.00	4.00	3.50
5 ftB&B	6.50	5.50	5.00
6 ftB&B	8.50	7.50	6.75
7 ftB&B	10.00	9.00	8.00
8 ftB&B	12.50	10.00	9.00
9 ftB&B	15.00	12.50	10.00
For larger sizes to 20 ft., add	\$5.00 ]	per foo	ot.
occidentalis umbraculifera. $Dwarp$	f $Arbc$	rvitae	. 3'
15 to 18 in. spdB&B	1.75	1.60	1.50
18 to 24 in spdB&B	2.25	2.00	1.75
24 to 30 in. spd B&B	2.75	2.25	2.00
$2\frac{1}{2}$ to 3 ft. spd B&B	3.50	2.75	2.25
3 to 3½ ft. spdB&B	4.00	3.50	
$3\frac{1}{2}$ to 4 ft. spd B&B	5.50	4.50	
4 to 5 ft. spd. B&B	7.50	6.50	

Thuis	1-4 Each	5-24 Each	25 & up Each
Thuja	4		401
occidentalis vervaeneana. Vervaer			
3 ftB&B 4 ftB&B	3.00	2.75	2.50
	4.00	3.50	3.25
	5.00	4.50	4.00
	7.50	6.50	5.50
	8.50	7.50	6.50
8 ftB&B	10.00	9.00	8.00
9 ftB&B	12.50	10.00	9.00
10 ftB&B	15.00	12.50	10.00
For larger sizes to 20 ft., add	\$5.00	per foo	t.
occidentalis wareana.			
Ware or Siberian Arborvi	tae. 18	ō'	
18 inB&B	2.25	2.00	1.75
2 ftB&B	2.75	2.50	2.25
2½ ftB&B	3.50	3.00	2.50
3 ftB&B	4.00	3.50	3.00
3½ ftB&B	5.00	4.00	3.50
4 ftB&B	6.00	5.00	4.50
4½ ftB&B	7.50	6.00	5.50
5 ftB&B	8.50	7.50	6.50
6 ftB&B	10.00	9.00	8.00
7 ftB&B	14.00	12.00	10.00
8 ftB&B	18.50	15.00	
	7 4	, .,	01
occidentalis woodwardi. Woodwa			
18 inB&B	2.50	2.00	1.75
24 inB&B	3.00	2.50	2.25
	25 <b>'</b>		
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.00	3.50	3.25
5 ftB&B	5.50	5.00	4.50
6 ftB&B	6.50	6.00	5.50
7 ftB&B	8.50	7.50	6.50
8 ftB&B	10.00	8.50	7.50
9 ftB&B	12.50	10.00	
orientalis conspicua. Goldspire A	rborv	itae. 2	20'
2 ftB&B	3.50	3.00	
3 ft	4.00	3.50	
4 ft	5.00		

130	HEINRY KOHAINKIE & SOIN	
Thuja	1 <i>-4</i> Each	5-24 25 & up Each Each
orient	alis elegantissima.	Edell Edell
	Rollinson's Golden Arborvitae.	10'
2	ftB&B 3.50	3.00
3	ftB&B 4.50	4.00
4	ftB&B 5.50	5.00
5	ftB&B 7.50	6.50
6	ftB&B 10.00	8.00
7	ftB&B 12.50	10.00
8	ftB&B 15.00	12.50
orient	alis nana aurea.	
	Berkman's Golden Arborvitae.	3'
18	inB&B 2.50	2.25
2	ftB&B 3.50	3.00
$2^{1}$	½ ftB&B 4.00	3.50
3	ftB&B 5.00	
orient	alis sieboldi. Siebold Arborvitae.	3 <b>'</b>
2	ftB&B 3.50	
3	ftB&B 4.00	
plicata	a. Giant Arborvitae. 20'	
3	ftB&B 3.00	2.50
4	ftB&B 4.00	3.50
5	ftB&B 5.00	4.50
6	ftB&B 6.00	5.50
7	ftB&B 7.50	6.50
8	ftB&B 10.00	8.50
9	ftB&B 12.50	10.00
F	or larger sizes to 14 ft., add \$5.00	per foot.
standi	shi. Standish Arborvitae. 15'	
2	ftB&B 2.50	
3	ftB&B 3.00	
4	ftB&B 4.00	
5	ftB&B 5.00	
15	ftB&B 35.00	
Tilia amer	ricana. American Linden. 75'	
6	to 8 ft 1.50	1.25   1.00
8	to 10 ft 1.75	1.50   1.25
11	4 to 1½ in 2.50	2.00   1.75
11	½ to 1¾ in 3.00	2.50   2.25
13	34 to 2 in 4.00	3.25   2.75
2	to 2½ in 5.00	4.00  3.50
2	½ to 3 in 7.50	6.00   5.00
3	to 3½ in 12.50	10.00 7.50
3:	½ to 4 in	12.50
4	to 5 in	
5	to 6 in 35.00	

								1-4 Each	5 <b>-24</b> Each	25 & up Each
Tilia		7 7		77			<i>T</i> ·	7	wat	
cordata.									70'	0.05
$1\frac{1}{4}$ $1\frac{1}{2}$	to							4.00	3.50	3.25
13/4								5.00	4.50	4.00
2	to to	2 216						6.00	5.50 $7.50$	5.00
21/2								10.00		6.00
3	to to	$\frac{3}{3\frac{1}{2}}$						12.50	10.00	7.50
3 4	to							17.50 $25.00$	15.00	
								25.00		
euchlora							75 <b>'</b>	0.50	9.00	0.50
6	to	8						3.50	3.00	2.50
8	to	10						4.00	3.50	3.00
11/4	to							5.00	4.50	4.00
1½								6.50	5.50	5.00
13/4	to	2						7.50	7.00	6.50
2	to							10.00	8.50	7.50
2½	to	3						15.00	12.50	10.00
3	to	31/2	2 11	n				20.00	18.00	
henryan	a.	<i>50</i> ′								
11/4	to	$1\frac{1}{2}$	in.					5.00		
heteropl	nyll	<b>a.</b> <i>I</i>	3eer	tree	Li	nde	n. 6	80'		
13/4	to	2	in.					5.00	4.00	
2	to	$2\frac{1}{2}$	in.					6.50	5.00	
$2\frac{1}{2}$	to	3	in.					9.00	7.50	
3	to	$3\frac{1}{2}$	in.					12.50		
oliveri.	50	o <b>'</b>								
8 to		) ) ft						5.00		
platyphy	zllo	s. <i>B</i>	ial	eaf	Ei	iron	ean	Linder	ı. 75'	
6	to	8	-	-				2.00	1.75	1.50
8	to	10	ft.					2.50	2.25	2.00
11/4	to	$1\frac{1}{2}$						3.00	2.50	2.25
1½	to	$1\frac{3}{4}$	in.					3.50	3.00	2.75
13⁄4	to	2	in.					4.50	4.00	3.50
2	to	$2\frac{1}{2}$	in.					6.00	5.00	4.50
$2\frac{1}{2}$	to	3	in.					10.00	7.50	6.50
3	to	$3\frac{1}{2}$	in.					15.00	12.50	10.00
$3\frac{1}{2}$	to	4	in.					17.50		
4	to	5	in.					25.00		
platyphyllos pyramidalis.										
		amidc				Lii	nden.	50'		
6	to	8						5.00		

Tilia		1-4 Each	5-24 Each	25 & up Each
	er Linden. 40'			
6 to 8	ft	3.50	3.00	
1½ to 1¾ i	in	6.50	5.50	
$1\frac{3}{4}$ to $2$ i	in <b>.</b>	7.50	7.00	
2 to 2½ i	in	10.00	8.50	
$2\frac{1}{2}$ to 3 i	in	15.00	12.50	
3 to 3½ i	in <b>.</b>	20.00	18.00	
3½ to 4 i	in	25.00		
4 to 5 i	in	35.00		
vulgaris. Commo	on European Lin	nden.	75'	
6 to 8	ft	2.25	2.00	1.75
8 to 10	ft	2.75	2.50	2.25
11/4 to 11/2 i	in <b>.</b>	3.50	3.00	2.75
1½ to 1¾ i	in <b>.</b>	4.00	3.50	3.00
$1\frac{3}{4}$ to $2$ i	in <b>.</b>	5.00	4.50	4.00
	in	6.50		5.00
	in <b>.</b>	10.00		6.00
	in	15.00	12.50	10.00
	in	17.50	15.00	12.50
	in	25.00		
	5 <b>'</b>			
		1.50	1.25	1.00
	B&B	1.75	1.50	1.25
Tsuga canadensis. $Ca$		75'		
= -**********		3.00	2.75	2.50
		4.50	4.00	3.75
	B&B	6.50	5.50	5.00
	adB&B	10.00		
		8.50	7.50	6.50
		12.50		
	B&B	12.50	10.00	8.50
	B&B	15.00	12.50	10.00
	B&B	17.50	15.00	12.50
	zes to 18 ft., add		per 100	τ.
caroliniana. Car		50'	4.00	
	B&B	5.00	4.00	
	B&B	6.50	5.00	
	B&B	10.00	9.00	
	B&B	12.50		
0 2000	B&B	15.00		
sieboldi. Siebold 8 ft. specime	Hemlock. 35' ens	60.00		
•	ensBB			
a it. specime	5115D&B	15.00		

			, (23 / 1222, 01110			100
				1-4 Each	5-24 Each	25 & up Each
Ulex europe	aus	<ul> <li>Con</li> </ul>	mmon Gorse. 4'			
18 to	24	in., 4	l in. pots	1.25	1.00	
Ulmus amer	icaı	na. A	merican Elm. 80	) <b>'</b>		
8	to	10	ft	1.75	1.50	1.25
11/4	to	$1\frac{1}{2}$	in	2.00	1.75	1.50
1½	to	$1\frac{3}{4}$	$in.\dots\dots\dots\dots$	2.50	2.25	2.00
13⁄4	to	<b>2</b>	in	3.50	2.75	2.50
2	to	$2\frac{1}{2}$	in	4.50	3.75	3.25
$2\frac{1}{2}$	to	3	in	6.50	5.00	4.50
3	to	$3\frac{1}{2}$	in	10.00	7.50	6.50
$3\frac{1}{2}$	to	4	in	12.50	10.00	9.00
4	to	$4\frac{1}{2}$	in	15.00	12.50	
america	na :	molin	e. Moline Elm.	80 <b>'</b>		
6	to	8	ft	1.75	1.50	1.25
8	to	10	ft	2.00	1.75	1.50
11/4	to	$1\frac{1}{2}$	in	2.75	2.50	2.25
11/2	to	$1\frac{3}{4}$	in	3.50	3.00	2.75
13/4	to	2	in	4.00	3.75	3.50
2	to	$2\frac{1}{2}$	in	6.00	5.00	4.50
21/2	to	3	in	7.50	6.50	5.75
3	to	$3\frac{1}{2}$	in	10.00	8.50	
america	na	vase-	shaped. 50'			
6	to	8	ft	1.75	1.50	1.25
8	to	10	ft	2.00	1.75	1.50
11/4	to	$1\frac{1}{2}$	$in.\dots\dots\dots$	2.75	2.50	2.25
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	3.50	3.00	2.75
13⁄4	to	2	in	4.50	4.00	3.50
2	to	$2\frac{1}{2}$	in	6.00	5.00	4.50
$2\frac{1}{2}$	to	3	in	7.50	6.50	
3	to	$3\frac{1}{2}$	in	10.00	8.50	
campest	ris.	Eng	lish Elm. 75'			
6	to	8	ft	2.00	1.75	
8	to	10	ft	2.50	2.25	
11/4	to	$1\frac{1}{2}$	$in.\dots\dots\dots$	3.00	2.75	
11/2	to	$1\frac{3}{4}$	in	4.00	3.50	
13/4	to	2	in	6.00	5.00	
2	to	$2\frac{1}{2}$	$in.\dots\dots\dots$	8.50	7.50	
21/2	to	3	$in.\dots\dots\dots$	12.50	10.00	
3	to	$3\frac{1}{2}$	in	20.00	15.00	
$3\frac{1}{2}$	to	4	in	25.00	20.00	
4	to	5	in	35.00	30.00	
5	to	6	in	50.00	45.00	

				1-4 Each	5-24 Each	25 & up Each
Ulmus						
•			meri. Klemmer 1	Elm. 7	'5'	
8 to	1	0 ft.		5.00		
campestr	is	latifo	olia. Belgian Elm	ı. 75'		
	to	10	ft	3.00		
11/4	to	$1\frac{1}{2}$	in	4.00		
$1\frac{1}{2}$	to	13/4	in	5.00		
13/4	to	$^2$	in	7.50		
2	to	$2\frac{1}{2}$	in	10.00		
$2\frac{1}{2}$	to	3	$in.\dots\dots\dots\dots$	12.50		
3	to	$3\frac{1}{2}$	$in.\dots\dots\dots\dots$	20.00		
campestr	is	monu	ımentalis. Monun	nent E	lm. 75	,
6	to	8	$\mathbf{ft.}$	4.00	3.50	3.00
8	to	10	$ft.\dots\dots\dots\dots$	5.00	4.00	3.75
$1\frac{1}{4}$	to	$1\frac{1}{2}$	$in.\dots\dots\dots$	6.00	5.00	4.50
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	7.50	6.50	5.50
$1\frac{3}{4}$	to	$^2$	$in.\dots\dots\dots$	10.00	7.50	6.50
<b>2</b>	to	$2\frac{1}{2}$	in	15.00	12.50	10.00
$2\frac{1}{2}$	to	3	in	18.00	15.00	13.50
	to	$3\frac{1}{2}$	in	25.00	20.00	18.00
$3\frac{1}{2}$	to	4	in	30.00	25.00	
4	to	$4\frac{1}{2}$	in	40.00		
campestr	is	purp	urea. Purpleleaf	Englis	h $Elm.$	70'
	to	10	ft	3.00		
- / -	to	3	in	12.50	10.00	
_	to		in		18.00	
campestr	is	vegei	ta. Huntingdon E	7lm. 7	5'	
8	to	10	ft	2.50	2.25	2.00
$1\frac{1}{4}$	to	$1\frac{1}{2}$	in	3.00	2.75	2.50
	to	$1\frac{3}{4}$	in	3.50	3.25	3.00
$1\frac{3}{4}$	to	2	in	5.00	4.50	4.00
_	to	$2\frac{1}{2}$	in	8.50	7.50	6.00
	to	3	in	12.00	10.00	8.00
_	to		in	15.00	12.50	
	to	4	in	20.00	15.00	
_	to	5	in	35.00		
5	to	6	in	50.00		
campesti			- 0		75'	
6	to	8	ft	4.00	3.50	3.00
8	to	10	ft	5.00	4.00	3.75
	to		in	6.00	5.00	4.50
	to	13/4		7.50	6.50	5.50
$1\frac{3}{4}$	to	$^{2}$	in	10.00	7.50	6.50

	1-4	5-24	25 & up
Ulmus campestris wheatleyi.	Each	Each	Each
2 to 2½ in	15.00	12.50	
2½ to 3 in	20.00	15.00	
3 to 3½ in	25.00	10.00	
3½ to 4 in	30.00		
0/2 00 1 111	00.00		
fulva. Slippery Elm. 65'			
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
glabra. Scotch Elm. 75'			
11/4 to 11/2 in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
13/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00	7.50	
2½ to 3 in	12.50	10.00	
3 to 3½ in	18.00	15.00	
3½ to 4 in	25.00	20.00	
	171	201	
glabra camperdown. Camperdow			
6 ft. stem	4.00	3.50	
glabra nana. Globe Elm.			
6 to 8 ft. standards	10.00		
japonica. Japanese Elm. 70'			
8 to 10 ft	5.00		
1½ to 1¾ in	6.50		
134 to 2 in	7.50		
2 to 2½ in	10.00		
2½ to 3 in	12.50		
3 to 3½ in	15.00		
	13.00		
parvifolia. Chinese Elm. 30' 6 to 8 ft	2.50	2.00	1.50
	$\frac{2.50}{3.00}$	2.75	$\frac{1.50}{2.50}$
0 00 20 200	$\frac{3.00}{4.00}$	$\frac{2.75}{3.75}$	$\frac{2.50}{3.50}$
10 to 12 ft		5.00	4.50
12 to 14 ft	6.00	5.00	4.50
pumila. Dwarf Asiatic Elm. 78			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.00	
13/4 to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
2½ to 3 in	7.50	6.00	
3½ to 4 in	15.00	12.50	

<b>Y</b>	1-4 Each	5-24 Each	25 & up Each
Ulmus racemosa. Rock Elm. 75'			
6 to 8 ft	4.00		
0 00 0,2 1111111111111111111111111111111	25.00		
	30.00		
4 to 5 in	35.00		
Vaccinium corymbosum. Highbush B	lueber	ry. 8	·
2 to 3 ftB&B	2.75	2.50	2.25
3 to 4 ftB&B	3.50	3.25	3.00
4 to 5 ftB&B	5.00	4.50	4.00
vacillans. Dryland Blueberry. 3'			
18 to 24 inB&B	2.50		
Viburnum acerifolium. Mapleleaf Vi	burnu	m. 5'	
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
		101	
americanum. American Cranberry			40
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
betulifolium. 12'			
2 to 3 ft	2.50		
3 to 4 ft	3.00		
bitchuiense. Yeddo Viburnum. 6	,		
3 to 4 ftB&B		3.00	
4 to 5 ftB&B	5.00	4.00	
burejaeticum. Manchurian Viburn	aaim	15'	
2 to 3 ft	2.50	10	
3 to 4 ft	3.00		
	5.00		
burkwoodi. 4'	0.00	0.50	
18 to 24 in	3.00	2.50	
2 to 3 ftB&B	4.00	3.50	
carlesi. Fragrant Viburnum. 4'			
18 to 24 inB&B	2.50	2.25	2.00
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B	3.50	3.25	3.00
18 to 24 in., own roots. B&B	3.50	3.00	
2 to 3 ft., own rootsB&B	4.00	3.50	

			1-4	5-24	25 & up
Viburnum	car	lesi.	Each	Each	Each
S	tand	ards			
18	in.		3.00	2.50	
2	ft.	stemB&B	3.50	3.00	
3	ft.	stemB&B	4.00	3.50	
cassin	oide	s. Withe Rod. 6'			
	to	3 ft	.60	.50	.45
3	to	4 ft	.75	.65	.60
4	to	5 ft	1.00	.80	.75
5	to	6 ft	1.25	1.10	1.00
6	to	8 ft	2.00	1.50	1.25
denta		Arrow Wood. 12'			
	to	3 ft	.45	.35	.30
3		4 ft	.55	.45	.40
_	to	5 ft	.75	.60	.55
_	to	6 ft	1.00	.85	.75
	to	8 ft	1.25	1.10	1.00
				2120	2.00
		Linden Viburnum. 10'			
_	to	3 ft	.65	.55	.50
_	to	4 ft	1.00	.75	.65
	to	5 ft	1.25	1.00	
_	to	6 ft	1.50	1.25	
_	to	8 ft	1.75	1.50	1.25
	to	6 ft. spec	7.50		
6	to	8 ft. spec	12.50		
fragra	ans.	Fragrant Viburnum. 1	0'		
2	to	3 ftB&B	4.50		
hupel	iens	e. Hupeh Viburnum. 6	,		
-	to	3 ft	1.25	1.00	
lantai		Wayfaring Tree. 15'			
2		3 ft	.45	.35	.30
3		4 ft	.55	.45	
	to	5 ft	.75	.60	
5		6 ft	1.00	.80	
6		8 ft	1.25	1.00	
· ·	•••				
		rugosum. Wrinkleleaf Wo			
_	to	4 ft	.75 1.00	.60 .75	
_	to	5 ft	1.25	1.00	
5 6		6 ft	1.50	1.25	
6	to	8 ft	1.00	1.20	1.00

				1-4 Each	5-24 Each	25 & up Each
<ul> <li>Viburnum</li> </ul>						
lentag			nnyberry. 20'			
_	to		ft	.75	.60	.50
4	to	5	ft	.90	.75	.65
5	to	6	ft	1.25	1.00	.80
6	to	8	ft	1.75	1.50	1.35
8	to		ft	2.50	2.00	1.75
10	to	12	ft. spec B&B	15.00		
molle.			tucky Viburnum. 10'			
2	to		ft	.45	.35	.30
_	to	4	ft	.60	.45	.40
_	to	5	ft	.75	.65	.50
5	to		ft	1.00	.80	.75
6	to	8	ft	1.25	1.10	1.00
			ooth Withe Rod. 8'			
_	to		ft	.75	.60	.50
_	to	4	ft	1.00	.75	.60
4	to	5	ft	1.25	1.00	.75
_	to	6		1.75	1.50	1.25
6	to	8	ft. specB&B	7.50		
opulus	5.	Hig	th Bush Cranberry. 1	0'		
	to		ft	.50	.45	.40
_	to		ft	.60	.55	.50
	to	5		.75	.65	.60
5	to	6	ft	1.00	.85	.75
6	to	8	ft	1.25	1.10	1.00
8	to	10	ft	1.75	1.65	1.50
opulus	s na	anu	m. Dwarf Cranberry	Bush.	2'	
			in	.65	.60	.55
12	to	15	in	.75	.70	.65
15	to	18	in	1.00	.80	.75
opulus	s si	eri	le. Common Snowball	. 10'		
2	to	3	$ft.\dots\dots\dots\dots\dots$	.50	.45	.40
3	to	4	$ft,\dots\dots\dots\dots$	.65	.50	
4	to	5	ft	.75	.60	
5	to	6	$\mathbf{ft.}\dots\dots\dots\dots\dots$	1.00	.75	
opulus			hocarpum.			
			wfruit Cranberrybus			
_	to		ft	2.50	2.00	
_	to	4		3.50	3.00	
ovatif	oliv		Eggleaf Viburnum.	10'		
3	to	4	ft	. 1.50	1.25	

					1-4	5-24	25 & up
Vib	urnum				Each	Each	Each
	prunif		um.	Blackhaw. 12'			
	2	to	3	ft	1.00	.85	.75
	3	to	4	ft	1.25	1.10	1.00
	4	to	5	ft	1.50	1.35	1.25
	5	to	6	ft	2.50	2.00	1.75
	6	to	8	ft	3.50	3.00	2.50
	8	to	10	ft	5.00	4.50	4.00
	pubes	cen	s. /	Downy Viburnum. 6'			
	2	to	3	ft	.75	.60	.50
	3	to	4	ft	1.00	.75	.60
	4	to	5	ft	1.25	1.00	.75
	5	to	6	ft	1.50	1.25	
	rhytid	lopi	ıyll	um. Leatherleaf Vibi	ırnum.	8'	
	18	to		inB&B	2.00	1.50	1.25
	2	to	3	ftB&B	3.00	2.50	2.00
	3	to	4	ftB&B	4.00	3.00	2.75
	4	to	5	ftB&B	5.00	4.50	4.00
	5	to	6	ftB&B	6.50	5.50	5.00
	rufidu	llun	n. ,	Southern Blackhaw.	10'		
	2	to	3	ft	1.00	.85	.75
	3	to	4	ft	1.25	1.10	1.00
	4	to	5	ft	1.50	1.35	1.25
	5	to	6	ft	2.50	2.00	1.75
	6	to	8	ft	4.00	3.50	3.00
	8	to	10	ft	5.00	4.50	4.00
	sarger	ıti.	Sa	rgent Cranberrybush.	10'		
	2	to	3	ft	.60	.50	
	3	to	4	ft	.75	.60	
	4	to	5	ft	1.00	.75	
	5	to	6	ft	1.50	1.25	
	6	to	8	ft	1.75	1.50	
	siebol	di.	Sie	ebold Viburnum. 10'			
	3	to	4	ft	.75	.60	.50
	4	to	5	ft	1.00	.75	.65
	5	to	6	ft	1.50	1.00	.90
	6	to	8	ft	2.50	1.50	1.25
	8	to	10	ft	3.50	3.00	2.50
	theife	run	a. '	Tea Viburnum. 12'			
	2	to		ft	1.25	1.00	.75
	3	to	4	ft	1.50	1.25	

	1-4	5-24	25 & up
***	Each	Each	Each
Viburnum tomentosum. Doublefile Viburnum	. 01		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
tomentosum plicatum. Japanese S	Snowb	all. 8	*
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.50	1.25	1.00
veitchi. Veitch Viburnum. 6'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
venosum canbyi. Canby Viburnun	n. 8'		
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
wrighti. Wright Viburnum. 8'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.25	1.75	
Vinca minor. (See Herbaceous Mater	ial).		
Vitex agnus castus. Chaste-tree. 4'			
2 to 3 ft	.40	.30	
3 to 4 ft	.50	.40	
4 to 5 ft	.65	.55	.50
agnus castus alba. White Chaste-t	tree.	4"	
2 to 3 ft	.55	.45	.35
3 to 4 ft	.65	.50	1
macrophylla. $Hemp\text{-}tree$ . 4'			
2 to 3 ft	.60	.45	
3 to 4 ft	.75	.60	ı
Vitex negundo incisa. Cutleaf Chaste	-tree.	4'	
3 to 4 ft	1.00	.75	
Vitis aestivalis. Summer Grape. 40'			
2 year	.45	.35	
3 year	.55	.45	.40
amurensis. Amur Grape. 40'	P =		
3 year	.75	,60	)

Vitis	1-4 Each	5-24 Each	25 & up Each
coignetiae. Gloryvine. 40'			
3 year	.75	.60	.50
4 year	1.00	.90	.50
cordifolia. Frost or Winter Grape		.50	
2 year	. 40	.35	.30
3 year	.55	.45	.40
labrusca. Fox Grape. 40'	.00	.TJ	.40
2 year	.45	.35	.30
3 year	.55	.45	.40
		.10	.10
rotundifolia. Muscadine Grape.  3 year	40'	50	40
4 year	.75	.50 .60	.40 .50
	.13	.00	.50
vulpina. Riverbank Grape. 40'	45	0.5	0.0
2 year	.45	.35	.30
	.55	.45	.40
	.75	.60	.50
Weigela Abel Carriere. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
amabilis. Rose Weigela. 8'			
2 to 3 ft	.40	.30	
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	
5 to 6 ft	.75	.65	.60
candida. Snow Weigela. 8'			
2 to 3 ft	.40	.30	
3 to 4 ft	.50	.40	
4 to 5 ft	.65	.55	.50
desboisi. Desbois Weigela. 8'	4.0	9.0	0.5
2 to 3 ft	.40	.30	
0 10 1 11111111111111111	.50	.40 .55	
4 to 5 ft	.65	.55	.50
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	
floribunda. Crimson Weigela. 8'	.00	.00	•10
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.45	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
· · · · · · · · · · · · · · · · · · ·			

groenewegeni. Greenway Weigela. 8' 3 to 4 ft	Weigela.	1-4 Each	5-24 2 Each	5 & up Each
4 to 5 ft	groenewegeni. Greenway Weigela	. 8'	Lucii	Edeli
S to 6 ft	3 to 4 ft	.50	.40	.35
Gustav Mallot. 8'  2 to 3 ft	4 to 5 ft	.65	.55	.50
2 to 3 ft		.75	.65	.60
3 to 4 ft	Gustav Mallot. 8'			
4 to 5 ft		.40	.30	.25
5 to 6 ft		.50	.40	.35
hortensis rubra. 8'  2 to 3 ft	4 to 5 ft	.65	.55	.50
2 to 3 ft	0 00 0 10	.75	.65	.60
3 to 4 ft				
4 to 5 ft				
5 to 6 ft		.50	.40	
6 to 8 ft. 1.00 .85 .75  japonica. Japanese Weigela. 8'  3 to 4 ft				
japonica. Japanese Weigela. 8'  3 to 4 ft		.75	.65	
3 to 4 ft		1.00	.85	.75
4 to 5 ft				
5 to 6 ft		.50		
rosea. Pink Weigela. 8'  2 to 3 ft	4 to 5 ft	.65	.55	.50
2 to 3 ft	0 00 0 20000000000000000000000000000000	.75	.65	.60
3 to 4 ft				
4 to 5 ft	2 to 3 ft		.30	.25
5 to 6 ft	3 to 4 ft	.50	.40	.35
rosea nana variegata. Dwarf Variegated Weigela. 5' 2 to 3 ft	4 to 5 ft		.50	.45
2 to 3 ft				.60
3 to 4 ft	rosea nana variegata. $Dwarf\ Varie$	gated	Weigel	a. 5'
sieboldi argenteomarginata. Variegated Weigela. 8'         3 to 4 ft.       .65 .50 .45         4 to 5 ft.       .75 .60 .55         styriaca. 8'         3 to 4 ft.       .60 .50         4 to 5 ft.       .75 .60         Vanhoutte. Van Houtte Weigela. 8'         2 to 3 ft.       .40 .30 .25         3 to 4 ft.       .50 .40 .35         4 to 5 ft.       .65 .55 .50         5 to 6 ft.       .75 .65 .60         6 to 8 ft.       1.00 .85 .75         Wistaria frutescens. American Wistaria. 30'         2 year       .50 .40 .30         frutescens magnifica. Yelloweye Wistaria. 25'         2 year       .50 .35 .30	2 to 3 ft	.50	.40	.35
3 to 4 ft65 .50 .45 4 to 5 ft75 .60 .55  styriaca. 8'  3 to 4 ft60 .50 4 to 5 ft75 .60  Vanhoutte. Van Houtte Weigela. 8'  2 to 3 ft40 .30 .25 3 to 4 ft50 .40 .35 4 to 5 ft65 .55 .50 5 to 6 ft75 .65 .60 6 to 8 ft75 .65 .60 6 to 8 ft75 .65 .60 6 to 8 ft75 .65 .75  Wistaria frutescens. American Wistaria. 30' 2 year50 .40 .30  frutescens magnifica. Yelloweye Wistaria. 25' 2 year50 .35 .30	3 to 4 ft	.65	.55	.50
4 to 5 ft				
styriaca.       8'         3 to 4 ft.       .60 .50         4 to 5 ft.       .75 .60         Vanhoutte.       Van Houtte Weigela.       8'         2 to 3 ft.       .40 .30 .25         3 to 4 ft.       .50 .40 .35         4 to 5 ft.       .65 .55 .50         5 to 6 ft.       .75 .65 .60         6 to 8 ft.       1.00 .85 .75         Wistaria frutescens.       American Wistaria.       30'         2 year       .50 .40 .30         frutescens magnifica.       Yelloweye Wistaria.       25'         2 year       .50 .35 .30			_	.45
3 to 4 ft		.75	.60	.55
4 to 5 ft				
Vanhoutte. Van Houtte Weigela.       8'         2 to 3 ft.       .40 .30 .25         3 to 4 ft.       .50 .40 .35         4 to 5 ft.       .65 .55 .50         5 to 6 ft.       .75 .65 .60         6 to 8 ft.       1.00 .85 .75         Wistaria frutescens. American Wistaria.         2 year       .50 .40 .30         frutescens magnifica. Yelloweye Wistaria.       25'         2 year       .50 .35 .30				
2 to 3 ft			.60	
3 to 4 ft	-	_		
4 to 5 ft				
5 to 6 ft				
6 to 8 ft. 1.00 .85 .75  Wistaria frutescens. American Wistaria. 30' 2 year				
Wistaria frutescens.       American Wistaria.       30'         2 year       .50       .40       .30         frutescens magnifica.       Yelloweye Wistaria.       25'         2 year       .50       .35       .30				
2 year	6 to 8 ft	1.00	.85	.75
frutescens magnifica. Yelloweye Wistaria. 25' 2 year	Wistaria frutescens. American Wistar	ia.	30 <b>'</b>	
2 year	2 year	.50	.40	.30
2 year	frutescens magnifica. Yelloweve W	Vistar	ia. 25'	
				.30
		.60		.40

Wistaria	1-4 Each	5-24 Each	25 & up Each
multijuga. Japanese Wistaria.	30'	Each	Each
2 year	.60	.55	.50
3 year	.75	.65	.60
4 year	1.00	.85	.75
sinensis. Chinese Purple Wistar	ia. 40'		
2 year	.65	.55	.50
3 year	1.00	.85	.75
3 year grafted flower-			
ing plants	2.00	1.50	
Standards. 4 ft. stem,			
30 in. headB&B			
sinensis alba. Chinese White Wis		40'	
2 year	.65	.55	.50
3 year	1.00	.85	.75
4 year	1.25	1.00	
3 year grafted flower-			
ing plants	2.00	1.50	
Standards. 4 ft. stem,			
30 in. head	9.00		
venusta. Silky Wistaria. 30'			
3 year	.60	.50	
4 year	75		
Zanthorhiza apiifolia. Yellowroot. 3		50	4.0
12 to 15 in. clumps		.50	
15 to 18 in. clumps		.60	
18 to 24 in. clumps		.85	.75
Zanthoxylum americanum. Prickly			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
6 to 8 ft		1.00	.75
schinifolium. Peppertree Prickly		12'	
2 to 3 ft	1.50		
Zelkova serrata. Sawleaf Zelkova.	50 <b>'</b>		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
sinica. 50'			
3 to 4 ft		1.50	
4 to 5 ft		1.75	
5 to 6 ft	2.50	2.25	2.50

## Herbaceous and Alpine Material

All kinds marked with an asterisk (\*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

	5-24 each	25 up each
*Acaena buchanani. Bluish gray, Aug., 1"\$		\$ .18
*sanguisorbae. Bright green foliage, 2"	.20	.18
Acanthus mollis. Purple rose, July 4'	.20	
mollis latifolius. Rose, July, 2-3'	.20	
*Achillea ageratifolia aizoon. White, May,		
June, 8"	.20	.18
clavennae. White, July, 1'	.20	.18
filipendulina. Yellow, June, July, 3'	.15	.12
*millefolium Cerise Queen. Rose, July, 2'	.15	.12
*nana. White, June, July, 6"	.18	.15
*nitida. White, June, July, 1'	.20	.18
*ptarmica The Pearl. White, July, 2'	.15	.12
*ptarmica Boule de Neige. White, June,		
July, 2'	.15	.12
*ptarmica Perry White. June, July, 2'	.15	.12
*tomentosa. Yellow, June, 1'	.15	.12
Aconitum autumnale. Blue, July, August, 4'	.30	.25
fischeri. Blue, September, 3'	.25	.20
fischeri wilsoni. Violet blue, Sept., 5'	.40	.35
napellus. Light blue, July, Aug., 4'	.30	.25
napellus Spark's. Violet blue, July,		
Aug., 5'	.30	.25
*Actinea herbacea. Yellow, May, 6"	.25	
Actaea alba. White, May, June, 3-4'	.15	.12
rubra. Red, May, June, 3-4'	.15	.12
Adenophora chinensis. Blue, fall, 3'	.25	
potanini. Light blue, July, Aug., 3'	.25	
Adiantum pedatum. Maiden Hair Fern	.15	.12
*Aegopodium podograria variegatum. Varie-		
gated foliage, 1'	.18	.15

	5-24 each	25 up each
*Aethionema cordifolium. Rosy lilac, June, 6"	.20	.18
grandiflorum. Pink, June, 12"	.20	.18
*kotschyi. Rose, July, 4"	.20	.18
*persicum. Pink, June, July, 9"	.20	.18
*pulchellum. Pink, June, 8"	.20	.18
*schistosum. Rose, June, 4"	.20	.18
*Ajuga brockbanki. Purple, June, 6"	.18	.15
*genevensis. Bright blue, May, 6"	.18	.15
*genevensis rosea. Pink, May, 6"	.25	.20
*reptans. Blue, May, 6"	.15	.12
*reptans alba. White, May, 6"	.20	
Allium carinatum. Rose, June, July, 2'	.18	.15
*karataviense. White, June, July, 8"	.25	.20
*narcissiflorum. Rose, June, July, 1'	.25	.20
schoenoprasum. Rose purple, June,		
July, 2'	.25	.20
stellatum. Rose, June, July, 18"	.20	.18
*thibetica. Lilac mauve, June, July, 8"	.18	.15
Althea rosea. Hollyhock.		
<b>Double.</b> Separate colors, July, Aug., 5'	.15	.12
Double. Chaters' strain, separate colors	.15	.12
Fringed Allegheny. July, Aug., 5'	.15	.12
Single. Mixed colors, July, Aug., 5'	.15	.12
Single. Separate colors, July, Aug., 5'	.15	.12
*Alyssum argenteum. Yellow, July, Aug., 6"	.15	.12
*amanum. Yellow, May, June, 4"	.25	
*creticum. Yellow, June, July, 1'	.18	.15
*moellendorfianum. Yellow, June, July,		
6"	.25	.20
*montanum. Yellow, June, July, 8"	.25	.20
*rostratum. Yellow, June, July, 12"	.15	.12
*saxatile compactum. Yellow, May, 1'	.15	.12
*saxatile sulphureum. Yellow, May, 1'	.25	.20
*serpyllifolium. Yellow, June, July, 4".	.18	.15
*spinosum. Pink and white, June, 3"	.30	.25
*Amsonia tabernaemontana. Blue, May,		
June, 3'	.18	.15
Anchusa barrelieri. Blue, May, 2'	.25	
*capensis. Blue, summer, 18"	.18	.15
*italica Dropmorei. Blue, June, 4-5'	.15	.12
myosotidiflora. Bright blue, May, 1'	.20	.18

	each	each
*Androsace lanuginosa. Rose, June, 8"	.35	
*lanuginosa leichtlini. Rose, June, 8"	.40	
*sarmentosa. Rose, June, 6"	.40	
*Anemone baldensis. White and pink, July, $1^\prime$	.25	
*hupehensis. Mauve, Aug., Sept., 1'	.20	.18
*japonica alba. White, fall, 3'	.18	.15
*japonica Alice. Rose pink, fall, 3'	.20	.18
japonica Louise Uhink. White, fall, 3'	.20	
japonica Marie Manchard. White, fall, 3'	.30	
japonica Prince Heinrich, Deep pink,		
fall, 3'	.20	.18
japonica Queen Charlotte. Rose, fall, 3'	.20	.18
japonica Richard Ahrends. Shell pink,		
fall, 2'	.20	.18
japonica rubra. Red, fall, 2'	.25	.20
japonica September Charm. Silvery		
pink, fall, 2'	.25	
japonica September Sprite. Pink, fall, $2'$	.25	.20
*japonica Whirlwind. Pure white, fall, 3'	.20	.18
*magellanica. Creamy yellow, spring, 1'	.30	
*pennsylvanica. White, July, 1½'	.15	
*pulsatilla. Blue, April, 15"	.18	.15
*pulsatilla alba. White, April, 1'	.30	.25
*pulsatilla rubra. Dark red, April, 12"	.30	.25
*sylvestris. White, May, June, 1'	.20	.18
*vernalis. White, April, 6"	.30	
*Antennaria dioica. White, May, 6"	.15	.12
*Anthemis cinerea. White ,Aug. 1'	.20	.18
*montana. White, July, 10"	.20	.18
Moonlight. Pale yellow, summer, 2'	.30	.25
nobilis. White, summer, 1'	.15	.12
tinctoria. Yellow, July, Aug., 3'	.15	.12
tinctoria E. C. Buxton. White, yellow		
eye, July, Aug., 3'	.15	.12
tinctoria kelwayi. Yellow, July, Aug., 3'	.15	.12
tinctoria kelwayi. White, July, 3'	.18	.15
Anthericum liliago. White, May, June, 3'	.30	
Anthyllis vulneraria dilleni. Red, summer, 1'	.25	
*Aquilegia alpina. Blue, May, June, 1'	.18	.15
*caerulea. Blue, May, June, 1½'	.20	.18
caerulea hybrida. Various, June, 2'	.15	.12
*canadensis. Scarlet, May, June, 2'	.15	.12
*chrysantha. Yellow, June, July, 3'	.18	.15

	5-24 each	25 up each
Aquilegia	euch	eucn
chrysantha alba. White, June, July, 3'	.18	.15
Crimson Star. Crimson, May, June, 2'	.25	.20
*flabellata nana-alba. White, June, 10"	.18	.15
*hybrida. Mrs. Scott Elliott. Various,		
June, 2'	.18	.15
longissima. Yellow, June, 2'	.40	.35
*pyrenaica. Deep blue, June, July, 1'	.25	.20
rosea. Long spurred pink, June, 2'	.18	.15
*siberica fl. pl. Blue and white, June, 18"	.25	.20
*skinneri. Red and yellow, May, 2'	.18	.15
*vulgaris. Purple, May, June, 2'	.15	.12
vulgaris nivea. White, May, 2'	.18	.15
*Arabis albida. White, May, 6"	.18	.15
*alpina. White, April, May, 6"	.15	.12
*alpina fl. pl. Dbl. White, April, May, 6"	.25	.20
*alpina Rosabella. Pink, April, May, 6"	.35	
*alpina rosea. Pink, April, May, 6"	.20	.18
*aubretioides. Pink, May, 8"	.30	.25
*cebennensis. White, May, 10"	.20	.18
*cockilis. White, April, May, 6"	.25	.20
*holboelli. Lilac, May, 8"	.20	.18
*muralis. Rose, May, 10"	.25	.20
*procurrens. White, May, 1'	.25	.20
*Arenaria balearica. White, July, Aug., 3"	.20	.18
*grandiflora. White, May, 4"	.18	.15
*montana. White, June, 4"	.18	.15
*purpurascens. Purple rose, July, 4"	.25	.20
*verna. White, June, July, 3"	.20	.18
Arisaema triphyllum. Purple, May, 1'	.15	.12
*Armeria alpina. Pink, summer, 6"	.18	
*caespitosa. Pale pink, May, 2"	.30	.25
*cephalotes rubra. Deep pink, May, June,		
6"	.18	.15
*laucheana. Crimson, May, June, 8"	.15	.12
*maritima. Pink, May, June, 6"	.15	.12
*maritima alba. White, May, June, 6"	.15	.12
*robusta. Crimson, May, June, 10"	.15	.12
Artemisia abrotanum. Fragrant foliage, 5'	.15	.12
absinthium. Wormwood, 4'	.15	.12
cana. Gray foliage, 30"	.35	
dracunculus. White, August, 2'	.20	.18
For less than five, add five cents per plant to the !	5-24 ra	te.

	5-24 each	25 up each
Artemisia		
frigida. Silver foliage, 18"	.20	.18
lactiflora. White, Aug., 4'	.18	.15
pontica. Gray foliage, 12"	.15	.12
purshiana. Gray foliage, 3'	.15	.12
Silver King. White foliage, 3'	.15	.12
stelleriana. White, summer, 2'	.15	.12
*Arundo-donax. Giant Reed, 12'	.30	.25
*Asarum canadense. Chocolate, May, 6"	.15	.12
Asclepias incarnata. Red, August, 4'	.15	.12
tuberosa. Orange, July, Aug., 2'	.15	.12
*Asperula cynanchica. Pink, summer, 10"	.20	
hexaphylla. White, June, 1'	.18	.15
*hirta. Pink, July, Aug., 6"	.20	
*longifolia. White, summer, 8"	.25	
*odorata. White, May, 8"	.20	.18
*scutellaria. White, June, July, 6"	.25	
Asphodeline lutea. Yellow, July, 3'	.20	.18
*Asplenium felix faemina. Lady Fern	.15	.12
*Aster alpinus. Blue, June, July, 8"	.15	.12
*alpinus albus. White, June, July, 8"	.18	.15
*alpinus Goliath. Bluish purple, May,		
June, 8"	.30	
*alpinus ruber. Rosy purple, July, 8"	.25	
amelloides. Purple, July, 18"	.20	
amellus elegans. Purple, Aug., 18"	.20	.18
amellus Rud. Goethe. Lavender blue,		
fall, 2'	.25	.20
Abendrothe. Rose pink, Oct., 3'	.18	.15
Acme. Light lavender, Oct., 5'	.25	.20
Anita Ballard. Soft lavender, fall, 4'	.18	.15
Ballard's Crimson. Fall, 3'	.20	.18
Beauty of Colwall. Fine blue, Sept., 3'	.15	.12
Beechwood Challenger. Crimson, fall,		
18"	.30	.25
Blanchette. Mauve blush, fall, 4'	.15	.12
Blue Gem. Blue, Sept., 3'	.25	.20
Climax. Blue, Sept., Oct., 3'	.15	.12
diplostephioides. Blue, July, 2'	.18	.15
dracunculoides. Light blue, July, 2'	.25	.20
frikarti Wonder of Staefa. Lavender,		
fall. 2'	.35	.30

	5-24 each	25 up each
Aster		
Harrington's Pink. Fall, 3'	.30	.25
himalaicus. Lilac, Aug., 18"	.30	.25
hyb. luteus. Yellow, Sept., 3'	.30	.25
laevis. Lavender, Sept., 4'	.15	.12
Mad. Emil Thoury. Violet, Sept., 5'	.15	.12
Mad. Soyneuse. Light blue, Sept., Oct., 3'	.15	.12
Mauve Cushion. Mauve, Oct., 12"	.15	.12
Mauve Queen. Mauve, Sept. 3'	.18	.15
Mrs. Raynor. Crimson, Sept., 3'	.18	.15
Mt. Everest. White, fall, 3'	.20	.18
novae-angliae. Purple, Sept., Oct., 4'	.15	.12
novae-angliae roseus. Rose, Sept., 4'	.18	.15
Queen Mary. Blue, Sept., 3'	.20	.18
Red Rover. Red, fall, 3'	.20	
Robt. Parker. Lavender, Sept., Oct., 5'	.15	.12
Rue des Hatives. Rose mauve, fall, 3'	.15	.12
Skylands Queen. Light blue, fall, 3'	.20	
St. Egwyn. Soft pink, Sept., Oct., 3'	.15	.12
Sunset. Pink, Sept. 3'	.20	.18
tartaricus. Purple, Oct. and Nov., 6'	.15	.12
Wartberg Star. Lilac blue, spring, 1'	.25	.20
White Climax. White, fall, 4'	.15	.12
dwarf varieties.		
Countess of Dudley. Clear pink,		
Sept., 9"	.20	.18
Lady Henry Maddocks. Pink, Sept.,		
1'	.20	.18
Lavenda. Lavender blue, Sept., 6".	.30	.25
Marjorie. Rose pink, Sept., 1'	.20	.18
Nancy. Flesh pink, Sept., 1'	.20	.18
Niobe. White, Sept., 6"	.30	.25
Ronald. Lilac pink, Sept., 1'	.20	.18
Snowsprite. White, Sept., 1'	.20	.18
Victor. Lavender blue, Sept., 8"	.20	.18
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.25	.20
arendsi Granat. Crimson, June, 2'	.30	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.25	
arendsi Juno. Purplish pink, July, 3'	.25	.20
arendsi Kreimhilde. Rose, June, July, 2'	.25	.20
arendsi Marguerite Van Rechteren. Red,		_
tinged lilac, Aug., 4'	.30	.25

Astilbe	5-24 each	25 up each
arendsi Moerheimi. White, July, 3'	.30	.25
arendsi Philadelphia. Lavender rose,	.50	.20
July, 2'	.30	
arendsi Rhineland. Crimson, shaded sal-	.00	
mon, June, 2'	.30	.25
arendsi Rose Pearl. Shell pink, July, 3'	.25	.20
arendsi Salland. Red, July, 5'	.25	.20
biternata. Cream, June, 4'	.25	.20
rosea Queen Alexandra. Deep pink,		
July, 3'	.25	.20
rosea Queen of Holland. Rose pink,		
July, 3'	.25	.20
rubella Solferino. Violet pink, July, 3'	.30	.25
rubella Vesta. Lilac rose, July, 3'	.25	.20
Astrantia major. Silvery pink, May, 2'	.15	.12
Aubrietia deltoidea. Purple, April, May, 4"	.18	.15
*deltoidea bougainvillei. Dark blue,		
April, 5"	.18	.15
*deltoidea eyrei. Rosy lilac, April, 5"	.18	.15
*deltoidea Fire King. Red, May, 4"	.30	
*deltoidea graeca. Violet, May, 4"	.18	.15
*deltoidea leichtlini. Pink, April, 5"	.18	.15
*deltoidea purpurea. Purple, April, 5"	.18	.15
*hybrida. Various, April, May, 6"	.25	
Baptisia australis. Indigo, June, 4'	.18	.15
tinctoria. Yellow, June, 3'	.18	.15
Belamcanda chinensis. Orange, summer, 3'	.15	.12
*Bellis perennis alba. White, April, May, 3".	.15	.12
*perennis rosea. Pink, April, May, 3"	.15	.12
*rotundifolia caerulescens. Blue, May,		,
2"	.20	.18
Bellium bellidioeides. Bluish, summer, 4"	.15	.12
Bocconia cordata. Creamy white, Aug., 6'	.15	.12
Boltonia asteroides. White, Sept., 5'	.15	.12
latisquama. Lavender, Aug., 5'	.15	.12
latisquama nana. Lavender, Aug., 2'	.20	.18
Boykinia rotundiflolia. White, June, 2'	.18	.15
Buphthalmum speciosum. Yellow, June, 3'	.15	.12
salicifolium. Yellow, summer, 2'	.18	.15
Calamintha alpina. Purple, summer, 6"	.18	.15
Calandrinia umbellata. Crimson, summer, 6"	.20	.18

Calimeris incisa. Pink, summer, 2'	5-24 each .25	25 up each
*Callirhoe involucrata. Red, all summer, 6"	.15	.12
*Caltha palustris. Yellow, April, May, 12"	.15	.12
Camassia leichtlini. Blue, May, 2'	.15	.12
quamash. Blue, May, 2'	.15	.12
*Campanula alliariaefolia. White, June, July,		
2'	.18	.15
*bononiensis. Blue, June, 2'	.18	.15
*carpatica. Blue, July, August, 9"	.18	.15
*carpatica alba. White, July, Aug., 9"	.18	.15
*collina. Blue, July, Aug., 1'	.25	
	.40	.35
*cullinmore. Blue, summer, 9" *elatinoides. Blue, summer, 6"	.20	
*fenestrellata. Pale blue, summer, 3"	.20	.18
*garganica. Light blue, June, 6"	.30	.25
*garganica hirsuta. Blue, June, 4"	.25	
*glomerata. Purple, June, July, 2'	.15	.12
*glomerata acaulis. Purple, June, 6"	.18	.15
*glomerata superba. Violet, June, July, 2'	.18	.15
*grosseki. Blue, summer, 2'	.15	.12
*istriaca. Pale blue, June, July, 3"	.20	
*kolenatiana. Blue, July, 9"	.25	.20
lactiflora. Light blue, Aug., 4'	.18	.15
latifolia alba. White, July, 3'	.20	.18
latifolia macrantha. Purplish blue, July,		
3'	.18	.15
medium. Mixed, June, July, 3'	.15	.12
medium. Separate colors, June, July, 3'	.18	.15
medium calycanthema. Mixed, July, 3'.	.15	.12
medium calycanthema. Separate colors,		
July, 3'	.18	.15
*muralis. Blue-purple, June, 6"	.30	.25
persicifolia. Blue, June, July, 2'	.18	.15
persicifolia alba. White, June, 2'	.20	.18
persicifolia alba. fl. pl. White, summer,		
2'	.40	
*poscharskyana. Blue, summer, 5"	.35	
pyramidalis. Blue, July, 4-5'	.18	.15
pyramidalis alba. White, July ,4-5'	.18	.15
*raddeana. Purple, July, Aug., 1'	.25	.20
*raineri. Dark blue, July, 6"	.18	.15
*raineri alba. White, July, 6"	.20	.18
*rhomboidalis. Blue, July, 1'	.18	.15

	5-24 each	25 up each
Campanula	20	10
*riverslea. Dark blue, July, 9"	.20	.18
*riverslea alba. White, July, 9"	.20	.18
*rotundifolia. Blue, June, July, 12"	.18	.15
*sarmatica. Pale blue, summer, 12"	.30	.25
*sibirica alba. White, summer, 10"	.25	.20
*turbinata. Blue, June, July, 6"	.18	.15
*turbinata alba. White, June, July, 6"	.18	.15
*trachelium. Blue, July, 2-3'	.15	.12
*Carex morrowi. White-edged foliage, 1'	.25	
Cassia marilandica. Yellow, July, 3-4'	.15	.12
Catananche caerulea. Blue, June, July, 18".	.15	.12
Caulophyllum thalictroides	.15	.12
Centaurea babylonica. Yellow, July, 5'	.15	.12
*dealbata. Red, July, 1½'	.18	.15
macrocephala. Yellow, July, 3-4'	.18	.15
*montana. Blue, June, July, 2'	.15	.12
ruthenica. Straw color, July, 4'	.18	
Centranthus augustifolius. Rose, summer,		
18"	.20	
ruber. Red, summer, 3'	.15	.12
ruber albus. White, all summer, 3'	.15	.12
Cephalaria alpina. Yellow, July, 5'	.15	.12
tatarica. Cream, summer, 6'	.15	.12
*Cerastium arvense compactum.		
White, July, 8"	.15	.12
*biebersteini. White, June, 6"	.18	.15
*tomentosum. White, June, 6"	.15	.12
*Ceratostigma plumbaginoides. Blue, fall, 6"	.18	.15
*Chieranthus allioni. Orange, July, 1'	.15	.12
*Golden Bedder. June, 1'	.20	
Chelone glabra. White, rose tinged, July, 2'	.18	.15
lyoni. Deep rose, August, 2'	.18	.15
Chrysanthemum anemone—flowered	.15	.12
Snow Queen—White.		
*arcticum. White, fall, 2'	.15	.12
*arcticum Astrid. Pink, fall, 18"	.20	.18
balsamita. Yellow, Aug., Sept., 2'	.25	.20
coreanum. Blush, fall, 3'	.18	.15
Cushion varieties. Fall, 1'	.20	.18
(white, yellow, pink, red, bronze)		
*erubescens. Pink, Aug., Sept., 18"	.25	

,		
ysanthemum	5-24 each	25 up each
hardy button varieties	.15	.12
Baby Marguerite—pink.		
Bronze Button—bronze.		
Irene—blush white.		
Lillian Doty—pink.		
Mitzi—yellow.		
Mrs. H. Harrison—pink.		
Niza—delicate pink.		
Ouray—rich bronze.		
Pygmy Gold—golden yellow.		
White Doty—white.		
White Gull—White.		
hardy large flowering, double, fall, 4'	.15	.12
Algonquin—yellow.		
Angelo—pink.	1 1	
Barbara Cumming—yellow, bronze	shad	ıng.
Boston—orange. Brune Poitevine—deep velvety redd	iah h	
Caliph—oxblood red.	isn pi	ronze.
Canariense—yellow.		
Comoleta—yellow.		
Golden Queen—yellow.		
Harvest Home—yellow.		
Indian—coppery red.		
L'Argentuillais—deep chestnut.		
Lavender Lady—clear lavender.		
Marie Antoinette—deep pink.		
Mrs. F. H. Bergen—pale pink.		
Mrs. H. Craig—yellow, overlaid or	ange	crim-
son.		
Murillo—pink.		
Oconto—white.		
Ohio Gold—yellow.		
Old Homestead—pink.		
Pacific Supreme—pink.		
R. Marion Hatton—canary yellow.		
Snowclad—white.		
Vesuve—red.	9.0	10
Aladdin. Coppery bronze, Aug., 2'.	.20	.18
Dazzler. Cardinal red, fall, 2' Daybreak. Shell pink, fall, 2'	.18 .25	.15
Eden. Bright rose, fall, 2'	.25	.15
Emma Marie. Lemon yellow, fall, 2'	.18	.15
minia marie. Demon jenow, ran, 2	.10	.10

	5-24 each	25 up each
Chrysanthemum		
Glory of Seven Oaks, Yellow,		
Sept., 2'	.18	.15
2'	.20	.18
Jean Cumming. White ,fall, 2'	.18	.15
Judith Anderson. Yellow, fall, 18"	.20	.18
Mrs. Willis J. Martin, Strawberry,		
fall, 2'	.18	.15
Pale Moon. Yellow, fall, 2'	.30	.25
Peggy Ann Hoover. Lilac pink, fall,		
2'	.18	.15
Tassiva. White, Sept. 18"	.18	.15
White Spoon. White, Oct., 18"	.25	.20
Yellow Normandie. Yellow, early		
fall, 2'	.18	.15
Yellow Spoon. Yellow, Oct., 18"	.25	.20
hardy large flowering, single, fall, 4'	.18	.15
California—yellow.	.10	.10
Excelsior—golden yellow.		
Gypsy Girl—crimson, shading chest	nut	
Lady Smith—bright pink.	1100.	
Mrs. Calvin Coolidge—cardinal red		
Mrs. W. E. Buckingham—salmon pi		
Korean hybrids. Oct. 2-2½'		.15
Aphrodite—pale pink.	.20	.13
Apollo—bronze, red and gold.		
Ceres—chamois yellow.		
Clara Curtis—salmon pink.		
Daphne—daphne pink.		
Diana—rose pink, blended lilac ros	•	
Indian Summer—double orange.	e.	
Kristina—deep rose pink.		
Mars—amaranth red.		
Mercury—bronze red.		
Nancy Copeland—spectrum red.		
Profusion—rich, coppery old gold.		
Saladin—oriental red, shading to co	mol.	
Sappho—pure yellow.	naı.	
Saturn—orange and bronze.		
Siegfried—rich yellow.		
The Moor—port wine red.		
Viking—burnt orange.		
viking—burnt brange.		

Chrysanthemum	5-24 each	25 up each
maximum. White, all summer, 2'	.15	.12
maximum Alaska. White, July, Aug., 2'	.15	.12
maximum Chiffon. Dbl. White, summer,	.10	.12
18"	.30	
maximum Esther Reed. Dbl. white, sum-		
mer, 18"	.45	
maximum Giant Single. White, summer,		
30"	.20	.18
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.18	.15
maximum White Swan. Dbl. White,		
summer, 18"	.30	.25
*morifolium. Rose, fall, 18"	.20	.18
zawadsky. Pink, June, July, 2'	.20	
Cimicifuga racemosa. White, July, 5'	.15	.12
Clematis davidiana. Blue, Aug., 3'	.18	.15
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.18	.15
recta. White, July, 3'	.18	.15
recta mandschurica. White, July, 4'	.18	.15
Codonopsis clematidea. White, June, 3'	.20	
*Colchicum autumnale. Rosy lilac, Sept., 1'	.25	
autumnale roseum plenum. Rosy lilac,		
Sept., 1'	.35	
*Convallaria majalis. Clumps, white, May, $6^{\prime\prime}$	.18	.15
Coptis trifolia. White, summer, 6"	.18	.15
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.15	.12
lanceolata. Yellow, summer, 2'	.15	.12
*rosea. Rose, Aug., Sept., 1'	.15	.12
*verticillata. Yellow, July, Aug., 2'	.18	.15
*Coronilla cappadocica. Yellow, June, 6"	.25	.20
*varia. Pink, summer, 18"	.15	.12
*Corydalis cheilanthifolia.		
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
*Cotula squalida. White, summer, 2"	.25	.20
*Crucianella stylosa. Crimson pink, July, 8".	.18	
*Cynanchum acuminatifolium.		
White, summer, 18"	.18	.15

	5-24 each	25 up each
Cypripedium acaule. Rose-purple, May,	each	euch
June, 1'	.45	
parviflorum. Yellow, May, June, 1'	.45	
spectabile. Rose, June, 2'	.45	
Delphinium belladonna.		
Sky blue, all summer, 4'	.15	.12
bellamosum. Dark blue, all summer, 4'	.15	.12
*chinense. Blue, July, 2'	.18	.15
*chinense album. White, July, 2'	.18	.15
elatum. Blue, July, 4'	.15	.12
formosum. Indigo, July, 4'	.18	.15
formosum coelestinum.		
Light blue, July, 3'	.15	.12
grandiflorum. Shades of blue, July, 3'	.15	.12
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal.		
Shades of blue, July, 4'	.15	.12
hybridum Wrexham's. Various, June, 5'	.35	.30
Iceberg. White, summer, 3'	.25	.20
Pacific Hybrids. Various, summer, 4'	.35	
sibirica hybrids. Shades of blue, July, 3'	.15	.12
Dennstedtia punctilobula. Hay-scented Fern	.15	.12
Dianthus allwoodi. Pink, July, 1'	.18	.15
*alpinus. Rose, summer, 4"	.25	.20
*arenarius. White, July, 10"	.15	.12
*arvernensis. Pink, June, 4"	.20	
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	.15	.12
barbatus alba. White, June, July, 1'	.15	.12
barbatus atrococcineus. Crimson, June,		
1'	.15	.12
*barbatus Dwarf Giants. Various, June,		
8"	.18	.15
barbatus fl. pl. (Double Sweet William).		
mixed colors, June, July, 1'	.15	.12
barbatus Giant White. June, 1'	.15	.12
barbatus nigricans.		1.0
Dark velvety red, June, 1'	.15	.12
barbatus Pink Beauty. Pink, June, 1'	.15	.12
barbatus Salamoni. Salmon, June, 1'	.15	.12
barbatus Sutton's Scarlet.	15	10
Crimson, June, 1'	.15	.12

Dianthus	5-24 each	25 up each
*caesius. Rose pink, June, July, 9"	.15	10
*chinensis heddewigi.	.13	.12
Mixed, June, July, 8"	.15	.12
*deltoides. Pink, June, 9"	.15	.12
*deltoides albus. White, June, 9"	.15	.12
*deltoides Brilliant. Red, June, 9"	.15	.12
giganteus. Red, July, 2'	.18	.15
*grisebachi. Purple, June, 1'	.20	.13
hardy pinks.	.20	.10
Single, mixed, all summer, 9"	.15	.12
knappi. Yellow, summer, 1'	.18	.15
*latifolius atrococcineus.	.10	.10
Crimson, summer, 1'	.15	.12
*neglectus. Pink, May, June, 4"	.30	.12
*plumarius. Mixed, summer, 8"	.15	.12
*plumarius fl. pl. Mixed, summer, 8"	.15	.12
*plumarius semperflorens.	.10	.12
Pink, June, 9"	.15	.12
*Abbotsford. Crimson, all summer, 9"	.18	.15
*Beatrix. Salmon pink, June, 18"	.25	.10
*Bristol Jewel. White and crimson, June,	.20	
18"	.30	
*Bristol Purity. White, June, 18"	.25	
*Cyclops. Dark rose, June, July, 9"	.18	.15
*Elizabeth Peters. Pink, June, July, 9"	.20	.10
*Furst Bismark. Rose, summer, 1'	.20	.18
*Gladys Cranfield. Pink, summer, 1'	.25	•••
*Hardy Harvard. Red, summer, 1'	.35	
*Homer. Rosy red, June, July, 9"	.18	.15
*Her Majesty. Dbl. white, June, July, 9"	.18	.15
*Little Joe. Crimson, summer, 6"	.35	
*Pheasant's Eye. Pink, white eye, June, 1'	.18	.15
*Rose Cushion. Pink, June, 3"	.25	
*Silver Mine. White, summer, 1'	.35	
*Souv. de Sales. Dbl. pink, June, 9"	.20	.18
*Uncle Sam. White, red eye, June, 12"	.25	
*White Reserve. White, June, July, 9"	.18	.15
*seguieri. Carmine, summer, 1'	.20	
*speciosa. Pink, July, 10"	.15	.12
*subacaulis. Purple, June, July, 4"	.30	.25
*Dicentra eximea. Rose, all summer, 1'	.18	.15
spectabilis. Rose, May, June, 2'	.30	.25
specialist 1000, may, care, a		.20

Dictamnus albus. White, June, 2'	5-24 each .20	25 up each .18
albus ruber. Red, June, 2'	.20	.18
caucasicus. Red, June, 3'	.25	.20
Digitalis ambigua. Yellow, June, July, 3'	.18	.15
gloxinaeflora. Mixed, June, July, 3'	.18	.15
Isabellina. Yellow, June, July, 3'	.18	.15
lanata. Creamy yellow, July, 3'	.18	.15
lutea. Yellow, June, July, 18"	.18	.15
purpurea. Mixed, June July, 3'	.15	.12
purpurea maculata. Spotted, June, July,		
18"	.15	.12
purpurea monstrosa. Various, June,		
July, 3'	.15	.12
purpurea, rose. June, July, 3'	.15	.12
purpurea, white. June, July, 3'	.15	.12
Shirley Hybrids, Mixed. June, July, 3'	.18	.15
*Dodecatheon meadia. Rose, May, 1'	.18	.15
*latilobum. White, May, June, 1'	.15	.12
Doronicum caucasicum. Yellow, April, May,	.10	
18"	.30	.25
clusi. Yellow, May, 12"	.30	
plantagineum excelsum. Yellow, April,	.00	
May, 3'	.25	.20
Dorycnium hirsutum. Pink, summer, 2'	.25	.20
*Draba aizoides. Yellow, March, 4"	.30	
*altaica. White, April, 6"	.30	.25
*armata. Yellow, April, 2"	.35	.30
*bruniifolia. Orange, April, May, 4"	.35	
*dedeana. White, May, June, 2"	.40	
*fladnizensis. White, April, May, 3"	.30	.25
*hispanica. Yellow, April, 2"	.30	.25
*repens. Yellow, April, 6"	.20	.18
*Dracocephalum botryoides. Rose, July, 6"	.25	.20
*nutans. Blue, Aug. 1'	.20	.18
Ruyschianum japonicum. Blue, summer,	90	10
2'	.20	.18
Dryopteris spinulosum. Wood Fern	.15	.12
thelypteris. Shield Fern	.15	.12
Echinacea purpurea. Purple, July, Aug., 3'	.15	.12
Echinops humilis. Blue, July, 2'	.18	.15
ritro. Deep steel blue, July, 3'	.15	.12
sphaerocephalus. Pale blue, July, 5'	.15	.12
*Edraianthus dinaricus. Lilac, July, 3"	.25	

Elymus glaucus. Blue Lime Grass, 3'	5-24 each .18	25 up each .15
*Epigaea repens. Pink ,April, May, 4"	.45	
Epilobium angustifolium. Rose, Aug., 4'	.18	.15
*Epimedium niveum. White, May, June 1'	.30	
macranthum lilacina. Lilac, May, June,		
1'	.40	.35
sulphureum. Yellow, May, 1'	.35	.30
Eremurus himalaicus. White, June, 6'	1.50	
Erianthus ravennae. Plume Grass, 10'	.30	.25
*Erigeron elatior. Purple, July, 2'	.25	.20
*glabellus. Violet, June, July, 1'	.15	.12
*glabratus roseus. Pink. June, 1'	.20	.18
macranthus. Violet, June, 2'	.20	.18
*speciosus. Rich purple, June, July, 2'	.15	.12
*Erinus alpinus albus. White, May, 4"	.20	.18
*alpinus roseus. Rosy purple, May, 4"	.20	.18
*Erodium corsicum. Pink, summer, 2"	.30	
Eryngium alpinum. Blue, July, 2'	.20	.18
amethystinum. Blue, summer, 18"	.18	.15
bourgati. Blue, summer, 18"	.20	10
*planum. Blue, July, Aug., 3'	.15	.12
*Erysimum kotschyanum. Orange, May,	1.0	.15
June, 5"	.18 .25	.13
*pulchellum. Lemon, May, June, 6"	.18	.15
Eulalia gracillima. Japan Rush, 4-6'	.15	.12
japonica variegata. 4-6'	.18	.15
zebrina. Zebra Grass, 4-6'	.18	.15
Eupatorium ageratoides. White, Aug., 3'	.15	.12
*coelestinum. Blue, Sept., Oct., 18"	.15	.12
purpureum. Purple, Aug., Sept., 5'	.15	.12
Euphorbia corollata. White, July, Aug., 2'	.18	.15
*cyparissias. Yellow, May, 10"	.15	.12
*epithymoides. Yellow, May, June, 1'	.25	
*myrsinites. Yellow, May, June, 6"	.20	.18
Festuca glauca. Fescue Grass, June, 10"	.15	.12
Foeniculum atrosanguineum, summer, 6'	.18	.15
*Fragaria indica. White, May, 6"	.15	.12
*Fuchsia magellanica. Red, summer, 3' Funkia. (See Hosta).	.30	

	5-24 each	25 up each
Gaillardia grandiflora. Yellow and Crimson, all summer, 2'	1.5	19
Burgundy. Red, summer, 2'	.15 .30	.12 .25
Goblin. Yellow and red, summer, 1'	.20	.18
Mr. Sherbrook. Yellow, summer, 2'	.25	.10
Sun God. Yellow, Aug., 2'	.30	
*Galax aphylla. White, June, 10"	.20	.18
Galega officinalis. Blue, June, July, 3'	.18	.15
officinalis hartlandi. Bluish white, July,		
3'	.18	.15
Galium boreale. White, July, 1½'	.18	.15
*purpureum. Dark brown, Aug., 1'	.20	.18
*verum. Yellow, June, July, 6"	.25	.20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
alba. White, Aug., 2'	.15	.12
andrewsi. Blue, Aug. 2'	.15	.12
*cruciata. Deep blue, June, July, 1'	.30	.25
*freyniana. Blue, Aug., Sept., 6"	.35	
*Purdomi. Blue, July, Aug., 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.30	.25
*Geranium endressi. Rose, summer, 18"	.35	
*grandiflorum. Lilac, June, July, 15"	.15	
*grevilleanum. Mauve, June, July, 6"	.18	.15
*ibericum. Purple, May, June, 2'	.18	.15
*lancastriense. Mauve, May, June, 1'	.18	.15
*maculatum. Pink, May, June, 1'	.18	.15
*pratense album. White, July, Aug., 2'	.18	.15
*sanguineum. Red, June, July, 2'	.18	.15
*Geum atrosanguineum. Dark red, summer,		
1½'	.18	.15
*Lady Strathedon. Orange, summer, 15"	.18	.15
*montana. Yellow, July, 1'	.18	.15
*Mrs. Bradshaw. Double red, summer, 1'	.18	.15
*Orange Queen. Orange, summer, 15"	.20	.18
*sibericum. Scarlet, June, July, 1'	.20	
*urbanum. Yellow, July, 15"	.25	.20
Gillenia trifoliata. White, July, 4'	.18	.15
*Globularia cordifolia. Pale blue, June, 4"	.20	.18
*nana. Pale blue, June, 2"	.25	.20
*trichosantha. Blue, May, June, 6"	.18	.15

	5-24	25 up
Gypsophila acutifolia. Pink, July, 2-3'	each .15	each $.12$
*cerastoides. White, summer, 4"	.20	.18
paniculata. White, July, Aug., 2-3'	.15	.12
paniculata Bristol Fairy. Dbl. white,	***	
summer, 3'	.30	.25
paniculata fl. pl. Dbl. white, July, Aug.,		
3'	.35	.30
*repens. Bluish white, all summer, 6"	.15	.12
*repens bodgeri. Dbl. white, summer, 2'	.30	.25
*repens rosea. Pink, summer, 6"	.20	.18
Rosy Veil. Pink, summer, 2'	.30	.25
Helenium autumnale. Yellow, Aug., Sept., 5'	.18	.15
autumnale superbum. Yellow, Sept., 5'	.18	.15
bigelovi. Yellow, Sept., 4'	.20	.18
Chippersfield Orange. Copper and gold,		
Aug., 4'	.45	
Gartensonne. Yellow, Aug., Sept., 3'	.25	.20
hoopesi. Orange, June, July ,3'	.20	.18
*pumilum. Yellow, Aug., 15"	.20	.18
Riverton Beauty. Lemon, Aug., Sept., 5'	.20	.18
Riverton Gem. Old Gold, Sept., Oct., 4'	.20	.18
rubrum. Brick red, Sept., 4'	.18	.15
*Helianthemum citrinum. Yellow, summer, 6"	.18	.15
*croceum. Saffron, June, July, 9"	.18	.15
*cupreum. Copper, June, July, 6"	.18	.15
*Fire Ball. Red, July, Aug., 12"	.18	.15
*mutabile. Flesh, May, June, 12"	.18	.15
*perfoliatum roseum. Salmon, summer,		
6"	.18	.15
*purpureum. Bright pink, June, 6"	.25	
*The Bride. White, June, July, 6"	.25	
Helianthus atrorubens. Yellow, fall, 6'	.15	.12
maximiliana. Yellow, Sept., 6'	.15	.12
Miss Mellish. Yellow, Aug., Sept., 6'	.15	.12
mollis grandiflorus. Yellow, Aug., Sept.,		
4'	.15	.12
*multiflorus fl. pl. Yellow, summer, 4'	.18	.15
orgyalis. Bright yellow, Sept., 6-8'	.20	.18
rigidus. Yellow, Aug., 3'	.15	.12
Wolly Dod. Deep yellow, Sept., 7'	.15	.12
Heliopsis excelsa. Dbl. yellow, Aug., 3'	.18	.15
incomparabilis. Gold, summer, 30"	.30	.25
pitcheriana. Orange, July, Aug., 3'	.15	.12

*Helleborus niger. White, Feb., Mar., 1'	5-24 each .65	25 up each
*orientalis. Various, March, 12"	.50	
*Helxine soleiroli. Creeping herb, 1"	.18	.15
Hemerocallis Apricot. Apricot color, June, 2'	.18	.15
aurantiaca. Orange, June, July, 2½'	.18	.15
Dr. Regal. Orange yellow, May, 18"	.18	.15
dumortieri. Orange, June, 2'	.15	.12
flava. Lemon yellow, June, 3'	.18	.15
florham. Golden yellow, June, 3'	.20	.18
fulva. Bronze, Aug., 3'	.15	.12
Gold Dust. Indian yellow, June, $2\frac{1}{2}$	.15	.12
gracilis. Yellow, June, 2'	.18	.15
Hyperion. Lemon, July, 4'	.60	
J. A. Crawford. Apricot yellow, July, 4'	.30	.25
kwanso. Reddish orange, June, 2½'	.20	
luteola. Orange, June, 2'	.15	.12
May Queen. Orange, May, 4'	.25	10
middendorffi. Orange, June, 3'	.15	.12
minor. Yellow, June, 2'	.15	.12
Orange Man. Deep orange, June, 2'	.15	.12
Sovereign. Rich orange, June, 1½'	.15 .15	.12
thunbergi. Lemon yellow, June, 2-3'	.40	.12 .35
Bay State. Deep yellow, Aug.	.40	.00
Gypsy. Deep orange, July.		
Harvest Moon. Orange, July.		
Lemona. Pale lemon yellow, Aug.		
Mrs. W. H. Wyman. Pale lemon, Au	g.	
The Gem. Deep orange, June, July		
*Hepatica triloba. Light blue, March, April, 4"	.15	.12
*Herniaria glabra. Green, summer, 4"	.18	
*Hesperis matronalis. Purple, June, July, 3'	.15	.12
*matronalis alba. White ,June, July, 3'	.18	.15
Heuchera americana. Greenish white, 3'	.20	.18
*brizoides. Pink, June, July 2'	.18	.15
*Fire King. Red, May, June, 15"	.35	110
*Grenadier. Red, summer, 15"	.35	
*Pleu de Feu. Red, May, June, 2'	.25	.20
*Red Pimpernell. June 1'	.25	
*rosamundi. Coral, summer, 18"	.25	.20
*sanguinea. Coral red, June, 1'	.18	.15
*sanguinea alba. White, June, 1'	.30	.25

	5-24 each	25 up each
Heuchera	eden	eden
*sanguinea hybrids. Various, summer, 18"	.18	.15
*villosa. White, summer, 12"	.20	.18
Hibiscus Mallow Marvels. Mixed, July, Au	g.	
5'	.15	.12
Mallow Marvels. Separate colors, Aug.,		
5'	.18	.15
Mallow Marvels. Giant Red, Aug., 5'	.18	.15
moscheutos. Rose, June, July, 5'	.15	.12
moscheutos crimson eye. White, red		4.0
eye, Aug., 5'	.15	.12
*Hieracium aurantiacum. Orange, summer, 6"	.15	.12
*alpinum. Yellow, May, June, 9"	.20	.18
Hosta caerulea. Blue, July, 1½'	.15	.12
fortunei. Pale lilac, July, 2'	.15	.12
lancifolia. Blue, July, 2'	.15	.12
minor alba. White, fall, 10"	.35	
sieboldiana. Silvery foliage	.20	.18
sub-cordata grandiflora. White, Aug.,	9.0	0.5
18"	.30	.25
undulata variegata. White foliage, 2'	.15	.12
*Houstonia purpurea. Purple, May, June, 1'	.20	4.5
serpyllifolia. Blue, April, 2"	.18	.15
Hyacinthus candicans. White, Aug., 3'	.18	.15
Hypericum ascyron. Yellow, Aug., 3'	.25	.20
*calycinum. Yellow, July, Aug., 1'	.18	.15
*Coris. Yellow, summer, 4"	.25	.20
*fragile. Yellow, July, Aug., 1'	.25	.20
moserianum. (See Shrubs).	1.0	1.
*polyphyllum. Yellow, summer, 8"	.18	.15
*repens. Yellow, July, 4"	.25 $.20$	.20
*rhodopaeum. Yellow, July, 4"		
*Hyssopus officinalis. Purple, Aug. 18"	.18	.15
*Iberis gibraltarica. Delicate lilac, May, 1½'	.15	.12
*jordani. Rose, May, June, 6"	.30 .18	.25 .15
*saxatilis. White, summer, 8"	.15	.12
*sempervirens Climax. White, May, 6"	.18	.15
*sempervirens Little Gem. White, April,	.10	.10
6"	.18	.15
*sempervirens Snowflake. White, May, 9"	.25	.20
*tenoreana. Purplish white, June, 6"	.25	.20

	each 5-24	each 25 up
Incarvillea delavayi. Rosy purple, June,	3-24	20 00
July, 2'	.20	.18
Inula ensifolia. Yellow, July, Aug., 8"	.18	.15
royleana. Yellow, July, Aug., 18"	.20	
Iris cristata. Light blue, May, June, 6"	.18	.15
dichotoma. Purple, Aug., 1'	.25	
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
*flavissima. Yellow, May, 6"	.25	.20
fall blooming. Spring and fall, 11/2-2'	.25	.20
Autumn King—Blue-purple		
Autumn Queen-snow white		
Olive White—cream		
<b>Ultra</b> —utramarine-blue		
germanica. May, June 1½-2'		
Afterglow. Soft lavender shading		
yellow	.15	.12
Ambassadeur. Bronze, purple ma-		
roon falls	.18	.15
Aphrodite. Lilac pink	.18	.15
Archiveque. Purple	.15	
Asia. Smoky blue	,18	.15
Ballerine. Violet with deeper falls	.18	.15
Bruno. Bronze, red purple falls	.18	.15
Cecil Minturn. Pink	.15	.12
Chasseur. Yellow, red veining	.20	.18
Cinnabar. Violet, maroon falls	.20	.18
Cluny. Lilac blue	.18	.15
Coppersmith. Coppery red	.18	.15
Darius. Yellow, lilac and white falls	.15	.12
Dorothea. Pearl gray	.15	.12
Dream. Light pink	.18	
Fairy. White, bordered blue	.15	.12
Flavescens. Yellow	.15	.12
Florentina. Pale blue	.12	.10
Florentina alba. White	.15	.12
Germaine Perthius. Violet purple	.20	.18
Gold Imperial. Golden yellow	.12	.10
Her Majesty. Lilac pink	.12	.10
Isolene. Lilac pink, old rose falls		.12
<b>Jubilee.</b> Cream, dotted brown	.18	.15

	5-24 each	25 up each
Iris germanica.		
King of Iris. Yellow, brown falls	.18	.15
King Edward. Red violet	15	.12
Kochi. Rich deep claret purple	18	.15
Labor. Electric blue	.18	
Leonidas. Lavender, mauve falls Lent A. Williamson. Violet, rio	eh	.18
purple falls with yellow bear		.12
Lord of June. Lavender blue, viol	et	.10
falls		.12
Loreley. Light yellow, blue falls		.09
Mad. Henri Cayeau. Dark purple		.15
Magnifica. Violet and reddish viol		
Mary Barnet. Lavender blue		.12
Midnight. Dark blue		.12
ted	18	
<b>Moonlight.</b> Silvery white <b>Monsignor.</b> Violet purple, crimso	15 on	.12
falls	15	.12
Mt. Royal. Pansy purple		
Nuee d'Orage. Slate gray wi		
bronze and purple falls		.10
Opera. Violet red, purple falls		.18
Pallida Dalmatica. Lavender		.15
Pallida speciosa. Light blue		.09
Pluie d'Or. Yellow		
Pocahontas. White		.15
Prairie Gold. Yellow		.12
Princess Victoria Louise. Sulphi		1.0
yellow, rich violet falls		.10
Prospero. Lavender and purple.		.12
Queen Caterina. Lavender viole		
orange beard		.10
Rhea. Violet	15	.12
Rhein Nixe. White, violet falls.		.12
Robt. W. Wallace. Violet purple Shekinah. Pale yellow, shading		.12
buff		.15
Sherwin-Wright. Golden yellow		.10
Snow White. White		

	5-24	25 up
*Iris garmaniaa	each	each
*Iris germanica Souv. de Mad. Gaudichau. Deep vel-		
vety purple	.18	.15
Taj Mahal. White	.12	.10
Tamerlan. Light blue, darker falls.	.12	.10
Thais. Soft rosy mauve	.18	.15
True Delight. Pure pink	.20	
Victorine. White, mottled blue	.15	.12
Wedgewood. Blue	.15	.12
intermedia hybrids. May, 18"	.15	.12
Gerda. Creamy yellow, darker falls		
Halfdan. Creamy white.		
Ingeborg. Ivory white.		
Helge. Light citron.		
Walhalla. Light blue, purple falls.		
kaempferi. Japanese Iris. July, 2-3'	.25	.20
Awaji. Large white overlaid lavend	ler blı	ıe.
Bandai-San. White standards and	falls,	bor-
dered lavender.		
Blue Bird. Single dark blue.		
Eumee. Double lavender blue.		
<b>Fascination.</b> Double mauve pink, ve <b>Florence</b> , Amaranth purple.	inea	wnite.
Fukushima. Reddish purple, veined white.		
Gold Bound. White, yellow shading		•
Iso-no-namie. Double soft blue.	,	
Kagaribi. Double pink lavender.		
Kumonoobi. Clear purple, white halo	) <b>.</b>	
Mahogany. Double rich dark red.		
Oyodo. Double wine red.		
Patrocle. Single reddish violet.		
Purple Emperor. Large deep violet p	-	
Purple & Gold. Violet purple, golde		
<b>Pyramid.</b> Double violet purple, vein <b>Seacrest.</b> Foam white.	ea wn	ite.
Tacoma Beauty. Pure white.		
Thais. Rich royal purple, velvety	sheen	
Uchiu. Crimson purple, white vein		
Warei-hotei. Lavender blue, light blue halo.		
prismatica. Violet, May, June, 2'		.15
pseudacorus. Yellow, June, 3'	.15	.12

• •	each	each
Iris		
*pumila alba. Dwarf, white, April, 9"	.15	.12
*pumila caerulea. Dwarf, blue, April, 9"	.15	.12
*pumila californica. Yellow, April, 9"	.20	.18
*pumila Curiosa. Yellow, April, May, 9"	.25	.20
*pumila Fairy. Pale blue, April, 6"	.20	.18
*pumila Grande. Violet, blue falls, April,		
May, 9"	.25	.20
*pumila Louise. Dark blue, April, 6"	.20	.18
*pumila lutea. Pale yellow, April, 6"	.15	.12
*pumila Midget. Purplish red, April, 6"	.25	
*pumila Schneecuppe. White, April, 6"	.18	.15
*pumila Sambo. Violet, April 9"	.15	.12
siberica. Purplish blue, June, 3'	.15	.12
sibirica alba. White, June, 3'	.15	.12
sibirica Emperor. Clear blue, May, 2'	.20	.18
sibirica Snow Queen. White, May, 2'	.15	.12
*Stewart. Dwarf, yellow, April, 9"	.18	.15
*tectorum. Blue, June, 1'	.25	.20
*tectorum alba. White, June, 10"	.30	
*verna. Blue, May, June, 6"	.18	.15
versicolor. Blue, June, 2'	.15	.12
Isatis tinctoria. Yellow, May, June, 6'	.15	.12
*Jasione humilis. Blue, July, Aug., 6"	.18	.15
*perennis. Blue, June, July, 6"	.18	.15
*Jeffersonia diphylla. White, May, 8"	.18	.15
*Kniphofia pfitzeri. Coral, Aug., Sept., 4'	.20	.18
Towers of Gold. Yellow, Aug., Sept., 30"	.25	
*Lactuca perennis. Blue, June, 15"	.20	.18
*Lamium maculatum. Purple, July, Aug., 8"	.20	.18
Lathyrus latifolius. Pink to Red, July, 6'	.15	.12
*Lavandula officinalis. (Sweet Lavender).		
July, 2'	.18	.15
*nana. Lavender, Aug., 9"	.25	.20
*Leontopodium alpinum. Yellow, summer, 5"	.20	.18
*Lewisia rediviva. Pink, June, July, 3"	.40	.35
Liatris pycnostachya. Purple, Aug., Sept., 4'	.15	.12
spicata. Purple, Aug., 3'	.15	.12
Ligularia clivorum. Yellow, Aug. ,Sept., 3'	.18	.15
Lilium auratum. (Gold Band Lily). White		
with gold band, July, Aug., 3'	.60	
auratum platyphyllum. White, spotted		
yellow, July, Aug., 3'	.60	

	5-24	25 up
Lilium	each	each
batemanniae. Salmon red, July, 3'	.45	
canadense. Yellow to red, June, July, 3'	.18	.15
candidum. White, June, 3'	.50	.40
carolinianum. Orange, July, Aug., 3'	.50	
concolor. Scarlet, July, 1'	.35	.30
elegans. Shades yellow and red, July, 2'	.50	
elegans Alice Wilson. Lemon, June,	<b>5</b> 0	
July, 2'	.50	
elegans atrosanguineum. Dark crimson,	ΕO	
June, July, 1'elegans Orange Queen. Orange, June,	.50	
July, 18"	.50	
hansoni. Orange, June, July, 4'	1.00	
henryi. Yellow, July, 2'	.45	
longiflorum giganteum. Waxy white, 2'	.60	
pardalinum. Scarlet and yellow, 2'	.25	.20
phillippinense formosanum. White,		
June, July, 2'	.45	
philadelphicum. Orange red, June, July,		
3'	.25	.20
regale. White, July, 4'	.30	.25
speciosum album. White, Aug., 3'	.60	
speciosum longiflorum. White, Aug., 3'	.60	
speciosum melpomene. Crimson, Aug.,	CO	
3' Diskish and Aug. 2'	.60	
speciosum rubrum. Pinkish red, Aug., 3' superbum. Orange, July, Aug., 5'	.60 .18	.15
*tenuifolium. Scarlet, June, 18"	.20	.13
testaceum. Apricot, June, July, 5'	2.50	.10
tigrinum fl. pl. Orange, spotted, Aug. 4'	.30	
tigrinum. Orange, spotted, Aug., 4'	.25	
umbellatum. Scarlet red, July, 2'	.25	.20
washingtonianum. White, dotted purple,		
June, July, 4'	1.00	
willmottiae. Orange, July, 4'	1.00	
*Limonium auriculaefolium. Blue, June,		
July, 6"	.20	.18
eximium. Lilac rose, Aug., 2'	.18	.15
*gmelini. Purplish blue, Aug., 18"	.20	.18
*latifolium. Blue, July, Aug., 2'	.15	.12

	5-24	25 up
*Linaria aequitriloba. Pale mauve, June, 1"	each .20	each .18
*alpina. Blue, summer, 6"	.18	.15
*alpina rosea. Rose, summer, 6"	.20	
	.18	.15
*cymbalaria. Lavender, summer, 4" *origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3 '	.25	.20
*Linum austriacum. Blue, summer, 3'	.25	.20
*alpinum. Blue, June, 10"	.20	.18
*flavum. Yellow, June, July, 1"	.18	.15
hirsutum. Lilac, summer, 2'	.18	
*narbonnense. Blue, June, July, 2'	.18	.15
*perenne. Blue, June, July, 1½'	.15	.12
*salsoloides. White, summer, 8"	.35	
*tenuifolium. Pink, summer, 1'	.25	
*Lithospermum purpureo-caeruleum. Blue		
May, 10"	.35	
Lobelia cardinalis. Scarlet, Aug., Sept., 3'	.15	.12
siphilitica. Blue, Sept., 3'	.15	
Lupinus polyphyllus. Blue, June, July, 3'	.18	.15
polyphyllus albus. White, June, July, 3'	.18	.15
polyphyllus roseus. Pink, June, July, 3'	.18	.15
*Lychnis alpina. Rose color, June, 1'	.18	.15
arkwrighti. Scarlet, summer, 15"	.18	.15
chalcedonica. Scarlet, July, 3'	.15	.12
coronaria. Crimson, July, 2'	.15	.12
coronaria alba. White, July, 2'	.15	.12
flos jovis. Pink, June, 18"	.15	.12
*haageana. Scarlet, June, July, 1'	.15	.12
*viscaria splendens fl. pl. Red ,June, 1'	.20	.18
Lysimachia clethroides. White, July, Aug., 3'	.18	.15
*nummularia. Yellow, June, July, 6"	.15	.12
*nummularia aurea. Yellow leaves, 3"	.25	
punctata. Yellow, June, 3'	.25	.20
vulgaris. Yellow, July, Aug., 3'	.20	.18
Lythrum alatum. Magenta, July, Aug., 3'	.15	.12
salicaria roseum. Rose, July, 4'	.15	.12
virgatum. Deep rose, July, Aug., 1½'	.18	.15
Malva alcea. Rosy purple, July, Aug., 3'	.15	.12
moschata. Rose, July, Aug., 2'		.12
moschata alba. White, July, Aug., 2'		.12

	5-24	25 up
Marrubium vulgare. White, summer, 3'	each .25	each
Matricaria Golden Ball. Yellow, summer, 1'	.15	.12
*parthenoides. White, May, 1'	.15	.12
Silver Ball. Dbl. white, summer, 1'	.18	
*Mazus reptans. Lilac, April, 4"	.20	.18
Melissa officinalis. White, Aug., 2"	.15	.12
Mentha anisatus. Anis-flavored. 15"	.25	
crispa. Curly mint. 12"	.25	
piperita. Peppermint. Purple, 2'	.15	.12
*requieni. Mauve, July, Aug., 2"	.20	.18
rotundifolia. Apple mint. 30"	.25	
*Mertensia virginica. Purplish blue, March,		
April, 2'	.15	.12
*Micromeria rupestris. White, fall, 10"	.18	.15
Mimulus luteus. Yellow ,summer, 1'	.25	.20
Mitchella repens. White shaded pink, Mar.,		
4"	.18	.15
Monarda didyma. Red, July, Aug., 3'	.15	.12
didyma Cambridge. Scarlet, July, Aug., 3'	.15	.12
didyma Salmonea. Salmon, July, Aug., 3'	.20	.18
didyma Sunset. Mahogany, July, Aug., 3'	.18	.15
didyma splendens. Scarlet, July, Aug., 3'	.15	.12
didyma violacea. Violet, July, Aug., 3'	.15	.12
fistulosa. Lilac, July, 3'	.15	.12
Mulgedium Bourgaei. Lilac, summer, 5'	.25	.20
*Myosotis alpestris. Blue, April, May, 8"	.15	.12
*alpestris alba. White, May, June, 8"	.15	.12
*alpestris pink. May, June, 8"	.15	.12
*palustris. Blue, all summer, 6"	.15	.12
*palustris Pink Beauty. All summer, 6"	.18	.15
*Nepeta hederacea. Blue, May, 2"	.15	.12
macrantha. Lavender, summer, 2'	.18	.15
*mussini. Blue, June, July, 1'	.18	.15
nuda. Violet, Aug., 3'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, sum-		
mer, 1'	.25	.20
*Nierembergia rivularis. Creamy white, sur		
mer, 4"	.18	.15
Oenothera fraseri. Yellow, summer, 1'	.15	.12
fruticosa major. Yellow, summer, 2'	.15	.12
fruticosa youngi. Lemon, June, July, 2'	.18	.15
lamarckiana. Vellow July Aug 4'	15	19

	each	each
*Oenothera	cucii	cacii
missouriensis. Yellow, July, Aug., 6"	.20	.18
rosea. Rose, summer, 15"	.25	.20
speciosa. White, July, Aug., 11/2'	.18	.15
*taraxacifolia. Pink, summer, 6"	.30	
Onoclea sensibilis. Sensitive Fern	.15	.12
struthiopteris. Ostrich Fern	.15	.12
Onopordon bracteatum. Pink, July, 5'	.20	.18
*Opuntia fragilis. Yellow, June, 4"	.25	.20
*humifusa. Yellow ,June, 10"	.25	.20
megacantha. Yellow, June, 3'	.25	.20
Origanum vulgare. Pink, summer, 2'	.25	
*Orobus vernus. Rose purple, May, 1'	.35	
*Osmunda cinnamonea. Cinnamon Fern	.15	.12
regalis. Royal Fern	.15	.12
Pachysandra terminalis. White, May, 3"	.10	
2 year from pots	.15	.12
		.12
Paeonia officinalis rosea. Rose pink	.50	
officinalis rubra. Red	.50	.40
sinensis. Strong plants, 3-5 eyes.	50	
Albert Crousse. Salmon pink August Dessert. Velvety rose	.50 .50	
Beauty of France. Pale rose	.50	.40
Claire Dubois. Satiny pink	.60	.40
Dr. Vandertak. Crimson	.50	
Duc de Wellington. White	.35	.30
Duchess de Nemours. Creamy white	.50	.40
Edulis. Deep rose	.30	.25
Felix Crousse. Brilliant red	.40	.35
Festiva maxima. Finest early white	.40	.35
Karl Rosenfield. Early red	.50	
Lady Alexandra Duff. Pale pink	.75	
Longfellow. Red	.75	
Marie Crousse. Salmon pink	.60	
Marie Lemoine. Creamy white	.60	.50
Marquise of Lansdowne. Large, pink	.60	
Mons. Martin Cahuzac. Dark pur-		
ple garnet	1.00	
Mons. Jules Elie. Pink with dark-		
er guard petals		.50
Mrs. Van Leeuwen. Light crimson	.50	
Roem von Boskoop. Deep rose	.35	.30

	5-24	25 up
Paeonia sinensis	each	each
Solange. White petals, golden		
brown center	.75	
Souv. de Louis Bigot Bengal rose	.75	
Therese. Violet rose	.75	
Triumph de Paris. Light pink, yel-	-	
low center		.30
Virginie. Lilac rose	.35	.30
Walter Faxon. Pure pink	.75	
Wm. Mesman. White	.35	.30
single Japanese. Named varieties	1.00	
Alba Grandiflora. White		
Cleopaira. Red		
<b>Eva.</b> Bright lilac-crimson.		
Jacqueline. Pure white.		
L'Etincelante. Bright light red.		
Mikado. Dark red.	1	
Oitmatsu. Light pink changing to w		
Shi-pen-kue. Nearest to blue in Per		
suffruticosa. Tree Peony. (See Page 95)		
*Papaver alpinum. Various, summer, 6"	.18	.15
*nudicaule. All colors, summer, 8"	.15	.12
*orientale bracteatum. Red, June, 2'	.18	.15
orientale. Orange scarlet, June; 2'	.15	.12
Beauty of Livermore. Crimson, June		
3′	.25	
Enfield Beauty. Salmon, June, 2'	.18	90
Fairy, Pale pink, June, 2'	.25	.20
Lulu A. Neeley. Ox-blood red, June,	.30	
May Sadler. Salmon, June, 2'	.25	
Mrs. Perry. Salmon pink, June, 3'	.20	.18
Olympia. Scarlet, June, 3'	.25	.20
Perry's White. White, June, 3'	.25	.20
Princess Victoria Louise. Salmon,		
June, 2'	.20	.18
Wurtembergia. Rose-red, June, 2'		.20
		.18
pilosum. Brick red, June, 3'  Pardanthus. (See Belamcanda).	.20	.10
	0.0	4.0
*Paronychia serpyllifolia. White, July, 2"		.18
*Pennisetum japonicum. Fountain Grass	.20	.18
For less than five, add five cents per plant to the	5-24 ra	te.

	5-24	25 up
	each	each
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.20	.18
barbatus. Scarlet, July, 3'	.15	.12
barbatus coccineus. Scarlet, July, Aug.,4'	.18	.15
barbatus Pink Beauty. Pink, summer, 2'	.20	.18
digitalis. White, Aug., 3'	.18	.15
Garnet. Red, summer, 18"	.25	.20
glaber. Blue, summer, 2'	.20	
grandiflora. Blue, summer, 3'	.30	
hirsutus. Rosy purple, July, Aug., 2'	.18	.15
ovatus. Blue, July, Aug., 3'	.18	.15
*procerus. Blue, July, 1'	.20	
*pygmaeus. Purplish blue, summer, 6"	.20	.18
unilateralis. Blue, June, 2'	.18	.15
Phalaris arundinacea variegata. Ribbon Grass	.15	.12
*Phlox amoena. Pink, May, 4"	.15	.12
*arendsi Louise. Lilac, all summer, 1'	.30	
*divaricata. Lavender, May, June, 1'	.15	.12
*divaricata laphami. Violet, June, 1'	.25	.20
glaberrima. Pink, June, 18"	.18	.15
maculata. Purplish red, May, June ,4'	.15	.12
*ovata. Red, May, June, 1'	.18	***
paniculata. 2-3'	•••	
Africa. Carmine, red eye	.18	.15
Antonin Mercie. Lilac, white center	.18	.15
Athis. Salmon pink	.12	.10
B. Compte. Rich French purple	.18	.15
Baron von Dedem. Salmon red	.18	.15
Beacon. Cherry red	.18	.15
Border Queen. Dwarf pink	.20	.10
Capt. Koehl. Blood red	.25	
Caroline Vandenburg. Lavender blue	.25	
Champs Elysees. Rich purple crimson	.15	.12
Commander. Crimson	.18	.15
Count Zeppelin. White, red eye	.18	.10
Daily Sketch. Salmon pink, car-	.10	
mine eye	.25	.20
Enchantress. Salmon pink, dark eye	.18	.15
Elizabeth Campbell. Salmon pink	.18	.15
	.18	.13
Evelyn. Salmon rose		
Feuerbrand. Orange scarlet	.20	.18
Fiancee. White	.20	.18

	5-24 each	25 up each
Phlox paniculata	cacii	Cacii
George Stipp. Salmon, lighter eye	.25	.20
Gustave Lind. Deep salmon	.30	
Johnson's Favorite. Salmon rose	.15	.12
Jules Sandeau. Large pink	.18	.15
Karl Foerster. Orange scarlet	.25	
Le Mahdi. Deep purple	.15	.12
Leo Shlageter. Bright scarlet	.25	.20
Lilian. Fine light pink	.25	
Mad. Paul Dutrie. Soft pink	.18	.15
Maid Marian. Soft lavender	.18	.15
Mary Louise. Pure waxy white	.25	.20
Mia Ruys. White	.25	
Mrs. Jenkins. Pure white	.15	.12
Mrs. Milly van Hoboken. Soft pink	.20	.18
Miss Lingard. White	18	.15
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.25	.20
P. D. Williams. Apple blossom pink	.25	
Peachblossom. Shell pink	.15	.12
Prof. Virchow. Orange scarlet	.18	.15
Rheinlander. Salmon pink, claret eye	.15	.12
Rokoko. Soft pink	.20	.18
R. P .Struthers. Carmine, claret eye	.15	.12
Salmon Glow. Salmon pink	.25	
Special French. Soft pink	.15	.12
Thor. Deep salmon pink	.18	.15
Widar. Light reddish violet, white		
eye	.18	.15
*pilosa. Lavender, May, 1'	.18	.15
*reptans. Lilac, May, 6-12"	.15	.12
*stellaria. Creeping, May, 4"	.15	.12
*subulata alba. White, April, May, 4"	.15	.12
*subulata atropurpurea. Purple, Apr., 4"	.20	.18
*subulata Blue Hills. Light blue, April,4"	.20	.10
*subulata Camla. Pink, May, 4" *subulata Fairy. Blue, purple eye, April,	.30	.25
4"	.18	.15
*subulata G. F. Wilson. Lilac, May, 6" *subulata lilacina. Light blue, April,	.15	.12
May, 4"	.15	.12
*subulata Little Dot. Lilac, April, 4"		
subuidia Lilile Doi. Lilac, April, 4"	.15	.12

	5-24 each	25 ur each
Phlox		
*subulata nelsoni. White, May, 4"	.15	.12
*subulata Perfection. Rose, pink eye,		
April, 4"	.15	.12
*subulata rosea. Pink, May, 4"	.12	.10
*subulata The Bride. White, pink eye,		
May, 5"	.15	.12
*subulata Vivid. Pink, red eye, April, 4"	.18	.15
Phygelius capensis. Red, Aug., Sept., 3'	.20	
*Physalis francheti. Red pods, Oct., 2'	.15	.12
Physostegia virginiana. Rose, Aug., 3'	.15	.12
virginiana alba. White., Aug., 3'	.15	.12
virginiana Vivid. Deep pink, Aug., 2'	.18	.15
*Phyteuma orbiculare. Purple, June, July, 2'	.25	.20
*scheuchzeri. Violet, June, 1'	.18	.15
Platycoden grandiflorum. Blue, summer, 2'	.15	.12
grandiflorum album. White, summer, 2'	.15	.12
*mariesi. Deep blue, summer, 1'	.15	.12
*mariesi album. White, summer, 1'	.15	.12
Plumbago larpentae. (See Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	.15	.12
*Polemonium caeruleum. Deep blue, June,		
July, 1½'	.15	.12
*caeruleum album. White, June, July,		
1½'	.15	
*confertum. Blue, June, July, 18"	.18	.15
*reptans. Blue, May, June, 6"	.18	.15
*richardsoni. Sky blue, May, June, 6"	.18	.15
*Polygonum compactum. White, Aug., Sept.,		
11/2'	.15	.12
cuspidatum. White, Aug., Sept., 5'	.15	.12
oxyphyllum. Creamy white, Sept., 3'	.18	.15
spaethi. Pink, Sept., 6'	.35	1.0
Polystichum acrostichoides. Christmas Fern	.12 .18	.10
*Potentilla atrosanguinea. Red, summer,18"	.20	.18
*argentea. Yellow, summer, 18" *crinita. Yellow, summer, 1'	.18	.15
*nepalensis. Showy red, May, June, 2'	.15	.12
*nepalensis Miss Willmott. Salmon pink,	.10	.14
summer, 12"	.20	.18
*pyrenaica. Yellow, summer, 18"	.15	.12
*tridentata. White, summer, 1'		.13

	each	∠5 up each
*Primula acaulis. Yellow, May, 9"	.18	.15
*auricula alpina. Various, May, 6"	.18	.15
*beesiana. Purple, May, 18"	.25	.20
*bulleyana. Apricot, June. 18"	.25	.20
*bulleyana hybrids. Various, May, 18"	.25	.20
*cashmiriana. Light lilac, May, 8"	.25	.20
*cortusoides. Deep rose, June, 10"	.20	.18
*denticulata. Purple, yellow eye, May, 6"	.25	.20
*denticulata alba. White, May, 6"	.25	.20
*elatior. Yellow, May, 8"	.25	
*elatior atrocoerulea. Dark blue, May, 8"	.35	
florindae. Yellow, May, 4'	.35	.30
*japonica atrosanguinea. Red, May,		
June, 1'	.20	.18
*japonica pink. May, June, 1'	.20	.18
*moerheim hybrids. Various, May, 12"	.25	.20
*polyanthus. White, or yellow, May, 10"	.25	.20
*saxatilis. Rose, May, 10"	.25	.20
*veris. Yellow, April, May, 9"	.18	.15
*veris Giant Munstead. Various, May, 1'	.20	.18
*veris Gold Laced. Various, May, 9"	.25	.20
*veris lilacina fl. pl. Lilac, May, 4"	.50	
*Pulmonaria angustifolia. Blue, April, May,8"	.20	.18
*saccharata. Pink, spring, 12"	.25	.20
*Prunella grandiflora. Violet, summer, 8"	.18	.15
*incisa rubra. Red, summer, 6"	.18	.15
*webbiana. Purple, summer, 6"	.18	.15
Pyrethrum Dainty. Dbl. cherry red, sum-		
mer, 1'	.35	
James Kelway. Sgl. red, June, 1'	.20	
Princess Margaret. Crested pink, June, 1'	.25	
Rose Glory. Dbl. rose, June ,1'	.25	
roseum. Various, May, June, 1'	.15	.12
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.20	.18
roseum single scarlet. Summer, 1'	.35	120
uliginosum. White, Sept., 5'	.15	.12
Ranunculus acris fl. pl. Yellow, June, 3'	.18	.15
*repens. Yellow, June, 4"	.18	.15
repens fl. pl. Yellow, June, 1'	.18	.15
Rosmarinus officinalis. Light blue, April, 4"	.20	.18

	5-24	25 up
D 11 . 1 . 3	each	each
Rudbeckia Autumn Glory. Yellow, Aug.,		4.0
Sept., 6'	.15	.12
hirta. Yellow, Aug., Sept., 3'	.15	.12
laciniata. (Golden Glow). Yellow, Aug., 6'	.15	.12
nitida. Single yellow, Aug., Sept., 6'	.15	.12
Rayon d'Or. Yellow, Aug., 5'	.15	.12
speciosa. Yellow, July, Aug., 2'subtomentosa. Lemon yellow, Aug.,	.15	.12
Sept., 4'	.15	.12
*Ruta graveolens. Yellow, summer, 2½'	.15	.12
*Sagina subulata. White, July, Aug., 3"	.18	.15
Salvia argentea. Pinkish white, June, 3'	.15	.12
azurea. Blue, Aug., 4'	.15	.12
azurea grandiflora. Blue, Aug., 4'	.18	.15
farinacea. Blue, July, 2-3'	.15	.12
glutinosa. Yellow, June, July, 3'	.15	.12
officinalis. Blue, summer, 18"	.15	.12
pitcheri. (See azurea grandiflora).	1 5	10
pratensis. Deep blue, June, 3'	.15 .20	.12
pratensis rubicunda. Rose, June, July,3'	.18	.15
viscosa. Pink, July, 3'		
*Sanguinaria canadensis. White, April, 8"	.15	.12
*Santolina chamaecyparissus. Gray foliage, 1'	.18	.15
*Saponaria caespitosa. Rose, July, 3"	.20	.18
*ocymoides. Pink, summer, 9"	.15	.12
officinalis rosea pl. Pink ,summer, 18"	.15	.12
*Saxifraga aizoides. Yellow, Aug., 4"	.25	
*altissima. White, May, June, 2'	.25	
*borisi. Yellow, May, June, 3"	.25	
*caespitosa. Various, June, July, 6"	.25	
*cochlearis. White, May, June, 9"	.18	.15
*cordifolia. Rose pink, May, June, 1'	.18	.15
*cotyledon. White, May, June, 18"	.25	.20
*crassifolia. Rosy pink, April, 1'	.18	.15
*decipiens. White, May, June, 4"	.20	.18
*granulata. White, May, June, 1'	.20	.18
*grisebachi. Purple, May, June, 8"	.40	
*haussmani. Yellow, May, June, 8"	.20	.20
*lantoscana. White, May, June, 1'	.25	
*lingulata rosea. Pink, April, 1'	.18 .18	.15
*lingulata leichtlini. Rose, April, 1'	.10	.1:

	each	each
*Saxifraga	cacii	00011
*longifolia. White, May, June, 2'	.35	.30
*marginata. White, May, June, 3'	.25	
*McNabiana. White, May, June, 12"	.20	.18
*purpurea. Rosy purple, April, 1'	.18	.15
*sarmentosa. White, summer, 2'	30	.25
*umbrosa. Pink, May, June, 1'	.25	.20
Scabiosa caucasica. Lavender, all summer,		
1'	.20 ·	
*caucasica alba. White, summer, 1'	.20	
caucasica House's Hybrids. Various,		
summer, 1'	.25	
fischeri. Blue purple, summer, 2'	.20	
japonica. Lavender, Aug., Sept., 18"	.18	.15
*Schivereckia bornmulleri. White, summer, 4"	.20	.18
*Scutellaria alpina. Purple and white, sum-		
mer, 6"	.18	.15
*coelestina. Blue, summer, 1'	.20	.18
*orientalis. Yellow, June, July, 8"	.20	.18
*Sedum acre. Yellow, June, July, 4"	.15	.12
*aizoon. Yellow, July, Aug., 1'	.15	
*album. White, July, 4"		.12
*altissimum. Yellow, July, Aug., 9"	.18	.15
*anglicum. Pink, July, Aug., 3"	.20	
*douglasi. Yellow, July, 2"	.15	.12
*ewersi. Pink, Aug., Sept., 6"	.15	.12
*glaucum. Blue foliage, 2"	.15	.12
*kamtschaticum. Yellow, July, 6"	.15	.12
*maximowiczi. Yellow, July, Aug., 1'	.15	.12
*maximum. Pink, Sept., Oct., 18"	.15	.12
*middendorffianum. Yellow, June, July,		
4"		.15
*murale. Pink, July, 1'		.15
*obtusatum. Yellow, July, Aug., 3"	.20	.18
*reflexum. Yellow, July, Aug., 8"	.15	.12
*sarmentosum. Yellow, July, 3"	.15	.12
*sexangulare. Yellow, June, July, 6"	.15	.12
*sieboldi. Pink, July, Aug., 1'		.12
*spectabile. Pink, Aug., Sept., 1½'		.12
		.12
*spectabile Brilliant. Crimson, Sept., 1½' *spurium album. White, July, Aug., 6"		.12
*spurium album. White, July, Aug., o *spurium splendens. Rosy crimson, Aug.		.12
6"		.12
U	.10	.14

	5-24	25 up
Sedum	each	each
*stoloniferum. Pink, July, Aug., 6"	.15	.12
*stoloniferum coccineum. Crimson, Aug.,	.13	.12
6"	.15	.12
*ternatum. White, May, June, 4"	.15	.12
*Sempervivum arachnoideum. Red, June, 4"	.18	.12
*arenarium. Yellow, July, 6"	.18	.15
*alberti. White, July, 8"	.20	.18
*atroviolaceum. Reddish purple, 8"	.25	.10
*brauni. Bronze, July, 6"	.18	
*doellianum. Red, June, July, 6"	.18	.15
*funcki. Brown, June, July, 6"	.18	.15
*fauconetti. Pink, June, 6"	.20	.18
*fimbriatum. Pink, July, 8"	.20	.18
*glaucum. Pink, July, Aug., 6"	.20	.18
*globiferum. Yellow, June, 12"	.15	.12
*tectorum violaceum. Violet red, June, 4"	.15	.12
*Shortia galacifolia. White, June, 8"	.25	.20
Sidalcea Rose Queen. Rose pink, July,	.20	.20
Aug., 4'	.15	.12
*Silene alpestris. White, May, June, 6"	.18	.15
*maritima. White, summer, 1'	.18	.15
*maritima rosea. Pink, summer, 1'	.20	.18
*multicaulis. White, June, July, 1'	.25	.20
orientalis. Pink, July, 2'	.15	.12
*roemeri. White, July, Aug., 1'	.25	.12
*saxifraga. White, summer, 6"	.18	.15
*schafta. Bright pink, July, 6"	.15	.12
Silphium perfoliatum. Yellow, July, 6'	.13	.15
*Sisyrinchium angustifolium. Blue, June,	.10	.10
July, 6"	.18	.15
Smilacina racemosa. White, April, 2-3'	.15	.12
Solidago canadensis. Yellow, fall, 4-5'	.15	.12
rigida. Yellow, fall, 3-4'	.15	.12
shorti. Yellow, fall, 4'	.13	.15
	.25	.16
Spigelia marilandica. Red, June, July, 2'	.20	.18
*Spirea aruncus. White, June, July, 3-5' camtschatica. White, July, 6'	.18	.15
	.15	.12
chinensis. Silvery pink, June, July, 2'	.13	.15
eximea. Pink, June, July, 2'	.18	.15
filipendula. Single, White, June, July, 1'	.25	.10
filipendula fl. pl. White, summer, 15"	.18	.15
lobata. Pink, July, 4'	.10	.16

	5-24 each	25 up each
Spirea		
palmata. Rosy crimson, June, July, 2'	.15	.12
ulmaria fl. pl. White, June, 3-4'	.18	.15
venusta magnifica. Deep pink, July, 3'	.18	.15
Stachys lanata. Purple, June, July, 1½'	.15	.12
Statice. (See Limonium).		
*Stellaria holostea. White, May, June, 1½'	.18	.15
*Stenanthium robustum. White, Aug., 3'	.25	
Stokesia laevis. Lavender, Aug., Sept., 1'	.15	.12
laevis alba. White, Aug., Sept., 1'	.15	.12
Tanacetum vulgare. Yellow, summer, 3'	.15	.12
Teucrium chamaedrys. Rose, Aug., 1'	.18	.15
orientale. Blue, Aug., 10"	.20	.18
Thalictrum adiantifolium. Yellow, June, 4'	.15	.12
aquilegifolium. White, June, 5'	.15	.12
aquilegifolium purpureum. Purple,		
June, 3'	.20	.18
baicalens. Yellow, June, 4'	.18	.15
dipterocarpum. Lilac, Aug., 3'	.25	.20
glaucum. Golden-yellow, June, 4'	.18	.15
minus. Greenish yellow, June, July, 2'.	.18	.15
rochelbrunianum. Lavender, July, Aug.,		
3′	.30	.25
Thermopsis caroliniana. Yellow, June, 6'	.20	.18
mollis. Yellow, June, July, 2-3'	.20	.18
Thymus odoratissimus. Lilac, summer, 6"	.18	.15
*nitidus. Rose, June, July, 3"	.20	.18
*serpyllum. White, June, 4"	.15	.12
*serpyllum citriodorus. Purple, June, July, 3-5"	.15	.12
*serpyllum coccineus. Scarlet, June, 4"	.13	.12
*serpyllum lanuginosus. Rosy purple,	.10	.10
June, July, 5"	.18	.15
*serpyllum roseus. Rose, summer, 8"	.18	.15
vulgaris. Lilac, June, July, 8"	.15	.12
*Tiarella cordifolia. Creamy white, June, 8"	.15	.12
Tradescantia virginiana. Blue, all summer, 2'	.15	.12
*Trientalis borealis. White, fall, 6"	.15	.12
*Trillium erectum. Purple, May, 1'	.15	.12
*grandiflorum. White, May, 1'	.15	.12
Tritoma. (See Kniphofia).		

Trollius asiaticus. Rich orange, July, Aug.,	5-24 each	25 up each
2'	.25	.20
*europeus. Citron yellow, July, Aug., 1'	.20	.18
*europeus Fire Globe. Orange, summer, 1'	.35	.10
europeus Orange Globe. Orange, sum-	.00	
mer, 18"	.25	.20
*ledebouri. Orange, summer, 18"	.35	
*ledebouri Golden Queen. Orange, sum-		
mer, 18"	.35	
*Tunica saxifraga. Light pink, June, July, 6"	.18	.15
*saxifraga alba. White, summer, 6"	.18	
*saxifraga alba. fl. pl. Summer, 6"	.30	.25
*saxifraga rosea fl. pl. Pink, summer, 6"	.30	.25
Valeriana officinalis. Rose, June, July, 5'	.18	.15
Verbascum chaixi. White, summer, 3'	.20	.18
*Cotswold Gem. Amber, June, 4'	.30	.25
densiflorum. Yellow, June, July, 6'	.15	.12
olympicum. Yellow, July, Aug., 5'	.15	.12
phoeniceum. Various, May, June, 3'	.18	.15
willmottiae. White, summer, 5'	.18	.15
*Verbena canadensis. Purple, Aug., 18"	.25	.20
hastata. Blue, Aug., Sept., 3'	.15	.12
Vernonia noveboracensis. Purple, Aug., Sept.		
5'	.15	.12
*Veronica allioni. Violet, June, 2"	.20	.18
*alpestris. Pale blue, June, 18"	.15	.12
amethystina Royal Blue. June, July, 12"	.18	.15
*Blue Spires. Blue, summer, 18"	.20	.18
*caucasica. White, July, 6"	.20	.18
*chamaedrys. Blue, May, June, 18"	.18	.15
*elegantissima. Blue, July, Aug., 2'	.15	.12
*erica. Pink, summer, 10"	.15	.12
*filiformis. Blue, May, 2"	.18	.15
*gentianoides. Pale Blue, June, July, 1'	.20	.18
*incana. Pale blue, July, Aug., 1½'	.15	.12
*longifolia subsessilis. Blue, Aug., Sept.,2'	.20	.18
*orchidea. Blue, July, 18"	.18	.15
*pectinata rosea. Pink, May, June, 6"	.15 .18	.12 .15
*peduncularis. White, June, 6"	.18	.13
*pulchella. Blue, May, 1'	.15	.12
*rupestris. Blue, June, 6"	.15	.12
rupestris. Diue, June, U	.10	.14

	5-24	25 Up
*Veronica	each	each
*rupestris alba. White, June, 4"	.20	.18
*rupestris nana. Dark blue, June, 2"	.20	.18
*rupestris pink. June, 4"	.20	.18
*saxatilis. Pale blue, July, 6"	.20	.18
*spicata. Blue, July, Aug., 2'	.15	.12
*spicata alba. White, Aug., 18"	.18	
*spicata nana. Blue, June, 6"	.25	
*spuria. Blue, June, 18"	.15	.12
*teucrium prostrata. Blue, June, 1'	.15	.12
*True Blue. June, July, 12"	.18	.15
virginica. Pale blue, Aug., 4'	.18	.15
*Vesicaria utriculata. Yellow, April, May, 8"	.20	.18
Vinca minor. Blue, all summer, 6"	.10	.08
minor alba. White, all summer, 6"	.25	.20
minor Bowles. Blue, summer, 6"	.25	.20
minor rubra plena. Red, all summer, 6"	.40	.30
*Viola alba. White, May, 6"	.12	.10
*bosniaca. Rosy mauve, June, July, 4"	.18	.15
*cornuta Admiration. Purple, all sum-		
mer, 6"	.15	.12
*cornuta alba, type. White, all summer, 6"	.15	.12
*cornuta Apricot. Apricot, summer, 6"	.20	.18
*cornuta Arkwright Beauty. Red, sum-		
mer, 6"	.25	
*cornuta atropurpurea type. Purple, 6"	.15	.12
*cornuta Blue Perfection. Blue, all sum-		-
mer, 6"	.15	.12
*cornuta florariensis. Pale blue, sum-		
mer, 6"	.20	.18
cornuta G. Wermig. Violet, all summer,		
6"	.15	.12
*cornuta Lord Nelson. Blue, summer, 6"	.20	
*cornuta Lutea Splendens. Yellow, all		
summer, 6"	.15	.12
*cornuta Mauve Queen. Mauve, all sum-		
mer, 6"	.15	.12
*cornuta Papilio. Violet, all summer, 6"	.15	.12
*cornuta Primrose Dame. Yellow, sum-		
mer, 6"	.20	.18
*cornuta White Perfection. White, all		
summer, 6"	.15	.12
*Dbl. Russian. Blue, June, 4"	.30	.25
-,,	-	

5-24	25 up each
*Viola each	each
*gracilis. Deep violet, summer, 1'	.12
*Jersey Gem. Rich violet, summer, 6"18	.15
*odorata. Blue, April, May, 6"	.12
*odorata Gov. Herrick. Blue, May, 6"18	.15
*odorata Princess of Wales. Violet, May,	
6"	.15
*odorata Rosina. Pink, May, 4"	.20
*pedata. Violet, May, June, 6"	.15
*primulifolia. Pale blue, summer, 6"20	.18
*Purple Glory. Purple, summer, 6"	
*Rohrbach's Everblooming. Violet, 4"30	.25
*wellsiana. Various, all summer, 6"18	.15
*White Jersey Gem. Summer, 6"20	
Yucca filamentosa. White, June, July, 7'	
2 year	.12
3 year	.15
*glauca. White, June, July, 3'25	.20

#### FRUIT GARDEN MATERIAL

## We are able to supply all the leading varieties

Apples, Crab,	5 to 7 ft	1.10	1.00	
Standard,	5 to 7 ft	1.10	1.00	
Cherry, Sour,	5 to 7 ft	1.35	1.25	
Sweet,	5 to 7 ft	1.35	1.25	
Peaches,	5 to 7 ft	.85	.75	
Pears, Dwarf,	5 to 6 ft	1.30	1.20	
Standard,	5 to 7 ft	1.30	1.20	
Plums,	5 to 7 ft	1.35	1.25	
Quinces,	4 to 5 ft	1.35	1.25	
Asparagus			.08	.06
Blackberries			.10	.07
Currants		.35	.30	.25
Gooseberries		.35	.30	.25
Grapes, 3 yr. stron	ng	.35	.30	.25
Raspberries			.10	.07
Rhubarb			.12	.10
Strawberries			,10	.07

J. virginiana J. v. cannarti

J. v. elegantissima

#### CONIFEROUS EVERGREENS

Abies balsamea J. v. glauca J. v. globosa J. v. keteleeri A. concolor A. c. violacea A. firma
A. fraseri
A. homolepis J. v. kosteri J. v. pendula J. v. plumosa A. nobilis glauca J. v. schotti J. v. tripartita J. v. venusta A. nordmanniana A. pectinata A. pectinata pyramidalis Picea alba A. veitchi Cedrus deodara C. libani Chamaecyparis lawsoniana C. I. pendula C. I. Triomphe de Boskoop C. nootkatensis C. obtusa compacta C. o. crippsi P. e. maxwelli C. o. gracilis C. o. nana C. pisifera C. p. aurea C. p. filifera P. e. pendula P. e. pygmaea P. e. pygniaeu
P. e. remonti
P. glauca conica
P. mariana
P. m. doumeti
P. omorika
P. orientalis
P. polita
P. nungens C. p. fillifera aurea
C. p. fillifera aurea nova
C. p. plumosa
C. p. plumosa aurea
C. p. plumosa lutescens
C. P. plumosa sulphurea
C. p. squarrosa
C. p. squarrosa P. pungens
P. p. glauca
P. p. kosteri Cryptomeria japonica lobbi Juniperus chinensis J. c. albovariegata J. c. columnaris P. p. moerheimi J. c. globosa P. rubra Pinus banksiana J. c. mas J. c. neaboriensis P. cembra P. densiflora J. c. oblonga P. flexilis J. c. pfitzeriana P. montana J. c. sargenti P. m. mughus P. nigra J. c. smithi J. communis P. peuce J. c. dayi P. ponderosa P. resinosa P. strobus J. c. depressa J. c. depressa aurea J. c. depressa plumosa P. sylvestris P. thunbergi J. c. hibernica J. c. kraccovica J. c. suecica J. c. suecica nana Taxus baccata J. conferta J. excelsa T. b. erecta J. e. stricta T. b. fastigiata T. b. repandens J. horizontalis J. h. alpina J. h. glauca T. canadensis T. cuspidata
T. c. aurescens
T. c. brevifolia J. japonica J. j. aurea J. recurva J. rigida J. Sabina J. s. tamariscifolia T. c. capitata J. s. von ehron J. scopulorum T. o. columbia J. sphaerica J. squamata J. s. meyeri

Libocedrus decurrens Picea alba
P. a. gloriosa
P. alcockiana
P. canadensis
P. engelmanni
P. excelsa
P. e. clanbrasiliana
P. e. paywalli P. e. nana compacta P. e. parviformis P. e. nana pyramidalis Pseudotsuga douglasi Sciadopitys verticillata T. b. washingtoni T. c. brevifolia compacta Thuja occidentalis T. o. aurea douglasi T. o. compacta T. o. compacta Parson's T. o. elegantissima T. o. ellwangeriana
T. o. ericoides
T. o. globosa

# Coniferous Evergreens continued

T. o. hoveyi T. o. lutea T. o. pumila T. o. pyramidalis

T. o. douglasi pyramidalis T. o. Little Gem

T. o. recurva nana

T. o. reevesi
T. o. reidi
T. o. riversi T. o. rosenthali

T. o. spiralis
T. o. umbraculifera

T. o. vervaeneana
T. o. wareana
T. o. woodwardi T. orientalis

T. o. conspicua T. o. elegantissima T. o. nana aurea

T. o. sieboldi T. plicata
T. standishi

Tsuga canadensis T. caroliniana T. sieboldi

## **BROAD-LEAVED EVERGREENS**

Arctostaphylos uva-ursi

Azalea amoena A. a. hinodegiri A. ledifolia

Berberis julianae B. sargentiana

B. triacanthophora
B. verruculosa Bruckenthalia spiculifolia

Buxus microphylla B. m. koreana

B. sempervirens handsworthi

Calluna vulgaris C. v. alba C. v. alporti C. v. aurea C. v. carnea C. v. searlei

Chamaedaphne calyculata Crataegus pyracantha lalandi

C. p. coccinea C. p. yunnanensis Daphne cneorum Erica carnea E. darleyensis E. vagans Euonymus patens

E. radicans

E. r. acutus

E. r. argenteo-marginatus E. r. carrieri E. r. colorata E. r. kewensis E. r. minima

E. r. vegetus llex cornuta crenata I. c. bullata I. c. latifolia

1. c. microphylla I. glabra

I. opaca Kalmia latifolia

Laurocerasus o. schipkaensis Leucothoe catesbaei

Lonicera nitida L. pileata Mahonia aquifolium Pachistima canbyi Pieris floribunda

P. japonica Rhododendron carolinianum

R. catawbiense R. maximum Stranvaesia davidiana Viburnum rhytidophyllum

## DECIDUOUS SHADE TREES

Acer campestre A. cappadocicum

A. dasycarpum A. d. pyramidale A. d. wieri

A. mandshuricum A. negundo A. nigrum

A. platanoides A. p. columnare A. p. schwedleri

A. pseudoplatanus A. rubrum A. saccharum

Aesculus carnea A. glabra
A. hippocastanum
A. h. baumanni
A. octandra

 A. turbinata Ailanthus glandulosa A. vilmoriniana

Alnus cordata A. glutinosa

A. g. laciniata A. hirsuta A. incana iaponica

Betula alba B. a. fastigiata B. a. laciniata

B. maximowicziana B. lenta

B. lutea B. papyrifera

B. p. cordifolia B. populifolia Carpinus betulus C. caroliniana

C. cordata C. japonica C. yedoensis

## **Deciduous Shade Trees Continued**

Catalpa bignonioides nana C. speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. i. sinense Davidia involucrata Eucommia ulmoides Fagus americana F. sylvatica F. s. fastigiata F. s. heterophylla F. s. pendula F. s. purpurea F. s. riversi Fraxinus americana F. chinensis F. excelsior F. lanceolata F. mandshurica F. nigra F. pennsylvanica F. quadrangulata Ginkgo biloba G. b. fastigiata Gleditsia elegantissima G. japonica G. triacanthos G. t. inermis Gymnocladus dioica Hicoria ovata Jualans cineria J. nigra J. regia J. sieboldiana Larix europea L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron chinense L. tulipifera L. t. pyramidale Magnolia acuminata M. conspicua M. fraseri M. hypoleuca M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense P. lavallei P. sachalinense Platanus occidentalis P. orientalis Populus alba P. a. nivea P. berolinensis P. bolleana P. candicans P. certinensis
P. maximowiczi P. nigra italica P. nigra betulifolia

P. simoni

P. tremuloides P. trichocarpa

P. suaveolens przewalski

Prunus serotina Pseudolarix kaempferi Ptelia trifoliata Quercus alba Q. bicolor Q. coccinea Q. lyrata Q. macrocarpa Q. palustris Q. phellos Q. prinus Q. robur Q. rubra O. stellata O. texana O. velutina Robinia pseudoacacia R. p. bessoniana R. p. descaisneana Salix babylonica S. b. crispa S. b. dolorosa S. b. salamoni S. elegantissima S. fragilis S. mandshurica S. niobe S. pentandra S. sieboldiana S. vitellina S. v. britzensis S. v. pendula S. wentworthi Sassafras variifolium Sorbus aria latifolia S. aucuparia S. a. fastigiata S. quercifoliaS. torminalis Taxodium distichum Tilia americana T. cordata T. euchlora T. henryana T. heterophylla T. oliveri T. platyphyllos T. p. pyramidalis T. tomentosa T. vulgaris Ulmus americana U. a. moline U. a. vase-shaped U. compestris U. c. klemmeri U. c. latifolia U. c. monumentalis U. c. purpurea U. c. vegeta U. c. wheatleyi U. fulva U. glabra U. g. camperdowni U. g. nana U. japonica U. parvifolia U. pumila
U. racemosa Zelkova serrata Z. sinica

#### DECIDUOUS SMALL TREES

Acanthopanax ricinifolium

A. r. maximowiczi Acer buergerianum

A. ginnala

A. glabrum
A. griseum
A. japonicum aureum

A. nikoense

A. palmatum A. p. atropurpureum A. p. filicifolium

A. p. elegans

A. pennsylvanicum
A. platanoides globosum

A. spicatum A. tartaricum

Albizzia julibrissin rosea

Alnus pendula

Amygdalus davidiana

A. d. alba

A. persica alboplena A. p. Clara Meyer

A. p. rosea plena A. p. rubroplena

Aralia japonica A. spinosa

Asimina triloba

Broussonetia papyrifera

Cercis canadensis Cladrastis lutea Cornus florida

C. f. plena C. f. rubra C. f. welchi C. kousa C. k. chinensis C. mas

C. officinalis

Crataegus aprica

C. arkansanaC. arnoldiana arnoldiana C. carrieri

C. coccinea C. coccinioides

C. cordata

C. crusgalli C. cuneata C. hupehensis

C. macracantha

C. mollis

C. monogyna C. m. stricta C. nitida

C. oxyacantha C. o. plena C. o. pauli C. o. punic

. o. punicea

C. o. rosea plena C. peregrina C. persistens

C. pinnatifida major

C. pruinosa

C. prunifolia C. punctata

C. succulenta C. tomentosaC. viridis

Diospyros virginiana Gordonia alatamaha Halesia tetraptera

H. monticola

Idesia polycarpa

Koelreuteria paniculata Laburnum alpinum

L. vulgareL. watereri

Maackia amurensis

Magnolia glauca M. kobus

M. lennei M. salicifolia M. soulangeana

M. s. nigra Malus angustifolia

M. arnoldiana M. adstringens

M. baccata M. b. mandshurica

M. brevipes M. coronaria

M. c. Charlotte M. dolga M. Elisa Rathke

M. florentina M. floribunda

M. f. atrosanguinea M. f. lemoinei

M. fusca M. glaucescens M. halliana

M. h. parkmani M. hopa M. ioensis

M. i. bechteli M. micromalus M. niedzwetzkyana

M. Oekonemurat Echtermeyer

M. purpurea

M. p. aldenhamensis M. p. eleyi

M. prunifolia rinki M. robusta

M. r. fastigiata M. r. persicifolia M. sargenti

M. scheideckeri M. sieboldi M. spectabilis M. s. alba plena

M. sublobata M. theifera M. t. rosea

M. toringoides M. tschonoski

M. yunnanensis veitchi M. zumi M. z. calocarpa Morus alba pendula Nyssa aquatica

N. sylvatica Oxydendrum arboreum

Prunus americana

P. a. Newport
P. armeniaca sibirica
P. avium plena
P. cerasifera pissardi

P. cistena P. hortulana P. incisa

P. lannesiana P. I. Amayadori P. I. Jonioi

#### **Deciduous Small Trees Continued**

P. I. sirotae P. maacki P. moseri fl. pl. P. mume P. mume fl. pl. P. padus P. pennsylvanicum P. serrulata

P. s. Amanogawa P. s. Gioiko

P. s. Hata-zakura P. s. Horaisan P. s. Hosokawanioi P. s. Higaliya

P. s. Hisakura P. s. Jas. H. Veitch P. s. Kuramayami P. s. Kwansan

P. s. Miyako P. s. sachalinensis P. s. Shirofugen P. s. Shogetsu P. s. Sumizome

P. sieboldi syn. Naden P. spinosa P. subhirtella P. s. ascendens P. s. autumnalis P. s. pendula

P. virginiana P. yedoensis P. y. taizanfukun Pterostyrax corymbosa Pyrus calleryana P. betulaefolia P. salicifolia P. serrulata

Rhus cotinus R. javanica syn. osbecki

Robinia fertilis R. globosa R. hispida R. holdti

R. pseudoacacia Marguerite

Salix amygdaloides S. caprea S. matsudana S. m. tortuosa

S. regalis Sophora japonica Sorbus americana

S. commixta S. spuria Styrax japonica S. obassia Syringa japonica S. pekinensis

#### **DECIDUOUS SHRUBS**

Abelia chinensis A. grandiflora A. schumanni Acanthopanax pentaphyllum Aesculus parviflora Alnus rugosa A. viridis Amelanchier alnifolia A. asiatica A. canadensis A. laevis A. l. rosea

A. oblongifolia A. rotundifolia syn. vulgaris A. sanguinea

A. stolonifera Amorpha brachycarpa

A. canescens

A. fruticosa

Amygdalus nana georgica Aronia arbutifolia

 A. atropurpurea A. melanocarpa A. m. elata Artemisia abrotanum

Azalea calendulacea

A. canescens A. kaempferi A. lutea A. mollis A. nudiflora

A. poukhanensis A. viscosa

A. yodogawa Baccharis halimifolia Benzoin aestivale Berberis koreana B. circumserrata

B. thunbergi B. t. atropurpurea

B. t. minor B. t. pluriflora B. t. p. erecta

Berchemia racemosa Bischoffia trifoliata Buddleia Charming

B. alternifolia B. davidi B. d. superba B. d. veitchi

B. farquhari

B. Ile de France B. intermedia B. lindleyana B. paniculata

Callicarpa americana

C. giraldiana C. japonica purpurea Calycanthus floridus

C. occidentalis Caragana arborescens

C. boisi

C. frutex C. lorbergi sophoraefolia Caryopteris incana

C. tangutica Ceanothus americanus Cephalanthus occidentalis

Cercis chinensis Chionanthus virginica Clerodendron trichotomum

Clethra alnifolia C. barbinervis C. paniculata

Colutea arborescens C. cilicica C. media Comptonia asplenifolia Cornus alba C. a. elegantissima C. a. elegantissima
C. a. sibirica
C. a. spaethi
C. alternifolia
C. amomum syn. sericea
C. baileyi
C. paniculata
C. paucinervis
C. pubescens
C. rugosa
C. sanguinea
C. s. viridissima
C. stolonifera
C. s. flaviramea C. s. flaviramea Corylus americana C. avellana C. a. atropurpurea C. heterophylla setchuenensis C. rostrata rostrata Cotoneaster acutifolia C. a. villosula C. a. villosula
C. adpressa
C. ambigua
C. apiculata
C. dammeri
C. dielsiana
C. divaricata
C. foveolata
C. francheti
C. himalaicus
C. horizontaila
C. f. C. h. perpusilla C. h. perpusilla
C. hupehensis
C. integerrima
C. lucida
C. melanocarpa
C. microphylla
C. mouninensis C. moupinensis C. multiflora C. nitens C. obscura
C. racemiflora soongarica
C. rotundifolia C. rosea C. s. floccosa C. simonsi C. tenuipes C. wilsoni
C. zabeli
Cydonia cathayensis C. japonica C. j. alba C. j. alpina C. j. Columbia C. j. Falconet Charlet C. j. pygmaea C. j. rosea plena
C. j. rosea plena
C. j. umbilicata
C. j. Vermilion
C. kermesiana semi-plena
C. maulei Cytisus nigricans C. scoparius C. s. andreanus C. supinus

Daphne mezereum D. m. alba Deutzia gracilis D. lemoinei D. I. avalanche D. I. compacta D. myriantha Boule Rose D. ningpoense D. parviflora D. rosea D. rosea campanulata D. r. carminea D. r. eximea D. r. venusta D. scabra D. s. candidissima D. s. Pride of Rochester D. s. rosea plena D. s. watereri D. s. wellsi D. schneideriana laxiflora D. vilmorinae Diervilla sessilifolia D. trifida Dirca palustris Eleagnus angustifolia E. argentea E. longipes E. parvifolia E. umbellata Elsholtzia stauntoni Enkianthus campanulatus Euonymus alatus E. a. compacta E. americanus E. atropurpureus E. bungeanus E. europaeus E. e. fructu-coccineus E. latifolius E. maacki E. nanus E. obovatus E. oxyphyllus E. yedoensis Evodia danieli E. hupehensis Exochorda grandiflora E. g. wilsoni Fontanesia fortunei Forsythia europea F. intermedia F. i. primulina F. i. spectabilis F. ovata F. suspensa F. s. atrocaulis F. s. fortunei F. s. sieboldi F. viridissima Fothergilla gardeni Gaylussacia baccata Genista juncea G. pilosa G. sagittalis G. tinctoria Hamamelis japonica H. j. rubra H. mollis H. vernalis

L. kohneana

H. v. tomentella H. virginiana Helwingia japonica Hibiscus syriacus H. variegatus H. v. meehani Hippophae rhamnoides Hovenia dulcis Hydrangea arborescens H. a. grandiflora H. cineria sterilis H. o. Otaksa H. a. Thos. Hogg H. paniculata H. p. grandiflora H. p. praecox H. quercifolia H. radiata Hypericum arnoldiana H. aureum H. bucklei H. densiflorum H. kalmianum H. lobocarpum H. moserianum H. patulum H. p. henryi H. prolificum Hex geniculata laevigata monticola I. serrata syn. sieboldi I. verticillata I. v. chrysocarpa Indigofera amblyantha kirilowi I. potanini Itea virginica Jamesia americana Jasminum nudiflorum J. stephanense Kerria japonica K. j. florepleno Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor L. formosa syn. penduliflorum L. f. albiflora Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. ibota L. i. nanum L. i. regelianum L. lodense L. ovalifolium L. o. varigatum L. vulgare L. v. foliosum L. v. leucocarpum Lonicera bella albida L. bella rosea L. billardi L. chrysantha L. conjugialis L. dioica L. fragrantissima

L. gracilipesL. Kesselringi

L. korolkowi floribunda L. ledebouri L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. standishi L. syringantha L. s. wolfi L. tatarica L. t. alba L. t. grandiflora L. t. lutea L. t. sibirica L. virginalis alba L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina Magnolia parviflora M. stellata M. s. rosea Myrica carolinensis M. cerifera M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronatus Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus Albatre P. Argentine P. Avalanche P. Banniere
P. Bouquet Blanc
P. coronarius
P. c. aureus P. c. nanus P. c. multiflorus plenus P. Dame Blanche P. dianthiflorus plenus P. falconeri P. Favorite P. Gerbe de Neige P. Glacier P. gordonianus
P. grandiflorus
P. incanus
P. lemoinei erectus P. lewisi P. Magdalene P. nepalensis P. nivalis P. Norma P. Ophelia P. Pavillon Blanc P. pyramidale P. sericanthus P. Sybille P. virginal P. Voie Lactee P. zeyheri Photinia villosa

P. v. laevis Physocarpus intermedius parvifolius P. monogynus P. opulifolius P. o. luteus P. o. nanus Pieris mariana Potentilla fruticosa Prinsepia sinensis Prunus besseyi P. demissa P. dunbari P. glandulosa P. g. albiplena P. g. sinensis P. japonica P. maritima

P. pumila P. tomentosa
P. triloba
P. t. plena Rhamnus caroliniana . R. cathartica R. dahurica R. frangula R. f. asplenifolia R. koraiensis R. purshiana R. spathulaefolia R. utilis

R. wilsoni

Rhodotypos kerrioides

Rhus canadensis R. copallina R. glabra R. trilobata R. typhina R. t. laciniata Ribes alpinum R. aureum R. fasciculatum R. gordonianum R. sanguineum Robinia Ellioti R. kelseyi

R. blanda R. b. willmottiae R. canina

R. coriifolia froebeli R. davurica R. ecae R. foetida R. f. persiana R. fujisanensis R. helenae

R. hugonis R. humilis R. laevigata R. lucida R. marreti

R. viscosa

Rosa acicularis

R. maximowicziana jacki R. moyesi

R. muĺtiflora R. m. cathayensis R. nitida R. palustris R. pendulina R. rouletti

R. rubiainosa R. r. hybrids R. rubrifolia R. rugosa R. r. alba R. r. hybrids R. r. repens R. sericea

R. setigera R. spinosissima altaica

R. s. hispida R. s. hybrids R. watsoniana R. wichuraiana R. w. hybrids R. hybrid perpetuals R. hybrid tea

R. climbing R. polyantha hybrids R. woodsi R. xanthina allard R. x. spontanea Rubus deliciosus R. dumetorum R. odoratus R. phoenicolasius Salix discolor

S. doniana S. incana S. irrorata S. jessoensis S. lucida S. mutabilis S. myricoides rigida

S. nigricans cotinifolia S. patula

S. purpurea nana S. uralensis S. vitellina glauca Sambucus canadensis S. c. acutiloba S. nigra

S. n. aurea S. n. variegata S. pubens S. p. leucocarpa S. racemosus Shepherdia argentea S. canadensis Smilax rotundifolia Sophora vicifolia Sorbaria aitchisoni S. arborea glabrata

S. lindleyana S. sorbifolia Spirea arguta S. billiardi S. bumalda

S. b. Anthony Waterer S. b. walluffi

S. chamaedryfolia ulmifolia S. dasyantha douglasi S. fortunei S. froebeli

S. japonica S. j. ovalifolia S. j. ruberrima S. latifolia S. margaritae

S. nipponica rotundifolia

S. prunifolia pubescens S. reevesiana S. r. lanceata S. salicifolia S. superba S. syringiflora S. thunbergi S. tomentosa S. trichocarpa S. van houttei S. veitchi S. wilsoni Staphylea bumalda S. colchica S. pinnata S. trifolia Stephanandra flexuosa Stewartia pentagyna S. p. grandlifora Symphoricarpos chenaulti S. mollis S. occidentalis S. o. heyeri S. racemosus S. vulgaris Symplocos paniculata Syringa affinis giraldi S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece

S. josikea S. microphylla S. oblata S. o. dilatata S. palibiniana S. persica S. p. alba S. villosa S. vulgaris S. vulgaris alba S. v. hybrids S. yunnanensis Tamarix africana

T. gallica T. g. indica T. juniperina T. odessana T. pentandra T. tetandra purpurea Ulex europeus

Vaccinium corymbosum

V. vacillans

Viburnum acerifolium

V. americanum V. bitchuiense V. betulifolium V. burejaeticum V. burkwoodi V. carlesi V. cassinoides V. dentatum

V. dilatatum
V. d. leucocarpum
V. fragrans
V. hupehense V. lantana V. l. rugosum V. lentago V. molle V. nudum V. opulus V. o. nanum V. o. sterile

V. o. xanthocarpum V. ovatifolium V. prunifolium

V. pubescens V. rufidulum V. sargenti V. sieboldi V. theiferum V. tomentosum
V. t. plicatum
V. veitchi
V. venosum canbyi

V. wrighti Vitex agnus castus V. a. c. alba V. macrophylla V. negundo incisa

Weigela Abel Carriere W. amabilis W. candida W. desboisi W. despoisi
W. Eva Rathke
W. floribunda
W. groenewegeni
W. Gustav Mallot
W. hortensis rubra

W. japonica W. rosea

W. rosea nana variegata W. sieboldi argenteomarginata

W. styriaca W. Van Houtte

Zanthorhiza apiifolia Zanthoxylum americanum

#### VINES

Akebia lobata A. auinata Ampelopsis aconitifolia A. henryana A. heterophylla A. h. amurensis A. h. elegans A. quinquefolia

Actinidia arauta

A. q. engelmanni A. q. murorum A. q. saintpauli A. tricuspidata veitchi A. t. lowi Aristolochia sipho A. tomentosa

Bignonia grandiflora B. g. Mad. Gallen

#### Vines Continued

B. radicans
B. speciosa
Celastrus orbiculatus
C. scandens
Clematis apiifolia
C. chrysocoma sericea
C. crispa
C. fargesi
C. flammula
C. hybrids
C. ligusticifolia
C. montana rubens
C. m. wilsoni
C. orientalis
C. paniculata
C. serratifolia
C. tangutica

C. montana rubens
C. m. undulata
C. m. wilsoni
C. orientalis
C. paniculata
C. serratifolia
C. texensis syn. coccinea
C. veitchi
C. viorna
C. vitalba
C. vitalba
C. viticella
Decumaria barbara
Hedera helix
H. h. Albany
H. h. baltica
H. h. conglomerata
H. h. gracilis
Lydrangea petiolaris
Lonicera alseusmoides
L. browni plantierensis
L. caprifolium

L. fuchsoides

L. heckrotti L. henryi L. hirsuta L. japonica L. j. halleana L. j. reticulata aurea L. periclymenum belgica L. prolifera syn. sullavanti L. sempervirens L. tellmanniana L. thibetica L. verna Periploca graeca Polygonum auberti Pueraria thunbergiana Schizophragma hydrangoides Solanum dulcamara Tripterygium regeli Vinca minor V. m. alba V. m. rubra plena Vitis aestivalis V. amurensis V. coignetae V. cordifolia V. labrusca V. rotundifolia V. vulpina Wistaria frutescens W. f. magnifica W. multijuga W. sinensis W. s. alba W. venusta

#### LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

#### PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

# WOODY PLANTS FOR AUGUST AND SEPTEMBER FLOWERING

Baccharis halimifolia Bignonia grandiflora Buddleia in variety Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix aestivale Vitex agnus castus Vitex macrophylla

## Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Ampelopsis quinquefolia Ampelopsis tricuspidata veitchi Aronia arbutifolia Aronia atropurpurea Benzoin aestivale

\*Betula papyrifera \*Betula populifolia \*Betula lenta

\*Betula lutea Cornus in variety

\*Crataegus in variety Euonymus in variety \*Hypericum prolificum

\*Juniperus virginiana \*Juniperus communis \*Ligustrum in variety Lonicera in variety Morus alba

\*Myrica carolinensis

Nyssa sylvatica \*Pinus in variety

Photinia villosa Prunus bessevi Prunus padus

Prunus pennsylvanicum Prunus serotina

\*Rhamnus in variety \*Rhus copalling

\*Rhus glabra \*Rhus typhina Ribes in variety Sambucus in variety

\*Symphoricarpus in variety Vaccinium corymbosum Viburnum in variety

Vitis in variety \*Weigela hybrida in variety

## Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Chamaecyparis obtusa nana Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis perpusillo

Cotoneaster rotundifolia Daphne cneorum

Daphne mezereum

Euonymus radicans minima

Hypericum henryi Jasminum nudiflorum Juniperus horizontalis Juniperus horizontalis alauca Juniperus suecica nana Juniperus sabina tamariscifolia Lonicera spinosa alberti Lonicera syringantha Lonicera thibetica

## Woody Plants Enduring Shade

For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Liqustrum ibota

Ligustrum vulgare Rhus canadensis Ribes alpinum Rubus odoratus Symphoricarpus vulgaris Vinca minor

#### For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum Acer spicatum Alnus glutinosa Alnus incana Cornus florida Euonymus radicans and varieties Fagus americana Hedera helix Kalmia latifolia Amelanchier in variety

Benzoin aestivale Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra terminalis Rhododendron in variety Tsuga canadensis Viburnum acerifolium Zanthorhiza apiifolia

## **Woody Plants for Bank Planting**

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Eunonymus radicans acutus
\*Lonicera halleana
\*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius

\*Rhus typhina

Robinia pseudacacia \*Rosa setigera \*Rosa wichuraiana \*Rubus odoratus Salix caprea Salix discolor Salix incana \*Symphoricarpus vulgaris Vinca minor Vitis vulpina

#### Plants for the Herb Garden

Achillea millefolium Allium schoenoprasum Anthemis nobilis Artemisia abrotanum Artemisia absinthium Artemisia dracunculus Artemisia pontica Artemisia stelleriana Asarum canadense Asperula odorata Calamintha alpina Cedronella cana Chrysanthemum balsamita Foeniculum atrosanguineum Hyssopus officinalis Lavandula officinalis Marrubium vulgare

Melissa officinalis Mentha piperita Mentha requieni Monardi didyma Monardi fistulosa Nepeta hederacea Origanum vulgare Rosmarinus officinalis Ruta graveolens Salvia officinalis Santolina chamaecyparissus Tanecetum vulgare Thymus serpyllum Thymus serpyllum citriodorus Thymus vulgaris Valeriana officinalis

#### SCHEDULE OF B&B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (\*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

18-24"	7		\$ .50
2- 3'			75
3- 4'			1.00
4- 5'			1.25
5- 6'			1.50
		,	Diameter of Ball
6- 8'	Shrubs	\$ 2.0	00 16"
1"	Trees	<i>(</i>	
8-10'	Shrubs	)	10"
11/4"	Trees	<b>}</b>	25 18"
1½"	Trees	4.	50 20"
13/4"	"	6.0	00 22"
2"	66	7.0	00 24"
21/2"	44	11.0	00 30"
3"	44	15.0	00 36"
31/2"	"	22.0	00 42"
4"	"	30.0	00 48"
41/2"	"	45.0	00 54"
5"	"	60.0	00 60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.



